INORGANIC CHEMISTRY



DPP No. 25

Total Marks: 53

Max. Time: 56 min.

Topic: s-block Elements

Type of Questions		M.M., Min.
Single choice Objective ('-1' negative marking) Q.1 to Q.11	(3 marks, 3 min.)	[33, 33]
Subjective Questions ('-1' negative marking) Q.12 to Q.14	(4 marks, 5 min.)	[12, 15]
True or False (no negative marking) Q.16	(2 marks, 2 min.)	[2, 2]
Short Subjective Questions ('-1' negative marking) Q.17	(3 marks, 3 min.)	[3, 3]
Assertion and Reason (no negative marking) Q.18	(3 marks, 3 min.)	[3, 3]

- 1. Sodium and potassium react with water much more vigorously than lithium because :
 - (A) sodium and potassium have high values of hydration energy as compared to that of lithium.
 - (B) sodium and potassium have higher melting point than that of lithium.
 - (C) sodium and potassium have lower melting point than that of lithium.
 - (D) sodium and potassium have lower hydration energy than that of lithium.
- 2. Which of the following statements is not true about the dilute solutions of alkali metals in liquid ammonia?
 - (A) They are deep blue coloured solutions.
 - (B) They are highly conducting in nature.
 - (C) They are diamagnetic in nature.
 - (D) Ammoniated cation and solvated electron are formed in the solution.
- 3. The following compounds have been arranged in order of their increasing thermal stabilities. Identify the correct order. K₂CO₃ (I), MgCO₃ (II), CaCO₃ (III), BeCO₃ (IV)

VI > II > II > IV

(B) IV < II < III < I

(C) IV < II < I < III

(D) II < IV < III < I.

- **4.** Identify the correct statement :
 - (A) Sodium metal can be prepared by the electrolysis of an aqueous solution of NaCl.
 - (B) Sodium metal can be kept under ethyl alcohol.
 - (C) Sodium metal is insoluble in liquid NH₃ at low temperature.
 - (D) Elemental sodium is easily oxidised.
- **5.** Which of the following statements are true about the alkali metals?
 - (1) All alkali-metal salts impart a characteristic colour to the Bunsen flame.
 - (2) The correct order of increasing thermal stability of the carbonates of alkali metals is $Li_2CO_3 < Na_2CO_3 < K_2CO_3 < Rb_2CO_3 < Cs_2CO_3$.
 - (3) Among the alkali metals, cesium is the most reactive.
 - (4) The reducing character of the alkali metal hydrides follow the order: LiH > NaH > KH > RbH > CsH.

(A) (1), (2) and (3)

(B) (1), (3) and (4)

(C) (2), (3) and (4)

(D) (1), (2), (3) and (4)

- **6. Statement 1:** Solubilities of alkali metal fluorides and carbonates increase down the group.
 - **Statement 2:** Hydration energies of alkali metal halides decrease down the group with increase in size of cations.
 - (A) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
 - (B) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1
 - (C) Statement-1 is True, Statement-2 is False
 - (D) Statement-1 is False, Statement-2 is True
- 7. The melting point of lithium (180°C) is almost double the melting point of sodium (97°C) because :
 - (A) down the group, the hydration energy decreases
 - (B) down the group, the ionization energy decreases
 - (C) down the group, the cohesive energy decreases
 - (D) none of these





- **8.** Which of the following statement (s) is/are true for the solutions of alkali metals and alkaline earth metals in ammonia (ℓ) ?
 - (A) Concentrated solutions of alkali metals in ammonia are copper bronzed coloured and have a metallic lusture.
 - (B) Dilute solutions of alkaline earth metals are deep bule-black in colour due to the spectrum from the solvated electron.
 - (C) Concentrated solutions of the alkaline earth metals in ammonia are bronze coloured.
 - (D) Evaporation of the ammonia from solutions of alkali metals yields the metal, but with alkaline earth metals evaporation of ammonia gives hexammoniates of the metals.
- **9. STATEMENT-1**: Lithium is the most powerful reducing agent and sodium is the least powerful reducing agent amongst the alkali metals in aqueous solutions.

STATEMENT-2: Lithium has the highest hydration enthalpy and the sodium the least value.

- (A) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
- (B) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1
- (C) Statement-1 is True, Statement-2 is False
- (D) Statement-1 is False, Statement-2 is True
- 10. Which of the following statements is incorrrect?
 - (A) The superoxide ion (i.e. O₂-) is stable only in presence of larger cations such as K⁺, Rb⁺, Cs⁺.
 - (B) Alkali metals are normally kept in kerosene oil.
 - (C) All the alkali metal hydrides are ionic solids with high melting points.
 - (D) The concentrated solution of alkali metals in liquid ammonia is paramagnetic in nature.
- 11. Property of the alkaline earth metals that increases with their atomic number is:
 - (A) Ionisation energy

(B) solubility of their hydroxides

(C) solubility of their sulphates

- (D) Electronegativity
- 12. Why is sodium chloride added during electrolysis of fused anhydrous magnesium chloride?
- 13. Explain the difference in the nature of bonding in LiF and LiI.
- **14.** Arrange the following sulphates of alkaline earth metals in order of decreasing thermal stability: BeSO₄, MgSO₄, CaSO₄, SrSO₄
- **15.** Fill in the blanks:
 - (i) Ca²⁺ has a smaller ionic radius than K⁺ because it has
 - (ii) A solution of sodium in liquid ammonia at 33°C conducts electricity. On cooling, the conductivity of this solution
- 16. True/False:
 - (a) The softness of group I metals increases down the group with increasing atomic number.
 - (b) Sodium when burnt in excess of oxygen mainly gives sodium monoxide.
- 17. Calcium is obtained by:
 - (A) electrolysis of molten CaCl_a
- (B) electrolysis of solution of CaCl₂ in water
- (C) chemical reduction of CaCl,
- (D) roasting of lime stone.
- **18.** Read the following statement and explanation and answer as per the options given below:

Statement: The alkali metals can form ionic hydrides which contain the hydride ion H-.

Explanation : The alkali metals have low electronegativity; their hydrides conduct electricity when fused and on electrolysis liberate hydrogen at the anode.

- (A) Both S and E are true and E is the correct explanation of S.
- (B) Both S and E are true but E is not correct explanation of S.
- (C) S is true but E is false.
- (D) S is false but E is true.





Answer Key

DPP No. #25

1. (C)

(C)

3.

(B)

4. (D)

5.

(A)

(D)

6.

(B)

7. (C)

2.

8.*

(ABCD)

9. (C)

10.

11.

. (B)

12. The anhydrous magnesium chloride is fused with NaCl to provide conductivity to the electrolyte and to lower the fusion temperature of anhydrous MgCl₂.

13. LiF has more ionic character while LiI has more covalent character. The latter is due to the greater polarizability of larger iodide ion than the lithium ion.

14. SrSC

SrSO₄ > CaSO₄ > MgSO₄ > BeSO₄

15.

(i) higher effective nuclear charge (ii) decreases

16.

(a) T

(b) F

17.

(A)

18.

(A)

Hints & Solutions

DPP No. #25

When sodium and potassium react with water, the heat evolved causes them to melt, giving a larger area
of contact with water, lithium on the other hand, does not melt under these condition and thus reacts more
slowly.

Li Na K
Melting point (°C) 180 98 64.

2. $M + (x + y)NH_3 \longrightarrow [M(NH_3)_x]^+ + [e(NH_3)_y]^-$

It is paramagnetic due to the presence of the unpaired electrons

As the size of cation decreases, the extent of polarisation increases so covalent character ↑ and stability ↓

 (4) Reducing nature increases down the group as their stability decreases down the group CsH > RbH > KH > NaH > LiH

6. Both statements are correct but S₂ is not correct explanation of S₁.

Statement - 1: The reason for this is that their lattice energies change is more than the hydration energies on descending the group.

Statement - 2: Hydration energy $\infty \frac{1}{\text{size of cation}}$





7. (C)

The atom becomes larger on descending the group, so the bonds are weaker (metallic bond), the cohesive force/energy decreases and accordingly melting point also decreases.

- (A,B,C,D)
 - (A) Due to the formation of metal ion clusters
 - (B) M + (x + y) NH₃ \longrightarrow M⁺(NH₃)_x + e⁻(NH₃)_y
 - (C) due to the formation of metal clusters.
 - (D) M (NH₂)₆ → true statement
- 9. (C)
 - (i) E^o Li⁺/Li = -3.04; Na⁺/Na = -2.71 which is least among the alkali metals.
 - (ii) Hydration enthalpy / KJ mol-1

Li =
$$-506$$
; Na = -406 ; Cs has the least ΔH_{hyd} = -276

- 10. (A) Bigger anion is stabilised by bigger cation through lattice energy effect.
 - (B) Because of their high reactivity towards air and water.
 - (C) True Statement
 - (D) In concentrated solution, unpaired electrons with opposite spins paired up forming the solution diamagnetic.
- 11. (B)

Solubility of alkaline earth metal hydroxide increases as the solubility product increases.

$$Be(OH)_2 < ---- < Ba(OH)_2$$

 K_{SP} 1.6 × 10⁻²⁶ 5.4 × 10⁻³

- 12. The anhydrous magnesium chloride is fused with NaCl to provide conductivity to the electrolyte and to lower the fusion temperature of anhydrous MgCl_a.
- 13. LiF has more ionic character while LiI has more covalent character. The latter is due to the greater polarizability of larger iodide ion than the lithium ion.
- As metallic character i.e. electropositive character of cations increases thermal stability of their sulphates increases and thus the correct order is SrSO₄ > CaSO₄ > MgSO₄ > BeSO₄.
- 15. (i) higher effective nuclear charge
 - (ii) Decreases; as mobility of free electron decreases on cooling.
- 16. (a) True: The metallic bonding decreases with increase in atomic size and thus close packing of atoms in crystal lattice decreases from Li to Cs resulting in an increase in softness.
 - (b) False: Sodium when burnt in excess of oxygen gives monoxide and sodium peroxide (Na₂O₂) and not sodium oxide.

- Ca is obtained by electrolysis of molten mixture of CaCl₂ mixed with CaF₂.
- 18. Both S & E are true and E is the correct explanation of S. So (a)

