## DPP - Daily Practice Problems

## Chapter-wise Sheets

Date :		Start Time :		End Time :	
--------	--	--------------	--	------------	--

# BIOLOGY



**SYLLABUS:** Structural Organisation in Animals

Max. Marks: 180 Marking Scheme: + 4 for correct & (-1) for incorrect Time: 60 min.

INSTRUCTIONS: This Daily Practice Problem Sheet contains 45 MCQs. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page.

- 1. The kind of epithelium which forms the inner walls of blood vessels is
  - (a) cuboidal epithelium
  - (b) columnar epithelium
  - (c) ciliated columnar epithelium
  - (d) squamous epithelium
- The cell junctions called tight, adhering and gap junctions are found in
  - (a) connective tissue
- (b) epithelial tissue
- (c) neural tissue
- (d) muscular tissue
- **3.** Housefly possesses
  - (a) two pairs of wings
- (b) one pair of wings
- (c) three pairs of wings (
- (d) four pair of wings
- **4.** Excretory organs of Cockroach are
  - (a) flame cells

- (b) nephridia
- (c) hreen glands
- (d) malpighian tubules
- **5.** Myoglobin is present in
  - (a) all muscle fibres
  - (b) white muscle fibres only
  - (c) red muscle fibres only
  - (d) both white and red muscle fibres
- **6.** Intercalated discs are the communication junctions between the cells of
  - (a) cardiac muscles
  - (b) striped muscles
  - (c) adipose tissue
  - (d) nerve and striated muscles

RESPONSE GRID 1. **abcd** 6. **abcd**  2. abcd

3. abcd

4. **abcd** 

5. **abcd** 

Space for Rough Work





	(a) Compound	eves (b) Poi	ison glands		(c) histocytes	(d)	melanocytes	
	(c) Jointed legs	•	etamorphosis	15.	Which of the following is	not a g	granulocyte?	
8.	Mast cells are as		, united principle		(a) Lymphocyte		Neutrophil	
•	(a) exocrine gla				(c) Basophil	(d)	Eosinophil	
	(b) endocrine g			16.	The type of epithelial cells w	nich lir	ne inner surface of fallopi	an
		nective tissue			tubes, bronchioles and sma	ll bron	chi are known as	
	(d) neural tissu				(a) squamous epithelium	(b)	columnar epithelium	
0	` '				(c) ciliated epithelium	(d)	cubical epithelium	
9.		om blood in possess	sing	<b>17.</b>	Male and female cockroache	es can l	be distinguished externa	lly
	(a) only WBCs				through		_	-
	(b) more RBCs				(a) anal styles in male			
		and few WBCs.			(b) anal cerci in female			
4.0	(d) more WBCs				(c) anal style and antenna	ae in fe	emales	
10.		epithelium is found			(d) both (b) and (c)			
	(a) oesophagu		piratory tract	18.	The long bones are hollow	and o	connected by air passag	ge.
	(c) urinary trac		•		They are characteristic of			
11.		_	n animal and its kind of		(a) aves		mammalia	
	respiratory organ				(c) reptilia		sponges	
	(i) Silver fish -			19.	The most active phagocyti		e blood cells are	
	(ii) Scorpion –				(a) neutrophils and mone			
		- pharyngeal gills			(b) neutrophils and eosin			
	(iv) Dolphin – s				(c) lymphocytes and mad			
	The correct matchings are			20	(d) eosinophils and lymp			
	(a) (iii) and (iv)			20.	In the mouthparts of the cocl			i 1S
	(c) (i), (ii) and (i	iii) (d) (ii)	and (iv)		(a) labium		maxillae labrum	
<b>12.</b>	Tendons and liga	aments are the exan	nples of	21.	<ul><li>(c) mandibles</li><li>Which one of the following</li></ul>	` '	labrum	nc
	(a) areolar con	nective tissue		41.	have similar function?	ng gro	oups of structures/orga	115
	(b) adipose tiss	sue			(a) Typhlosole in earthw	orm i	intactinal villi in rat a	nd
	(c) dense regul	lar connective tissu	e		contractile vacuole in			nu
	(d) loose conne	ective tissue			(b) Nephridia in earthy			in
<b>13.</b>	Major inorganic	component of verte	ebrate bone is		cockroach and urinar			111
	(a) calcium car	bonate					anum of frog and clitell	ım
	(b) calcium pho	osphate			of earthworm.	, J I		
	(c) sodium hyd	roxide			(d) Incisors of rat, gizzar	d (pro	ventriculus) of cockroa	ch
	(d) potassium h	ıydroxide			and tube feet of starfi		,	
		7. (a)(b)(c)(d)	) <b>8. abcd</b>	9.	(a) (b) (c) (d) 10. (a) (b)	ര	) 11. abcd	$\neg$
	RESPONSE							
	Grid	12. @ <b>b</b> © d			<b>ⓐ</b> ⓑⓒⓓ 15.ⓐⓑ			
	Gian	17. abcd	) 18.abcd	19.	ⓐ ⊕ ⓒ ⓓ 20. ⓐ ⊕	<u>(O(d)</u>	) <b>21.</b> @bcd	
			Space for 1	Rough	Work			_

(a) mast cells

What is common among silverfish, scorpion, crab and honey 14. Histamine is secreted by

- DPP/ CB07

(b) fibroblast

в-26

bee?

**DPP/ CB07** в-27

- **22.** Which of the following statements are wrong?
  - Leucocytes disintegrate in the spleen and liver.
  - (ii) RBC, WBC and blood platelets are produced by bone
  - (iii) Neutrophils bring about destruction and detoxification of toxins of protein origin.
  - (iv) The important function of lymphocytes is to produce antibodies.
  - (a) (i) and (ii) only
- (i) and (iv) only
- (c) (i) and (iii) only
- (d) (ii) and (iii) only
- 23. Malpighian tubules are the excretory organs in
  - (a) Cockroach
- (b) Platyhelminthes
- (c) Ascaris
- (d) Pila
- 24. Young one of the cockroach is called
  - (a) Naid
- (b) Grub
- (c) Nymph
- (d) Maggot
- 25. Cilia, Flagella and microvilli are associated with the

  - (a) Connective tissue (b) Epithelial tissue
  - (c) Nervous tissue
- (d) Muscular tissue
- 26. In which of the following animals, respiration occurs without any respiratory organ?
  - (a) Frog
- (b) Fish
- Cockroach
- (d) Earthworm
- 27. Which of the following type of cell junction is not found in animal tissues?
  - (a) Desmosome
- (b) Tight junction
- (c) Gap junction
- (d) Plasmodesmata
- Which one of the following cellular components of the blood 28. is responsible for the production of antibodies?
  - (a) Thrombocyte
- (b) Lymphocyte
- (c) Monocyte
- (d) Erythrocyte
- 29. Sprain is caused due to the excessive pulling of
  - (a) Muscles
- (b) Tendons
- (c) Ligaments
- (d) All of the above
- In cockroach, the corpora allata is
  - A sense organ
- A tactile organ (b)
- An endocrine organ (c)
- A digestive gland

- 31. Which of the following is incorrect w.r.t stucture/gland of cockroach and its total number in body?
  - Collateral glands in female cockroach 2
  - Malpighian tubules 100-150
  - (c) Spiracles - 10
  - (d) Ommatidia in each compound eye 2000
- 32. The function of basement membrane in epithelial tissue is
  - Facilitate communication of cells with each other (a)
  - (b) Allow rapid ion transfer among cells
  - Separate the epithellal tissue from underlying connective tissue
  - (d) Produce multiple layers of cells in a compound epithelium
- All among the following are function of connective tissue 33.
  - (a) Binding support
  - (b) Fat storage
  - Body defense and transport
  - (d) Propelling mucus towards the pharynx
- Mark the statement that is incorrect for smooth muscles.
  - Smooth muscles from the muscular component of the visceral organs such as blood vessels, urinary bladder, ciliary body etc.
  - Smooth muscles cells do not have the troponintropomyosin mechanism of controlling contraction
  - Irritability is shown by all smooth muscles except ciliary muscles
  - (d) Hair root muscles and muscles on the large blood vessels are in example of multi-unit smooth muscles
- 35. The avascular nature of cartilage is responsible for its
  - (a) Flexibility
  - Slow repair (b)
  - Suitability for embryonic endoskeleton
  - Transparent consistency

RESPONSE GRID

22.(a)(b)(c)(d) 27. (a) (b) (c) (d)

32. (a) (b) (c) (d)

23.(a)(b)(c)(d) 28.(a)(b)(c)(d)

**33.**(a)(b)(c)(d)

24. (a) (b) (c) (d) 29. (a) (b) (c) (d)

**34.** (a) (b) (c) (d)

25. (a) (b) (c) (d) 30. (a) (b) (c) (d)

35. (a) (b) (c) (d)

26. (a) b) c) d) 31. (a)(b)(c)(d)

Space for Rough Work


B-28 DPP/ CB07

**36.** Match Column-I with Column-II and select the correct option from the codes given below.

Column-II Column-II

- A. Hyaline cartilage I. Pectoral girdle of frog
- B. Fibrous cartilage II. Long bones; sternum; ribs
- C. Elastic cartilage III. Pubic symphysis
- D. Calcified cartilage IV. Eustachain tube; epiglottis
- (a) A-I; B-II; C-III; D-IV
- (b) A-II; B-III; C-IV; D-I
- (c) A-II; B-IV; C-III; D-I
- (d) A-IV; B-III; C-II; D-I
- **37.** The type of epithelial cells which line the inner surface of Fallopian tubes, bronchioles and small bronchi are known as
  - (a) squamous epithelium
  - (b) columnar epithelium
  - (c) ciliated epithelium
  - (d) cubical epithelium
- **38.** The wall of heart is thick due to
  - (a) Pericardium
- (b) Epicardium
- (c) Myocardium
- (d) Endocardium
- **39.** The strongest cartilage is
  - (a) Hyaline cartilage
  - (b) Elastic cartilage
  - (c) Fibrous cartilage
  - (d) None of the above
- **40.** Nissl's granules are found in cyton of nerve cells. These have affinity for basic dyes. The granules are made up of
  - (a) Protein
- (b) DNA
- (c) Amino acids
- (d) RNA
- **41.** The inability to absorb digested nutrients may be due to damage of which type of epithelium?
  - (a) Ciliated columnar
  - (b) Simple columnar
  - (c) Simple squamous
  - (d) Simple cuboidal

- **42.** The presence of a basement membrane is typical of most
  - (a) Epithelial tissues
  - (b) Connective tissues
  - (c) Nervous tissues
  - (d) Muscle tissues
- **43.** The most appropriate definition of Neuroglial cells are that they are
  - (a) Nonsensory supporting cells
  - (b) Secretory cells
  - (c) Sensory cells
  - (d) Sensory and supporting cells
- 44. Covering around bone is called
  - (a) Perichondrion
  - (b) Periosteum
  - (c) Epiosteum
  - (d) Endosteum
- **45.** The figure given below shows the head region of cockroach. Identify A to F.



- (a) A- Compound eye, B-Ocellus, C-Maxilla, D-Mandible, E-Labrum, F-Labium
- (b) A- Ocellus, B-Compound eye, C-Mandible, D-Maxilla, E-Labrum, F-Labium
- (c) A- Ocellus, B-Compound eye, C-Mandible, D-Maxilla, E-Labium, F-Labrum
- (d) A- Ocellus, B-Compound eye, C-Maxilla, D-Mandible, E-Labrum, F-Labium

RESPONSE GRID 36. ⓐ b c d 41. ⓐ b c d 37. ⓐ ⓑ ⓒ ⓓ 42. ⓐ ⓑ ⓒ ⓓ 38. ⓐ b c d 43. ⓐ b c d 39. (a) (b) (c) (d) 44. (a) (b) (c) (d)

40. **a b c d** 45. **a b c d** 

Space for Rough Work

DAILY PRACTICE PROBLEM DPP CHAPTERWISE 7 - BIOLOGY					
Total Questions	45	Total Marks	180		
Attempted Correct		Correct			
Incorrect		Net Score			
Cut-off Score	40	Qualifying Score	55		
Success Gap = Net Score – Qualifying Score					
Net Score = (Correct × 4) – (Incorrect × 1)					





### HINTS & SOLUTIONS

#### DPP/CB07

- 1. (d) Squamous epithelium is formed of thin discoidal and polygonal cells that fit like tiles in a floor, so is also called pavement epithelium. It is found in the walls of blood vessels, in the alveoli of lungs for exchange of gas, and in Bowman's capsule of nephron for ultra filtration.
- **2. (b)** The cell junctions called tight, adhering and gap junctions are found in epithelial tissue. Epithelial tissue covers the whole surface of the body. It is made up of cells closely packed and arranged in one or more layers.
- 3. (b) 4. (d)
- 5. (d) Myoglobin is a single-chain globular protein of 153 amino acids, containing a heme (iron-containing porphyrin) prosthetic group in the center around which the remaining apoprotein folds. It has a molecular weight of 16,700 daltons, and is the primary oxygen-carrying pigment of muscle tissues. Unlike the blood-borne hemoglobin, to which it is structurally related, this protein does not exhibit cooperative binding of oxygen, since positive cooperativity is a property of multimeric/oligomeric proteins only.
- 6. (a)
- 7. (c) Silver fish (Insecta), scorpion (Arachnida); crab (Crustacea) and honey bee (Insecta) all belong to phylum Arthropoda which is characterized by the presence of jointed appendages. Poison glands occur only in scorpion. Compound eyes and metamorphosis are the characteristic of insects.

- 8. (c)
- **9.** (a) Lymph differs from blood in that it contains less protein and no red blood cells. Lymph contains white blood cells.
- **10. (b)**
- 11. (c) Dolphin is an aquatic mammal and breathes through lungs.
- 12. (c) 13. (b) 14. (a) 15. (a) 16. (c)
- 17. (a) Sexual dimorphism is found in cockroach. A pair of anal style are present in male cockroach only. Female has broader abdomenal segments.
- **18.** (a) Presence of air passages in the bones (pneumatic bones) is a characteristic of birds.
- 19. (a) 20. (c)
- 21. (b) Nephridia in earthworm, malpighian tubules in cockroach and urinary tubules in the rat are excretory in function.
- 22. (c) 23. (a) 24. (c) 25. (b) 26. (d)
- 27. (d) 28. (b) 29. (c) 30. (c)
- **31. (c)** Spiracles are 20 in number
- 32. (c)
- 33. (d) Propelling mucus is the function of simple epithelium.
- 34. (c) Imitability is a property only shown by cardiac muscles
- 35. (b) 36. (b) 37. (c)
- **38. (c)** Myocardium is the muscular part. Pericardium and endocardium are the linings of epithelium.
- **39.** (c) This cartilage is found in intervertebral discs.
- **40. (d)** These granules are composed of RNA and protein.
- **41. (b)** The GI tract is lined with simple columnar epithelium, which allows a maximum number of cells to contact food particles.
- **42.** (a) Most epithelia have a basement membrane between the epithelial cells and the underlying connective tissue.
- 43. (a)
- **44. (b)** Bone is surrounded by dense, white fibrous sheath called periosteum.
- **45. (b)** A Ocellus; B Compound eye; C Mandible; D Maxilla; E Labrum; F Labium.