


TANGENT & NORMAL

TANGENT

Tangent is a limiting case of a secant

NORMAL

A line that is perpendicular to a tangent line at the point of tangency.



CALCULATING TANGENT LINE & NORMAL LINE TO A CURVE

EQUATION OF TANGENT & ITS LENGTH

Equation: $y - y_1 = m_T (x - x_1)$


Length: $PT = \left| \frac{y_1 \sqrt{1 + (m_T)^2}}{(m_T)} \right|$

$$m_T = \left(\frac{dy}{dx} \right)_{P(x_1, y_1)} = \tan \theta$$


EQUATION OF NORMAL & ITS LENGTH

Equation: $y - y_1 = \frac{-1}{m_T} (x - x_1)$

Length: $PN = \left| y_1 \sqrt{1 + (m_T)^2} \right|$



SUBTANGENT & SUBNORMAL



TM is the Subtangent and length of

$$TM = \left| \frac{y_1}{m_T} \right|$$

MN is the Subnormal and length of

$$MN = \left| y_1 m_T \right|$$

ANGLE BETWEEN TWO INTERSECTING CURVES

Part II


m_1 → slope to the curve 1 at point 'P'

m_2 → slope to the curve 2 at point 'P'

$$m_1 = \left. \frac{d f(x)}{dx} \right|_{(x_1, y_1)}; \quad m_2 = \left. \frac{d g(x)}{dx} \right|_{(x_1, y_1)}$$


$$\theta = \tan^{-1} \left| \frac{m_1 - m_2}{1 + m_1 m_2} \right|$$

If $\theta = \frac{\pi}{2}$ then the curves are called **Orthogonal Curves**.



POINTS TO REMEMBER

1




Equation of Tangent at point $P(x_1, y_1)$ to any second degree general curve

$$ax^2 + by^2 + 2hxy + 2gx + 2fy + c = 0$$

REPLACE:

$$x^2 \rightarrow xx_1; \quad y^2 \rightarrow yy_1; \quad 2x \rightarrow x + x_1; \quad 2y \rightarrow y + y_1$$

$$2xy \rightarrow xy_1 + x_1y; \quad c \rightarrow c$$

 If curve passes through the 'O' then the equation of the tangent at 'O' may be directly written by comparing the lowest degree terms equal to 0.

$$2gx + 2fy = 0 \text{ or } gx + fy = 0$$

2

○ If $\left(\frac{dy}{dx} \right)_{(x_1, y_1)} = 0 \Rightarrow$ Tangent is parallel to x-axis (**Horizontal Tangent**).

○ If $\left(\frac{dy}{dx} \right)_{(x_1, y_1)} \rightarrow \infty$ or $\left(\frac{dx}{dy} \right)_{(x_1, y_1)} = 0 \Rightarrow$ Tangent is parallel to y-axis (**Vertical Tangent**).

○ If $\left(\frac{dy}{dx} \right)_{(x_1, y_1)} = \pm 1 \Rightarrow$ Tangent at $P(x_1, y_1)$ is Equally inclined to the coordinate axis.

3

The shortest distance between two non-intersecting curves is always along to the common normal of the curves.

