


Topics : Sound Waves, Sound , Work, Power and Energy, Center of Mass





Type of Questions		M.M., Min.
Single choice Objective ('-1' negative marking) Q.1 to Q.5	(3 marks, 3 min.)	[15, 15]
Multiple choice objective ('-1' negative marking) Q.6	(4 marks, 4 min.)	[4, 4]
Subjective Questions ('-1' negative marking) Q.7	(4 marks, 5 min.)	[4, 5]

- The frequency of a man's voice is 300 Hz and its wavelength is 1 meter. If the wavelength of a child's voice is 1.5 m, then the frequency of the child's voice is:
(A) 200 Hz (B) 150 Hz (C) 400 Hz (D) 350 Hz.
- An engine is moving towards a tunnel with a constant speed.




To check its own velocity, the driver sends whistles twice at an interval of 2 minutes. The sound moves forward, gets reflected from the tunnel and again reaches to the driver. He listens two echoes of the sound, at an interval of 1 minute. If speed of sound is 300 m/sec, speed of the engine should be :
(A) 50 m/sec (B) 75 m/sec (C) 100 m/sec (D) 125 m/sec

- The equation of displacement due to a sound wave is $s = s_0 \sin^2(\omega t - kx)$. If the bulk modulus of the medium is B, then the equation of pressure variation due to that sound is
(A) $B k s_0 \sin(2\omega t - 2kx)$ (B) $-B k s_0 \sin(2\omega t - 2kx)$
(C) $B k s_0 \cos^2(\omega t - kx)$ (D) $-B k s_0 \cos^2(\omega t - kx)$
- Which of the following is/ are correct.



- Propagation of a sound wave in a gas is quite close to :
(A) an isothermal process
(B) an adiabatic process
(C) an isobaric process
(D) a process that does not exhibit properties close to any of the three given in (A),(B),(C)

6. A particle moves in one dimension in a conservation force field. The potential energy is depicted in the graph below.



If the particle starts to move from rest from the point A, then

- (A) the speed is zero at the point A and E.
 (B) the acceleration vanished at the points A, B, C, D, E
 (C) the acceleration vanished at the points B, C, D.
 (D) the speed is maximum at the point D.
7. A railway carriage of mass M_c filled with sand of mass M_s moves along the rails. The carriage is given an impulse and it starts with a velocity v_0 . At the same time it is observed that the sand starts leaking through a hole at the bottom of the carriage at a constant mass rate λ . Find the distance at which the carriage becomes empty and the velocity attained by the carriage at that time. (Neglect the friction along the rails.)

Answers Key

DPP NO. - 88

1. (A) 2. (C) 3. (A) 4. (C) 5. (B)
 6. (A)(C) 7. $v = v_0$, $S = V_0 \frac{M_s}{\lambda}$




Hint & Solutions

DPP NO. - 88

1. (A) $f_1 \lambda_1 = f_2 \lambda_2$
 $(300)(1) = (f_2)(1.5)$
 $200 \text{ Hz} = f_2$

2. $\frac{2x}{300} = t_0$ (1)



Now in 2 minutes, the engine moves by $(u)(120)$ so time taken by sound to reach the driver again is

$$\frac{2(x - 120u)}{300} = t_0 - 120 + 60 \text{ (2)}$$

From equation (1) and (2),

$$\frac{2 \times 120u}{300} = 60$$

$$\Rightarrow u = \frac{300}{4} = 75 \text{ m/sec}$$

3. The equation of pressure variation due to sound is

$$p = -B \frac{ds}{dx} = -B \frac{d}{dx} [s_0 \sin^2(\omega t - kx)]$$

$$= B k s_0 \sin(2\omega t - 2kx)$$

4. Velocity of sound in air $(V) = \sqrt{\frac{\gamma RT}{M}}$

$$\Rightarrow V^2 \propto T \quad (\text{in kelvin})$$

$$\text{not } V^2 \propto T \quad (\text{in } ^\circ\text{C})$$

Hence (B) is incorrect.

Velocity of transverse wave in a string :

$$V = \sqrt{\frac{T}{\mu}} = V^2 \propto T$$

Hence (C) is a correct graph.

5. Sound waves propagate so fast in a gas that there is no time for the exchange of energy with the medium (gas).

Hence, it is quite close to an adiabatic process.


Hence (B).

6. $V_A + K_A = V_E + K_E$
 $V_A = V_E$ & $K_A = 0 \quad \therefore K_E = 0$


$$F = \frac{dV}{dx} = 0,$$

Slope = 0 at points B, C & D

Ans. (AC)



At t,



$$F = m \frac{dv}{dt} + (v - v_0) \frac{dm}{dt}$$

$$0 = m \frac{dv}{dt} + (v - v_0) \frac{dm}{dt}$$

$$\Rightarrow \frac{dv}{dt} = 0$$

$$\Rightarrow v = \text{constant}$$

$$\Rightarrow v = v_0 \quad \text{Ans.}$$

Also $S = v_0 t$

$$S = v_0 \frac{M_s}{\lambda} \quad \text{Ans.}$$