



Assignment

Relations

Basic Level

- A relation from P to Q is [AMU 1998]
(a) A universal set of $P \times Q$ (b) $P \times Q$ (c) An equivalent set of $P \times Q$ (d) A subset of $P \times Q$
- Let R be a relation from a set A to set B , then
(a) $R = A \cup B$ (b) $R = A \cap B$ (c) $R \subseteq A \times B$ (d) $R \subseteq B \times A$
- Let $A = \{a, b, c\}$ and $B = \{1, 2\}$. Consider a relation R defined from set A to set B . Then R is equal to set [Kurukshetra C]
(a) A (b) B (c) $A \times B$ (d) $B \times A$
- Let $n(A) = n$. Then the number of all relations on A is
(a) 2^n (b) $2^{(n)!}$ (c) 2^{n^2} (d) None of these
- If R is a relation from a finite set A having m elements to a finite set B having n elements, then the number of relations from A to B is
(a) 2^{mn} (b) $2^{mn} - 1$ (c) $2mn$ (d) m^n
- Let R be a reflexive relation on a finite set A having n -elements, and let there be m ordered pairs in R . Then
(a) $m \geq n$ (b) $m \leq n$ (c) $m = n$ (d) None of these
- The relation R defined on the set $A = \{1, 2, 3, 4, 5\}$ by $R = \{(x, y) : |x^2 - y^2| < 16\}$ is given by
(a) $\{(1, 1), (2, 1), (3, 1), (4, 1), (2, 3)\}$ (b) $\{(2, 2), (3, 2), (4, 2), (2, 4)\}$
(c) $\{(3, 3), (3, 4), (5, 4), (4, 3), (3, 1)\}$ (d) None of these
- A relation R is defined from $\{2, 3, 4, 5\}$ to $\{3, 6, 7, 10\}$ by; $xRy \Leftrightarrow x$ is relatively prime to y . Then domain of R is
(a) $\{2, 3, 5\}$ (b) $\{3, 5\}$ (c) $\{2, 3, 4\}$ (d) $\{2, 3, 4, 5\}$
- Let R be a relation on N defined by $x + 2y = 8$. The domain of R is
(a) $\{2, 4, 8\}$ (b) $\{2, 4, 6, 8\}$ (c) $\{2, 4, 6\}$ (d) $\{1, 2, 3, 4\}$
- If $R = \{(x, y) | x, y \in Z, x^2 + y^2 \leq 4\}$ is a relation in Z , then domain of R is
(a) $\{0, 1, 2\}$ (b) $\{0, -1, -2\}$ (c) $\{-2, -1, 0, 1, 2\}$ (d) None of these
- If $A = \{1, 2, 3\}$, $B = \{1, 4, 6, 9\}$ and R is a relation from A to B defined by 'x is greater than y'. The range of R is
(a) $\{1, 4, 6, 9\}$ (b) $\{4, 6, 9\}$ (c) $\{1\}$ (d) None of these
- R is a relation from $\{11, 12, 13\}$ to $\{8, 10, 12\}$ defined by $y = x - 3$. Then R^{-1} is
(a) $\{(8, 11), (10, 13)\}$ (b) $\{(11, 18), (13, 10)\}$ (c) $\{(10, 13), (8, 11)\}$ (d) None of these



13. Let $A = \{1, 2, 3\}$, $B = \{1, 3, 5\}$. If relation R from A to B is given by $R = \{(1, 3), (2, 5), (3, 3)\}$. Then R^{-1} is
 (a) $\{(3, 3), (3, 1), (5, 2)\}$ (b) $\{(1, 3), (2, 5), (3, 3)\}$ (c) $\{(1, 3), (5, 2)\}$ (d) None of these
14. Let R be a reflexive relation on a set A and I be the identity relation on A . Then
 (a) $R \subset I$ (b) $I \subset R$ (c) $R = I$ (d) None of these
15. Let $A = \{1, 2, 3, 4\}$ and R be a relation in A given by $R = \{(1, 1), (2, 2), (3, 3), (4, 4), (1, 2), (2, 1), (3, 1), (1, 3)\}$. Then R is
 (a) Reflexive (b) Symmetric (c) Transitive (d) An equivalence relation
16. An integer m is said to be related to another integer n if m is a multiple of n . Then the relation is
 (a) Reflexive and symmetric (b) Reflexive and transitive (c) Symmetric and transitive (d) Equivalence relation
17. The relation R defined in N as $aRb \Leftrightarrow b$ is divisible by a is
 (a) Reflexive but not symmetric (b) Symmetric but not transitive (c) Transitive (d) None of these
18. Let R be a relation on a set A such that $R = R^{-1}$, then R is
 (a) Reflexive (b) Symmetric (c) Transitive (d) None of these
19. Let $R = \{(a, a)\}$ be a relation on a set A . Then R is
 (a) Symmetric (b) Antisymmetric (c) Symmetric and antisymmetric (d) Neither symmetric nor anti-symmetric
20. The relation "is subset of" on the power set $P(A)$ of a set A is
 (a) Symmetric (b) Anti-symmetric (c) Equivalency relation (d) None of these
21. The relation R defined on a set A is antisymmetric if $(a, b) \in R \Rightarrow (b, a) \in R$ for
 (a) Every $(a, b) \in R$ (b) No $(a, b) \in R$ (c) No $(a, b), a \neq b, \in R$ (d) None of these
22. In the set $A = \{1, 2, 3, 4, 5\}$, a relation R is defined by $R = \{(x, y) \mid x, y \in A \text{ and } x < y\}$. Then R is
 (a) Reflexive (b) Symmetric (c) Transitive (d) None of these
23. Let A be the non-void set of the children in a family. The relation 'x is a brother of y' on A is
 (a) Reflexive (b) Symmetric (c) Transitive (d) None of these
24. Let $A = \{1, 2, 3, 4\}$ and let $R = \{(2, 2), (3, 3), (4, 4), (1, 2)\}$ be a relation on A . Then R is
 (a) Reflexive (b) Symmetric (c) Transitive (d) None of these
25. The void relation on a set A is
 (a) Reflexive (b) Symmetric and transitive (c) Reflexive and symmetric (d) Reflexive and transitive
26. Let R_1 be a relation defined by $R_1 = \{(a, b) \mid a \geq b, a, b \in R\}$. Then R_1 is
 (a) An equivalence relation on R (b) Reflexive, transitive but not symmetric (c) Symmetric, Transitive but not reflexive (d) Neither transitive nor reflexive but symmetric
27. Let $A = \{p, q, r\}$. Which of the following is an equivalence relation on A
 (a) $R_1 = \{(p, q), (q, r), (p, r), (p, p)\}$ (b) $R_2 = \{(r, q), (r, p), (r, r), (q, q)\}$
 (c) $R_3 = \{(p, p), (q, q), (r, r), (p, q)\}$ (d) None of these
28. Which one of the following relations on R is an equivalence relation
 (a) $aR_1b \Leftrightarrow a \neq b$ (b) $aR_2b \Leftrightarrow a \geq b$ (c) $aR_3b \Leftrightarrow a \text{ divides } b$ (d) $aR_4b \Leftrightarrow a < b$
29. If R is an equivalence relation on a set A , then R^{-1} is



30 Set Theory and Relations

- (a) Reflexive only (b) Symmetric but not transitive (c) Equivalence (d)
30. R is a relation over the set of real numbers and it is given by $nm \geq 0$. Then R is
(a) Symmetric and transitive (b) Reflexive and symmetric (c) A partial order relation (d)
31. In order that a relation R defined on a non-empty set A is an equivalence relation, it is sufficient, if R
(a) Is reflexive (b) Is symmetric
(c) Is transitive (d) Possesses all the above three properties
32. The relation "congruence modulo m " is
(a) Reflexive only (b) Transitive only (c) Symmetric only (d) An equivalence relation
33. Solution set of $x \equiv 3 \pmod{7}$, $x \in \mathbb{Z}$, is given by
(a) $\{3\}$ (b) $\{7p - 3 : p \in \mathbb{Z}\}$ (c) $\{7p + 3 : p \in \mathbb{Z}\}$ (d) None of these
34. Let R and S be two equivalence relations on a set A . Then
(a) $R \cup S$ is an equivalence relation on A (b) $R \cap S$ is an equivalence relation on A
(c) $R - S$ is an equivalence relation on A (d) None of these
35. Let R and S be two relations on a set A . Then
(a) R and S are transitive, then $R \cup S$ is also transitive (b) R and S are transitive, then $R \cap S$ is also transitive
(c) R and S are reflexive, then $R \cap S$ is also reflexive (d) R and S are symmetric then $R \cup S$ is also symmetric
36. Let $R = \{(1, 3), (2, 2), (3, 2)\}$ and $S = \{(2, 1), (3, 2), (2, 3)\}$ be two relations on set $A = \{1, 2, 3\}$. Then $R \circ S =$
(a) $\{(1, 3), (2, 2), (3, 2), (2, 1), (2, 3)\}$ (b) $\{(3, 2), (1, 3)\}$
(c) $\{(2, 3), (3, 2), (2, 2)\}$ (d) $\{(2, 3), (3, 2)\}$
37. In problem 36, $R \circ S^{-1} =$
(a) $\{(2, 2), (3, 2)\}$ (b) $\{(1, 2), (2, 2), (3, 2)\}$ (c) $\{(1, 2), (2, 2)\}$ (d) $\{(1, 2), (2, 2), (3, 2), (2, 3)\}$

Advance Level

38. Let R be a relation on the set N be defined by $\{(x, y) \mid x, y \in N, 2x + y = 41\}$. Then R is
(a) Reflexive (b) Symmetric (c) Transitive (d) None of these
39. Let L denote the set of all straight lines in a plane. Let a relation R be defined by $\alpha R \beta \Leftrightarrow \alpha \perp \beta, \alpha, \beta \in L$. Then R is
(a) Reflexive (b) Symmetric (c) Transitive (d) None of these
40. Let T be the set of all triangles in the Euclidean plane, and let a relation R be defined on T by aRb iff $a \approx b, a, b \in T$. Then R is
(a) Reflexive but not transitive (b) Transitive but not symmetric (c) Equivalence
41. Two points P and Q in a plane are related if $OP = OQ$, where O is a fixed point. This relation is
(a) Partial order relation (b) Equivalence relation (c) Reflexive but not symmetric (d)
42. Let r be a relation over the set $N \times N$ and it is defined by $(a, b)r(c, d) \Rightarrow a + d = b + c$. Then r is
(a) Reflexive only (b) Symmetric only (c) Transitive only (d) An equivalence relation
43. Let L be the set of all straight lines in the Euclidean plane. Two lines l_1 and l_2 are said to be related by the relation R iff l_1 is parallel to l_2 . Then the relation R is
(a) Reflexive (b) Symmetric (c) Transitive (d) Equivalence

44. Let n be a fixed positive integer. Define a relation R on the set Z of integers by, $aRb \Leftrightarrow n \mid a-b$. Then R is
- (a) Reflexive (b) Symmetric (c) Transitive (d) Equivalence



Answer Sheet

Answer Sheet (Advance & Basic Level)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
d	c	c	c	a	a	d	d	c	c	c	a	a	b	a,b	b	a	b	c	b
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
c	c	b,c	c	b	b	d	a	c	d	d	d	c	b	b,c,d	c	b	d	b	c
41	42	43	44																
b	d	a,b ,c, d	a,b ,c, d																

