Linear Programming

6 Marks Questions

1. A housewife wishes to mix together two kinds of food, X and Y in such a way that the mixture contains atleast 10 units of vitamin A, 12 units of vitamin B and 8 units of vitamin C. The vitamin contents of 1 kg of food is given below:

	Vitamin A	Vitamin B	Vitamin C
Food X	1	2	3
Food Y	2	2	1

1 kg of food X costs ₹ 6 and 1 kg of food Y costs ₹ 10. Formulate the above problem as a linear programming problem and find the least cost of the mixture which will produce the diet graphically. What value will you like to attach with this problem? Value Based Question; Delhi 2014C



Let the quantity of food X be x kg and the quantity of food Y be y kg.

.. The objective function is to minimise,

$$Z = 6x + 10y$$
.

Subject to the constraints are

$$x + 2y \ge 10 \qquad \dots (i)$$

$$2x + 2y \ge 12$$
 ...(ii)

$$3x + y \ge 8$$
 ...(iii)

$$x, y \ge 0$$
 ...(iv)

On considering the constraints as equations, we get

$$x + 2y = 10$$
 ...(v)

$$x + y = 6 \qquad \dots (vi)$$

$$3x + y = 8$$
 ...(vii)

and

$$x = 0, y = 0$$

Firstly, draw the graph of line x + 2y = 10 (1)

X	0	10
У	5	0

(1)

On putting (0, 0) in the inequality $x + 2y \ge 10$, we get

$$0 + 2(0) \ge 10 \Rightarrow 0 \ge 10$$

[which is false]

So, the half plane is away from the origin.

Secondly, draw the graph of line 2x + 2y = 12

x	0	6	
У	6	0	



On putting (0,0) in the inequality

 $2x + 2y \ge 12$, we get

 $2(0) + 2(0) \ge 12 \implies 0 \ge 12$ [which is false]

So, the half plane is away from the origin.

Thirdly, draw the graph of line 3x + y = 8

x	0	8/3
у	8	0

(1)

On putting (0, 0) in the inequality $3x + y \ge 8$, we get


$$3(0) + 0 \ge 8 \Rightarrow 0 \ge 8$$

[which is false]

So, the half plane is away from the origin.

The points of intersection of lines (v), (vi) and (vii) are B(2, 4) and C(1, 5)

The graphical representation of these lines is given below:





The shaded region in the graph represents the feasible region which is unbounded and its extreme points are

A(10, 0), B(2, 4), C(1, 5) and D(0, 8)

Now, the values of Z at extreme points are

Corner Points	Value of $Z = 6x + 10y$	
A(10, 0)	Z = 6(10) + 10(0) = 60	
B (2, 4)	Z = 6(2) + 10(4) = 52 (minimum)	
C(1, 5)	Z = 6(1) + 10(5) = 56	
D(0,8) $Z = 6(0) + 10(8) = 80$		

(1)

As the feasible region is unbounded, therefore 52 may or may not be the minimum value of Z. For this, we draw a dotted graph of the inequality 6x + 10y < 52 or 3x + 5y < 26 and check, whether the resulting half plane has point in common with the feasible region or not. It can be seen that the feasible region has no common point with 3x + 5y < 26.

Therefore, the minimum value of Z is 52 at B(2, 4)

Hence, the mixture should contain 2 kg of food X and 4 kg of food Y. The minimum cost of the mixture is ₹ 52.

This problum attaches the value of taking a healthy and well-balanced diet which has all the important vitamins in the right proportion.



2. If a young man rides his motor-cycle at 25 km per hour, he had to spend of 2 per km on petrol with very little pollution in the air. If he rides it at a faster speed of 40 km per hour, the petrol cost increases to ₹ 5 per km and rate of pollution also increases. He has ₹ 100 to spend on petrol and wishes to find what is the maximum distance he can travel within one hour. Express this problem as an L.PP Solve it graphically to find the distance to be covered with different speeds. What value is indicated in this question?

Value Baced Question; Delhi 2014C, 2013C

Let the young man covers x km at the speed of 25 km/h and y km at the speed of 40 km/h.

The total distance travelled is x + y, which we have to maximise under the constraints.

Here, objective function is max(Z) = x + y

Cost constraints

Given, the cost of 1 km at the speed of 25 km/h = ₹2

 \therefore The cost of x km at the speed of 25 km/h

=2x

Also, the cost of 1 km at the speed of 40 km/h = ₹5

 \therefore The cost of y km at the speed of 40 km/h = 5y So, the total cost of travel (x + y) km = 2x + 5y

Given, the driver has ₹100 to spend.

Hence, $2x + 5y \le 100$

(1)

Time constraints

Total available time = 1h

Time to travel a distance of 25 km = 1h



 \therefore Time to travel a distance of $x \text{ km} = \frac{\lambda}{25} \text{ h}$

Also, time to travel a distance of 40 km = 1h

Time to travel a distance of $y \text{ km} = \frac{y}{40} \text{ h}$

.. The inequation represents time constraint is

$$\frac{x}{25} + \frac{y}{40} \le 1$$

$$8x + 5y \le 200$$
 (1)

Thus, the LPP formed here objective function

$$\max(Z) = x + y$$

Subject to the constraints

$$2x + 5y \le 100$$

$$8x + 5y \le 200$$

and

$$x, y \ge 0$$

Consider the inequalities as equations, we get

$$2x + 5y = 100$$
 ...(i)

$$8x + 5y = 200$$
 ...(ii)

and

$$x, y = 0$$

Firstly, draw the graph of the line 2x + 5y = 100.

***************************************	1	
X	0	50
y	20	0

Eq. (i) passes through the points (0, 20) and (50, 0).

On putting (0,0) in the inequality $2x + 5y \le 100$, we get

$$2(0) + 5(0) \le 100$$

$$\Rightarrow$$

$$0 \le 100$$

(true)

So, the half plane is towards the origin.

Secondly, draw the graph of the line 8x + 5y = 200.

		1
X	0	25
		ļ

Eq.(ii) passes through the points (0, 40) and (25, 0)

On putting (0,0) in the inequality $8x + 5y \le 200$, we get

$$8(0) + 5(0) \le 200$$

 \Rightarrow

$$0 \le 200$$

(true)

So, the half plane is towards the origin. (1) Since, $x, y \ge 0$, so the feasible region lies in the first quadrant.

For determining the intersection point, on subtract Eq. (i) from Eq. (ii), we get

$$2x + 5y = 100$$

$$8x + 5y = 200$$


$$x = \frac{50}{3}$$

On putting $x = \frac{50}{3}$ in Eq. (i), we get

$$2 \times \left(\frac{50}{3}\right) + 5y = 100 \qquad \Rightarrow \qquad y = \frac{40}{3}$$

So, the point of intersection of Eqs. (i) and (ii) is $B\left(\frac{50}{3}, \frac{40}{3}\right)$.

Now, we draw all the lines on a graph paper and we get the feasible region *OABCO* which is bounded.



The corner points of the feasible region *OABC* are *O* (0,0), A(25,0), $B\left(\frac{50}{3},\frac{40}{3}\right)$ and C (0,20).

Corner points	Value of $Z = x + y$
O (0, 0)	Z = 0 + 0 = 0
A (25, 0)	Z = 25 + 0 = 25
$B\left(\frac{50}{3},\frac{40}{3}\right)$	$Z = \frac{50}{3} + \frac{40}{3} = 30$ (maximum)
C (0, 20)	Z = 0 + 20 = 20

From the table, the maximum value of z is 30 at point $B\left(\frac{50}{3}, \frac{40}{3}\right)$. (1)

Hence, young man cover $\frac{50}{3}$ km at the speed

of 25 km and $\frac{40}{3}$ km at the speed of 210km/h.

Also, he can travel maximum 130 km in 1 h. Here, we find that on increasing the speed of motor-cycle, air pollution and expenditure on petrol are also increases. (1)

NOTE While plotting the graph, please be careful about the inequalities in which direction we have to plot

3. One kind of cake requires 200 g of flour and 25 g of fat, another kind of cake requires 100g of flour and 50 g of fat. Find the maximum number of cakes which can be made from 5 kg of flour and 1 kg of fat, assuming that there is no shortage of the other ingredients used in making the cakes. Make it as an LPP and solve it graphically. All India 2014C, 2011C



We can write the given data in tabular form as follows:

Cake	Flour	Fat
l kind	200 g	25 g
II kind	100 g	50 g
Total amount	5 kg or 5000g	1 kg or 1000g

(1)

...(iv)

Suppose the number of cakes of I kind be x and II kind be y.

Then, required LPP is max(Z) = x + y

Subject to the constraints

$$200x + 100y \le 5000 \implies 2x + y \le 50$$
 ...(i) [dividing both sides by 100]

$$25x + 50y \le 1000 \implies x + 2y \le 40$$
 ...(ii) [dividing both sides by 25]

and
$$x \ge 0, y \ge 0$$
 (1)

Let us consider the inequalities as equations, we get

$$2x + y = 50$$
 ...(iii)

and

$$x + 2y = 40$$

Table for line 2x + y = 50 is

X	25	0
у	0	50

So, it passes through the points (25, 0) and (0, 50).

Put (0,0) in $2x + y \le 50$, we get $0 \le 50$ (true) So, the half plane is towards the origin.

Table for line x + 2y = 40 is

x	40	0
y	0	20

So, it passes through the points (40, 0) and (0, 20). (1)

Put (0,0) in $x + 2y \le 40$, we get

(true)

So, the half plane is towards the origin.

Now, we solve Eqs.(iii) and (iv) to find the point of intersection.

On multiplying Eq.(iv) by 2 and then subtracting Eq. (iv) from Eq. (iii), we get

$$2x + y = 50$$

$$2x + 4y = 80$$

$$-3y = -30$$

$$y = 10$$


On putting y = 10 in Eq.(iv), we get

$$x + 20 = 40 \quad \Rightarrow \quad x = 20$$

So, the intersection point of lines is (20, 10).

(1/2)

Graph of above LPP is follows: (1)



From the graph, OADE is the feasible region. The corner points of feasible region are O(0, 0), A(25, 0), D(0, 20) and E(20, 10), respectively.

Now, we evaluate Z at the corner points.

Corner points	Value of $Z = x + y$	
O(0,0)	Z = 0 + 0 = 0	
A (25, 0)	Z = 25 + 0 = 25	
D(0, 20)	Z = 0 + 20 = 20	

$$E(20, 10)$$
 $Z = 20 + 10 = 30 \text{ (maximum)}$

(1)

From the table maximum number of cakes = 30

Hence, 20 cakes of 1st kind and 10 cakes of 11nd kind be prepared. (1/2)

4. A dealer in rural area wishes to purchase a number of sewing machines. He has only ₹ 5760 to invest and has space for atmost 20 items for storage. An electronic sewing machine cost his ₹ 360 and a manually operated sewing machine ₹ 240. He can sell an electronic sewing machine at a profit of ₹ 22 and a manually operated sewing machine at a profit of ₹ 18. Assuming that he can sell all the items that he can buy, how should he invest his money in oder to maximise his profit? Make it as an LPP and solve it graphically. Delhi 2014, 2009C; All India 2009

Let the dealer purchased x electronic sewing machines and y manually operated sewing machines.

Now, we can construct the following table

Type of sewing machine	Number	Investment (in ₹)	Profit (in ₹)
Electronic	X	360 <i>x</i>	22 <i>x</i>
Manually	y	240 <i>y</i>	18 <i>y</i>
Total	x + y	360 <i>x</i> + 240 <i>y</i>	22x + 18y
Availability	20	5760	

(1)

Then, given LPP is

maximise,
$$Z = 22x + 18y$$
 ...(i)

Subject to constraints

$$x + y \le 20 \qquad \dots (ii)$$

$$360x + 240y \le 5760$$

$$3x + 2y \ge 40$$

$$x \ge 0, y \ge 0$$

Firstly, draw the graph of the line,

$$x + y = 20$$

	Mineral Spirit		1 1000000
Y	1	0	20
^		O	
4. 44. (***) (4.4.4) F(4.1) F***** 4** ***	acontra nadamenta mentent	CONTRACTOR AND ADDRESS OF THE PARTY OF THE P	L
		20	0
y	. 1	20	U

On putting (0, 0) in the inequality $x + y \le 20$, we get

$$0 + 0 \le 20 \implies 0 \le 20$$
, which is true.

So, the half plane is towards the origin. Secondly, draw the graph of the line,

$$3x + 2y = 48$$

x	0	16
y	24	0

(1)

On putting (0, 0) in the inequality $3x + 2y \le 48$, we get $0 \le 48$, which is true.

So, the half plane is towards the origin.


On solving Eqs. (v) and (vi), we get

$$x = 8$$
 and $y = 12$

So, the point of intersection of the lines (v) and (vi) is B(8, 12).

Since, $x \ge 0$ and $y \ge 0$, so the feasible region lies in the first quadrant.

Graphical representation of the Eqs. is given below:



From the graph, feasible region is OABCO.

The corner points of the feasible region are O(0, 0), A(16, 0), B(8, 12) and C(0, 20).

The value of Z at these points are as follows

Corner Points	Z=22x+18y
O(0, 0)	Z = 22(0) + 18(0) = 0
A(16, 0)	$Z = 22 \times 16 + 0 = 352$
B(8, 12)	$Z = 22 \times 8 + 18 \times 12 = 392$ (maximum)
C(0, 20)	$Z = 22 \times 0 + 18 \times 20 = 360$
	(1)

From the table, maximum value of Z = ₹ 392 at point B(8, 12).

Hence, dealer should purchased 8 electronic and 12 manually operated sewing machines to get maximum profit. (1)



5. A manufacturing company makes two types of teaching aids A and B of Mathematics for class XII. Each type of A requires 9 labour hours of fabricating and 1 labour hour for finishing. Each type of B requires 12 labour hours for fabricating and 3 labour hours for finishing. For fabricating and finishing, the maximum labour hours available per week are 180 and 30, respectively. The company makes a profit of ₹ 80 on each piece of type A and ₹ 120 on each piece of type B. How many pieces of type A and type B should be manufactured per week to get a maximum profit? Make it as an LPP and solve graphically. What is the maximum profit per week?

All India 2014

Let the number of pieces of two types of teaching aids A and B be x and y, respectively. We can write the given data in tabular form as follows:

Item	Number of pieces	Time on fabricating (in hr)	Time on finishing (in hr)	Profit (in ₹)
А	x	9 <i>x</i>	X	80 <i>x</i>
В	y	12 <i>y</i>	3 <i>y</i>	120 <i>y</i>
Total	<i>x</i> + <i>y</i>	9x + 12y	x + 3y	80x + 120y
Availability		180	30	

The profit on type *A* is ₹ 80 and type *B* is ₹ 120.

Thus, the required LPP is

Maximise,
$$Z = 80x + 120y$$
 ...(i)

Subject to constraints

$$9x + 12y \le 180$$
 ...(ii)
 $x + 3y \le 30$...(iii)

 $x \ge 0, y \ge 0$...(iv)

Let us consider the inequalities as equations, we get

$$9x + 12y = 180$$
$$x + 3y = 30$$

Now, table for line

$$9x + 12y = 180$$

or

$$3x + 4y = 60$$

...(v)

x	0	20
y	15	0

(1)

On putting (0, 0) in the inequality $9x + 12y \le 180$, we get

$$9(0) + 12(0) \le 180$$

 \Rightarrow

So, the half plane is towards the origin.

Table for line

$$x + 3y = 30$$

...(vi)

x	0	30
y	10	0

(1)

On putting (0, 0) in the inequality $x + 3y \le 30$, we get $0 + 3(0) \le 30$

 \Rightarrow

$$0 \le 30$$
 [which is true]

So, the half plane is towards the origin.

Also,

$$x \ge 0$$
 and $y \ge 0$

Thus, the feasible region lies in the first quadrant.

On multiplying Eq. (vi) by 3 and then subtracting from Eq. (v), we get

$$3x + 4y = 60$$
$$3x + 9y = 90$$

$$-5y = -30$$

 \Rightarrow


$$y = 6 \tag{1}$$

From Eq. (vi), we get

$$x = 30 - 18 = 12$$

So, the point of intersection is (12, 6).

The graphical representation of the lines is given below:



From graph, feasible region is OABC, whose corner points are O(0, 0), A(20, 0), B(12, 6) and C(0, 10).

Corner points	Value of $Z = 80x + 120y$
O(0, 0)	Z = 80(0) + 120(0) = 0
A(20, 0)	Z = 80(20) + 120(0) = 1600
B(12, 6)	Z = 80(12) + 120(6) = 1680 (maximum)
C(0, 10)	Z = 80(0) + 120(10) = 1200

From the table, the maximum value of Z is ₹ 1680.

Also, 12 pieces of type A and 6 pieces of type B should be manufactured per week to get a maximum profit.

Hence, manufacturer earn maximum profit ₹ 1680 per week.



6. A cottage industry manufactures pedestal lamps and wooden shades, each requiring the use of a grinding/cutting machine and a sprayer. It takes 2 h on the grinding/cutting machine and 3 hours on the sprayer to manufacture a pedestal lamp. It takes 1 h on the grinding/cutting machine and 2 h on the sprayer to manufacture a shade. On any day, the sprayer is available for at the most 20 h and the grinding/cutting machine for at most 12 h. The profit from the sale of a lamp is ₹ 25 and that from a shade is ₹ 15. Assuming that the manufacturer can sell all the lamps and shades that he produces, how should he schedule his daily production in order to maximise his profit? Formulate an LPP and solve it graphically.

Foreign 2014

Let the cottage industry manufacture x pedestal lamps and y wooden shades.

Therefore, $x \ge 0$ and $y \ge 0$.

The given information can be written in table form as given below:

	Pedestal lamps (x)	Wooden shades (y)	Time available
Grinding/ Cutting	2	1	≤12
Sprays	3	2	≤20
Profit	25	15	

Then, the required LPP is

Maximise,
$$Z = 25x + 15y$$

Subject to constraints

$$2x + y \le 12$$
$$3x + 2y \le 20$$

$$x \ge 0, y \ge 0$$

[non-negative constraints]

Let us consider the inequalities as equations, we get 2x + y = 12 ...(i)



$$3x + 2y = 20$$
 ...(ii)

Table for 2x + y = 12

X	0	6
y	12	0

On putting (0,0) in inequality $2x + y \le 12$. we get $2(0) + 0 \le 12 \Rightarrow 0 < 12$ (which is true) So, the half plane is towards the origin.

Table for 3x + 2y = 20

x	0	6.6
y	10	. 0

(1)

On putting (0,0) in inequality $3x + 2y \le 20$, we get

$$3(0) + 2(0) \le 20$$
 (which is true)

So, the half plane is towards the origin.


Also,
$$x \ge 0$$
, $y \ge 0$

Thus, the feasible region lies in first quadrant. On solving Eqs. (i) and (iii), we get

$$x = 4$$
 and $y = 4$

So, the intersection point is (4,4). (1)

The graphical representation of the lines is given below:



From graph, the feasible region is OABC, whose corner points are O(0,0) A(6,0) B(4,4)and C(0 10)

anu Clu, ruj.

Corner points	Value of $Z = 25x + 15y$	
0(0,0)	Z = 25(0) + 15(0) =0	
A(6, 0)	Z = 25(6) + 15(0) = 150	
B(4, 4)	Z = 25(4) + 15(4) = 160 (maximum)	
C(0, 10)	Z = 25(0) + 15(10) = 150	

From table, maximum value of Z is 160 at B(4, 4). Hence, the manufacturer should produce 4 pedestal lamps and 4 wooden shades daily to maximise his profit. (1)

7. A cooperative society of farmers has 50 hec of land to grow two crops A and B. The profits from crops A and B per hectare are estimated as ₹ 10500 and ₹ 9000, respectively. To control weeds, a liquid herbicide has to be used for crops A and B at the rate of 20 L per hec and 10 L per hec, respectively. Further, not more than 800 L of herbicide should be used in order to protect fish and wildlife using a pond which collects drainage from this land.

Keeping in mind that the protection of fish and other wildlife is more important than earning profit. How much land should be allocated to each crop so as to maximise the total profit? Formulate the above as an LPP and solve it graphically. Do you agree with the message that the protection of wildlife is atmost necessary to preserve the balance in environment?. Value Based Question; Delhi 2013

Let x hec for crop A and y hec for crop B be allocated.

Then given data can be written in tabular form as given below:

Item	A	В
50 hec	x .	y
Drofit	10500	9000



10 L/hec

(1)

According to the question, we get the following LPP: maximize, Z = 10500x + 9000ySubject to constraints

$$x+y \le 50$$

20x+10y \le 800 ...(ii)

or

$$2x + y \le 80$$

and

$$x, y \ge 0$$

(1/2)

On considering the inequalities as equations, we get

$$x + y = 50$$
 ...(iii)

$$20x + 10y = 800$$
 or $2x + y = 80$ (iv)

Table for line x + y = 50

X	0	50
y	50	0

On putting (0,0) in the inequality $x + y \le 50$, we get

$$0+0 \le 50$$

 \Rightarrow

$$0 \le 50$$

(true)

So, the half plane is towards the origin.

Table for line 2x + y = 80

x	0	40
y	80	0

On putting (0,0) in the inequality $2x + y \le 80$, we get

$$2(0) + 1(0) \le 80$$

 \Rightarrow

$$0 \le 80$$

(true)

So, the half plane is towards the origin. For determining the intersection point subtracting Eq. (iii) from Eq. (iv), we get

$$x + y = 50$$

$$2x + y = 80$$

$$- - -$$


$$x = 30$$

On putting x = 30 in Eq. (iii), we get

 \Rightarrow

$$30 + y = 50$$
$$y = 20$$

So, the intersection point is B(30,20). (1/2) Now, on plotting the points on graph paper, we get following graph:



From the graph, we observe that OABC is the region which is bounded and extreme points are O(0,0), A(40,0), B(30,20) and C(0,50). (1)

Corner points	Value of $Z = 10500x + 9000y$	
O(0,0)	Z=0	
A(40,0)	Z=420000	
B (30, 20)	Z=315000+180000 =495000 (maximum)	
C (0, 50)	Z=450000	C

From table, maximum value of Z is 495000. Hence, for maximise the profit, the land allocated 30 hec for crop A and 20 hec for



crop B.

Yes, I agree with the message that the protection of wildlife is atmost necessary to preserve the balance in environment. (1)

8. A manufacturer considers that men and women workers are equally efficient and so he pays them at the same rate. He has 30 and 17 units of workers (male and female) and capital respectively, which he uses to produce two types of goods A and B. To produce one unit of A, 2 workers and 3 units of capital are required, while 3 workers and 1 unit of capital is required to produce one unit of B. If A and B are priced at ₹ 100 and ₹ 120 per unit respectively, then how should he use his resources to maximise the total revenue? Formulate the above as an LPP and solve it graphically.

Do you agree with this view of the manufacturer that men and women workers are equally efficient and so should be paid at the same rate?.

Value Based Question; All India 2013

Let the manufacturer produces x units of goods A and y units of goods B.

Now, given data can be written in table form as given below:

	A	В	Required capacity
Workers	2	3	30
Capital	3	1	17
Price	100	120	

(1)

.: The required LPP is

$$max(Z) = 100x + 120y$$

Subject to constraints are

(i)



$$3x + y \le 17$$
 ...(ii)
 $x, y \ge 0$ (1/2)

Now, for solving the above LPP by graphical method, firstly we assume all the inequalities as equations. Then, we get

$$2x + 3y = 30$$
 ...(iii)

and

and

$$3x + y = 17$$
 ...(iv)

Table for line 2x + 3y = 30 is

X	0	15
У	10	0

∴ Eq. (iii) passes through the points (0,10) and (15, 0)

On putting (0,0) in $2x + 3y \le 30$, we get

$$0 \le 30$$
 (true)

So, the half plane is towards the origin.

Table for line 3x + y = 17 is

X	0	17/3
у	17	0

(1/2)

 \therefore Eq. (iv) passes through the points (0,17) and (17/3, 0).

On putting (0,0) in $3x + y \le 17$, we get

$$0 \le 17$$
 (true)

So, the half plane is towards the origin.

For determining the intersection point, multiplying Eq. (iv) by 3 and then subtracting from Eq. (iii), we get

$$2x+3y=30$$

$$9x+3y=51$$

$$-7x=-21$$

$$x=3$$

 \Rightarrow

Then, from Eq. (iv), we get

$$y=17-3(3)$$

$$=17-9$$


$$\Rightarrow y=8$$

So, intersection point of both lines is P(3, 8).

(1)

(1)

Now, plotting these points on graph paper, we get the following graph:



Here, the feasible region is OAPCO, whose extreme points are O, A, P and C.

Corner points	Value of Z = 100x + 120y
O(0,0)	$Z=100\times0 + 120\times0=0+0=0$
$A\left(\frac{17}{3},0\right)$	$Z = 100 \times \frac{17}{3} + 120 \times 0$ $= \frac{1700}{3} = 566.66$
C (0, 10)	$Z = 100 \times 0 + 120 \times 10 = 1200$
P (3,8)	$Z = 100 \times 3 + 120 \times 8$



From table, maximum value of Z is 1260 at P(3,8). (1)

Hence, a manufacturer will produce 3 units of goods A and 8 units of goods B to maximise the total revenue.

Yes, I agree with this view of the manufacturer because in our Indian constitution, according to right of equality clause, men and women workers are equally efficient and so should be paid at the same rate. (1)

9. A manufacturer produces nuts and bolts. It takes 1 h of work on machine A and 3 h on machine B to produce package of nuts. It takes 3 h on machine A and 1 h on machine B to produce a package of bolts. He earns a profit of ₹ 17.50 per package on nuts and ₹7 per package on bolts. How many packages of each should be produced each day so as to maximise his profits, if he operates his machines for atmost 12 h a day? Formulate above as a Linear Programming Problem (LPP) and solve it Delhi 2012, 2009C graphically.

Let the manufacturer produces x nuts and y bolts. Then, given data can be written in tabular form as follows:

Item	Time on machine A	Time on machine B	Profit (in ₹)
Nuts (x)	1 h	3 h	17.50
Bolts (y)	3 h	1 h	7.00
	≤12 h	≤12 h	

(1)

∴ The required LPP is

Maximise profit, Z = 17.50x + 7.00y



Subject to constraints

$$x + 3y \le 12$$
, $3x + y \le 12$

and

$$x, y \ge 0$$

(1)

Let us consider the inequalities as equations, we get x + 3y = 12 ...(i)

and

$$3x + y = 12$$

...(ii)

Table for line x + 3y = 12 is

X	0	12
y	4	0

 \therefore Eq. (i) passes through the points (0, 4) and (12, 0).

On putting (0,0) in $x + 3y \le 12$, we get

$$0 \le 12$$
 (true)

So, the half plane is towards the origin.

Table for line 3x + y = 12 is

X	0	4
У	12	0

∴ Eq. (ii) passes through the points (0, 12) and (4, 0).

On putting (0,0) in $3x + y \le 12$, we get

$$0 \le 12$$
 (true)

So, the half plane is towards the origin.

Now, on multiplying Eq. (i) by 3 and then subtracting Eq. (ii) from Eq. (i), we get

$$3x + 9y = 36$$

$$3x + y = 12$$


$$8y = 24 \implies y = 3$$

On putting y = 3 in Eq. (i), we get

$$x + 3(3) = 12$$
 \Rightarrow $x = 12 - 9 = 3$

So, the point of intersection is
$$(3, 3)$$
. (1)

Now, the graph of the system of inequalities is given as follows:



From the graph, we see that *OABC* is the feasible region.

The corner points of the feasible region are O(0,0), C(0,4), B(3,3) and A(4,0) (1) Now, evaluate profit Z at corner points.

Corner points	Value of $Z = 17.50 x + 7.00 y$
O(0,0)	Z=17.50(0) + 7.00(0) = 0 + 0 = 0
A(4,0)	Z=17.50 (4) + 7.00 (0) = 70.00 + 0 = 70.00
B (3, 3)	Z=17.50(3) + 7.00(3) = 52.50 + 21.00
	= 73.50 (maximum)
C (0, 4)	Z=17.50 (0) + 7.00 (4) = 0 + 28.00 = 28.00

Hence, the profit is maximum, i.e. ₹ 73.50, when he produces 3 nuts and 3 bolts each day.



10. A dietician wishes to mix two types of foods in such a way that the vitamin contents of mixture contains atleast 8 units of vitamin A and 10 units of vitamin C. Food I contains 2 units per kg of vitamin A and 1 unit per kg of vitamin C, while food II contains 1 unit per kg of vitamin A and 2 units per kg of vitamin C. It costs ₹ 5 per kg to purchase food I and ₹ 7 per kg to purchase food II. Find the minimum cost of such a mixture. Formulate above as an LPP and solve it graphically.

All India 2012

 The given data can be put in the tabular form as follows:

Food	Vitamin A	Vitamin C	Cost/Unit
The transfer and the restriction of the same of the sa	2	1	₹5
11	1	2	₹7
Minimum requirement	atleast 8	atleast 10	

(1)

Suppose the diet contains *x* units of food I and *y* units of food II.

Then, the required LPP is min (Z) = 5x + 7ySubject to constraints

$$2x + y \ge 8$$
, $x + 2y \ge 10$ and $x \ge 0$, $y \ge 0$ (1/2)

On considering the inequalities as equations, we get

$$2x + y = 8$$
 ...(i)
 $x + 2y = 10$...(ii)

and

Table for line 2x + y = 8 is

X	0	4
У	- 8	0

.. The line 2x + y = 8 passes through the points (0, 8) and (4, 0).

On putting (0,0) in $2x + y \ge 8$, we get

16-1--1

So, the half plane is away from the origin.

Table for line x + 2y = 10 is

X	10	0
y	0	5

.. The line x + 2y = 10 passes through the points (10, 0) and (0, 5).

On putting (0,0) in $x + 2y \ge 10$, we get

$$0 \ge 10$$
 (false)

So, the half plane is away from the origin. (1) On multiplying Eq. (i) by 2 and subtracting Eq. (ii) from Eq. (i), we get

$$4x + 2y = 16$$

$$-x \pm 2y = 10$$

$$3x = 6$$

$$\Rightarrow$$

$$x = 2$$

On putting x = 2 in Eq. (i), we get

$$2(2) + y = 8$$


$$\Rightarrow$$

$$y = 8 - 4 = 4$$

So, these lines intersect at P(2, 4).

 $(1\frac{1}{2})$

Now, the graph of above LPP is as follows:



From the much the family in the

which is unbounded. (1)

Now, the table with corner point and value of Z is as follows:

Corner points	Value of $Z = 5 x + 7 y$
C (10, 0)	Z = 5(10) + 7(0) = 50
P(2, 4)	Z = 5(2) + 7(4) = 10 + 28 = 38 (minimum)
B(0, 8)	Z = 5(0) + 7(8) = 0 + 56 = 56

From table, the minimum value of Z is 38.

As the feasible region is unbounded, therefore 38 may or may not be the minimum value of Z. For this, we draw a dotted graph of the inequality 5x + 7y < 38 and check whether the resulting half plane has point in common with the feasible region or not.

It can be seen that the feasible region has no common point with 5x + 7y < 38.

Hence, the minimum cost is $\stackrel{?}{\underset{?}{?}}$ 38, when x = 2 and y = 4. (1)

- A factory makes tennis rackets and cricket bats. A tennis racket takes 1.5 h of machine time and 3 h of craftman's time in its making,
 - while a cricket bat takes 3 h of machine time and 1 h of craftman's time. In a day, the factory has the availability of not more than 42 h of machine time and 24 h of craftman's time. If the profits on a racket and a bat are ₹20 and ₹10 respectively, then find the number of tennis rackets and cricket bats that the factory must manufacture to earn the maximum profit. Make it as an LPP and solve it graphically.

 Delhi 2011

 Let x be the number of tennis rackets and y be the cricket bats produced in one day in the factory.

Given data can be written in tabular form as follows:

Item	Number	Machine hours	Craftman's hours	Profit
Tennis rackets	X	1.5	3	₹ 20
Cricket bats	y	3	1	₹ 10
Total		atmost 42	atmost 24	

(1)

According to the above table, the required LPP is

$$max(Z) = 20x + 10y$$

Subject to constraints

$$1.5x + 3y \le 42$$

 $3x + y \le 24$
 $x \ge 0, y \ge 0$ (1)

and

Let us consider the inequalities as equations, we get

$$1.5x + 3y = 42$$
 ...(i)

and

$$3x + y = 24$$

Table for line 1.5x + 3y = 42 is

x	0	28
у	14	0

So, this line passes through the points (0, 14) and (28, 0).

On putting (0,0) in $1.5x + 3y \le 42$, we get

$$0 \le 42$$
 (true)

So, the half plane is towards the origin.

Table for line 3x + y = 24 is

X	0	8
	<u> </u>	.l

So, this line passes through the points (0, 24) and (8, 0). (1)

On putting (0,0) in $3x + y \le 24$, we get

$$0 \le 24$$
 (true)

So, the half plane is towards the origin.

On multiplying Eq. (i) by 2 and then subtracting Eq. (ii) from Eq (i), we get

$$3x + 6y = 84$$

$$-3x + y = 24$$

$$5y = 60 \Rightarrow y = \frac{60}{5} = 12$$

On putting the value of y in Eq. (ii), we get


$$3x + 12 = 24$$

$$\Rightarrow$$
 3x = 24 - 12 = 12 \Rightarrow x = 4

So, the intersection point is (4, 12).

(1)

Now, plotting these points on graph paper, we get the following graph.



From the graph, the region OADC is the feasible region, whose corner points are O(0, 0), A(0, 14) C(8, 0) and D(4, 12)

11 (U, 11), C (U, U) and D (T, 12).

Now, evaluate function Z at corner points.

From table, maximum value is 200 at D(4,12). Hence, for maximum profit of ₹200, 4 tennis rackets and 12 cricket bats must be produced. (1)

12. A merchant plans to sell two types of personal computers, a desktop model and a portable model that will cost ₹ 25000 and ₹ 40000, respectively. He estimates that the total monthly demand of computers will not exceed 250 units. Determine the number of units of each type of computers which the merchant should stock to get maximum profit, if he does not want to invest more than ₹ 70 lakh and his profit on the desktop model is ₹ 4500 and on the portable model is ₹ 5000. Make an LPP and solve it graphically.

Let the merchant stocks *x* desktop computers and *y* portable computers. We construct the following table according to given data.

Туре	Number	Cost per computer	Profit
Desktop	x	₹ 25000	₹ 4500 x
Portable	y	₹ 40000	₹ 5000 y
Total	at most 250	atmost 7000000	

(1)

Then, the required LPP is Maximise,

$$Z = 4500x + 5000y$$
 ...(i)

Subject to constraints

$$x + y \le 250 \qquad \dots (ii)$$

 $25000x + 40000y \le 7000000$

$$\Rightarrow$$
 5x + 8y \le 1400 ...(iii)

[dividing both sides by 5000]

and
$$x \ge 0, y \ge 0$$
 ...(iv) (1)

On considering the inequalities as equations,

$$x + y = 250$$
 ...(v)

and

$$5x + 8y = 1400$$

...(vi)

Table for line x + y = 250 is

X	0	250	
у	250	0,	

So, this line passes through the points (0, 250) and (250, 0).

On putting (0,0) in $x + y \le 250$, we get

$$0 \le 250$$
 (true)

So, the half plane is towards the origin.

Table for line 5x + 8y = 1400 is

x	280	0	
y	0	175	

So, this line passes through the points (280, 0) and (0, 175). (1)

On putting (0,0) in $5x + 8y \le 1400$, we get

$$\Rightarrow$$

$$0 \le 1400$$

(true)

(1)

So, the half plane is towards the origin.

Now, on multiplying Eq. (v) by 5 and then subtracting Eq. (vi) from Eq. (v), we get

$$5x + 5y = 1250$$

$$5x + 8y = 1400$$

$$-3y = -150$$

 \Rightarrow

$$y = 50$$

On putting y = 50 in Eq.(v), we get


$$x + 50 = 250$$

 \Rightarrow

$$x = 200$$

So, the intersection point is (200, 50).

Graph of above LPP is given below:



From the graph, AODE is the feasible region. The corner points of the feasible region are O(0, 0), A(250, 0), E(200, 50) and D(0, 175).

Corner points	Value of $Z = 4500x + 5000 y$
O (0, 0)	Z = 4500(0) + 5000(0) = 0
A (250, 0)	Z = 4500(250) + 5000(0) = 1125000
E (200, 50)	Z = 4500(200) + 5000(50) = 1150000 (maximum)
D (0,175)	Z = 4500(0) + 5000(175) = 875000

From the table, maximum value of *Z* is 1150000 at *E* (200,50)

Hence, the profit is maximum, i.e. ₹ 1150000, when 200 desktop computers and 50 portable computers are stocked. (1)



13. A cottage industry manufactures pedestal lamps and wooden shades, each requiring the use of grinding/cutting machine and a sprayer. It takes 2 h on the grinding/cutting machine and 3 h on the sprayer to manufacture a pedestal lamp. It takes 1 h on the grinding/cutting machine and 2 h on the sprayer to manufacture a shade. On any day, the sprayer is available for atmost 20 h and the grinding/cutting machine for atmost 12 h. The profit from the sale of a lamp is ₹ 5 and that from a shade is ₹ 3. Assuming that the manufacturer can sell all the lamps and shades that he produces, how should he

schedule his daily production in order to maximise his profit? Make an LPP and solve it graphically.

Foreign 2011

Let the number of pedestal lamps sold be *x* and the number of wooden shades sold be *y*.

The given data can be written into tabular form as follows:

delinent materials of the condition	Pedestal lamps	Wooden shades	Total hours available
Grinding/ Cutting	2	1	atmost 12
Sprayer	3	2	atmost 20
Profit	₹5	₹3	

(1)

.. The required LPP is

$$\max(Z) = 5x + 3y$$

Subject to constraints

$$2x + y \le 12$$
 ...(i)

 $3x + 2y \le 20$

$$x, y \ge 0$$
 ...(ii)

On considering the inequalities as equations,



and

WC BCI

$$2x + y = 12$$
 ...(iii)

and

$$3x + 2y = 20$$

...(iv)

Now, table for line 2x + y = 12 is

(1)

x	6	0
y	0	12

So, it passes through the points (6, 0) and (0, 12).

On putting (0,0) in $2x + y \le 12$, we get $0 \le 12$ (true)

So, the half plane is towards the origin.

Table for line 3x + 2y = 20 is

X	20/3	0
у	0	10

So, it passes through the points $\left(\frac{20}{3}, 0\right)$ and (0, 10).

On putting (0,0) in $3x + 2y \le 20$, we get $0 \le 20$ (true)

So, the half plane is towards the origin.

Now, on multiplying Eq. (iii) by 2 and subtracting Eq. (iv) from it, we get

$$4x - 3x = 24 - 20 \implies x = 4$$


On putting x = 4 in Eq. (iii), we get

$$2(4) + y = 12 \Rightarrow y = 12 - 8 = 4$$
 (1/2)

So, lines intersect at point (4, 4).



Now, graph of above LPP is as follows:



From the graph, region OABC is the feasible region. The corner points of the feasible region are O(0,0), A(0,10), B(4,4) and C(6,0).

(1/2)

Corner points	Value of $Z = 5x + 3y$	
O (0, 0)	Z = 5(0) + 3(0) = 0	
A (0, 10)	Z = 5(0) + 3(10) = 30	
B(4, 4)	Z = 5(4) + 3(4) = 20 + 12 = 32	
	(maximum)	
C (6, 0)	Z = 5(6) + 3(0) = 30	

From the table, maximum value is 30 at *B* (4,4). Hence, the maximum profit is ₹ 32, when 4 lamps and 4 shades are sold. (1)



14. A dietician wishes to mix two types of foods in such a way that the vitamin contents of the mixture contains atleast 8 units of vitamin A and 10 units of vitamin C. Food I contains 2 units per kg of vitamin A and 1 unit per kg of vitamin C. Food II contains 1 unit per kg of vitamin A and 2 units per kg of vitamin C. It costs ₹ 50 per kg to purchase food I and ₹ 70 per kg to purchase food II. Formulate the problem as a linear programming problem to minimise the cost of such mixture and find the minimise cost graphically.
Delhi 2011C

Suppose the diet contains x units of food I and y units of food II.

The given data can be written in the tabular form as follows:

Food	Vitamin A	Vitamin C	Cost / Unit
1	2	1	₹ 50
11	1	2	₹ 70
Mixtrue requirements	atleast 8	atleast 10	

(1)

Then, the required LPP is

$$\min(Z) = 50x + 70y$$

Subject to constraints

$$2x + y \ge 8$$
, $x + 2y \ge 10$ and $x \ge 0$, $y \ge 0$ (1)

On considering the inequalities as equations, we get

$$2x + y = 8$$
 ... (i)

and

$$x + 2y = 10$$

Table for line 2x + y = 8 is

X	0 -	4
y	8	0

. Tha lina Duri ... O maaaaa thuanah tha mainta



 \therefore the line 2x + y = 0 passes through the points (0, 8) and (4, 0).

On putting (0,0) in $2x + y \ge 8$, we get

$$0 \ge 8$$
 (false)

So, the half plane is away from the origin.

Table for line x + 2y = 10 is

X	.10	0	
у	0	5	(1)

 \therefore The line x + 2y = 10 passes through the points (10, 0) and (0, 5).

On putting
$$(0, 0)$$
 in $x + 2y \ge 10$, we get $0 \ge 10$ (false)

So, the half plane is away from the origin.

On multiplying Eq. (i) by 2 and subtracting Eq. (ii) from Eq. (i), we get

$$4x + 2y = 16$$

$$x + 2y = 10$$


$$3x = 6 \Rightarrow x = 2$$

On putting x = 2 in Eq. (i), we get

$$2(2) + y = 8 \implies y = 8 - 4 = 4$$

So, these lines intersect at P(2, 4).

Graph of above LPP is given as follows:



From the graph, the feasible region is BPC which is unbounded.

The corner points of the feasible region are B(0, 8), P(2, 4) and C(10, 0)



Corner points	Value of $Z = 50 x + 70 y$	
C (10, 0)	Z = 50 (10) + 70 (0) = 500	
P (2, 4)	Z = 50 (2) + 70 (4) = 380 (minimum)	
B(0,8)	Z = 50 (0) + 70 (8) = 560	

From the table, minimum value of Z is 380.(1) As the feasible region is unbounded, therefore 380 may or may not be the minimum value of Z. For this, we draw a dotted line of the inequality 50x + 70y < 380 and check whether the resulting half plane has point in common with the feasible region or not. It can be seen that the feasible region has no common point with 50x + 70y < 380.

Hence, the minimum cost of the mixture is ₹380, when food I contains 2 units and food II contains 4 units. (1)

15. A library has to accommodate two different types of books on a shelf. The books are 6 cm and 4 cm thick and weight 1 kg and 1 / 2 kg each, respectively. The shelf is 96 cm long and atmost can support a weight of 21 kg. How should the shelf be filled with the books of two types in order to include the greatest number of books? Make it as an LPP and solve it graphically.
All India 2010C



Let two types of books be x and y, respectively. The given data can be written in tabular form as follows:

Types of books	Thickness (cm)	Weight (kg)
x	6	1
y	4	$1\frac{1}{2} = \frac{3}{2}$
	atmost 96	atmost 21

(1)

The required LPP is Maximise Z = x + ySubject to constraints

$$6x + 4y \le 96$$

$$\Rightarrow 3x + 2y \le 48 \qquad \dots (i)$$

[dividing both sides by 2]

$$x + \frac{3}{2}y \le 21$$

$$\Rightarrow$$
 $2x + 3y \le 42$...(ii)

[multiplying both sides by 2]

and
$$x, y \ge 0$$
 (1)

On considering the inequalities as equations, we get

$$3x + 2y = 48$$
 ...(iii)

and
$$2x + 3y = 42$$
 ...(iv)

Table for line 3x + 2y = 48 is

x	Ō	16
у	24	0

 \therefore It passes through the points (0, 24) and (16, 0).

On putting (0,0) in $3x + 2y \le 48$, we get

$$0 \le 48$$
 (true)

So, the half plane is towards the origin.

Table for line 2x + 3y = 42 is

x	0	21
у	14	0

 \therefore It passes through the points (0, 14) and (21, 0).

(1/2)

On putting (0,0) in $2x + 3y \le 42$, we get

$$0 \le 42$$
 (true)

So, the half plane is towards the origin.

Now, on multiplying Eq. (iii) by 2 and Eq. (iv) by 3 and then subtracting Eq. (iv) from Eq. (iii), we get

$$6x + 4y = 96$$

$$6x + 9y = 126$$

$$-5y = -30$$

$$y = 6$$

 \Rightarrow

On putting y = 6 in Eq. (iii), we get

$$3x + 2(6) = 48$$


=


$$3x = 48 - 12$$

 \Rightarrow

$$x = 12$$

So, the point of intersection is (12, 6). (1/2) Now, the graph of above LPP is as follows:





(1)

From the graph, OABC is the feasible region. The corner points of feasible region are O(0,0), A(0,14), B(12,6) and C(16,0), respectively. (1/2)

Corner points	Value of $Z = x + y$	
O (0, 0)	Z = 0 + 0 = 0	
A (0, 14)	Z = 0 + 14 = 14	
B (12, 6)	Z = 12 + 6 = 18 (maximum)	
C (16, 0)	Z = 16 + 0 = 16	

From table, maximum value of Z is 18. (1)
Hence, the maximum number of books is 18 and number of books of I type is 12 and books of II type is 6. (1/2)

16. A dealer deals in two items A and B. He has ₹15000 to invest and a space to store atmost 80 pieces. Item A costs him ₹300 and item B costs him ₹150. He can sell items A and B at profits of ₹40 and ₹25, respectively. Assuming that he can sell all that he buys, formulate the above as a linear programming problem for maximum profit and solve it graphically. Delhi 2010C



Let the number of items sold of A and B be x and y, respectively. The given data can be written in tabular form as follows:

Item	Cost (₹)	Profit (₹)
A(x)	300	40
B(y)	150	25
atmost 80	atmost 15000))))

(1)

The required LPP is Maximise, Z = 40x + 25ySubject to constraints

$$x + y \le 80$$

$$300x + 150y \le 15000$$

$$\Rightarrow \qquad 2x + y \le 100$$

[dividing both sides by 150]

and
$$x, y \ge 0$$
 (1)

On considering the inequalities as equations, we get

$$x + y = 80$$
 ...(i)

and

$$2x + y = 100$$

Table for line x + y = 80 is

x	0	80	
у	80	0	

.. It passes through the points (0, 80) and (80, 0).

On putting (0,0) in
$$x + y \le 80$$
, we get $0 \le 80$ (true)

So, the half plane is towards the origin.

Table for line 2x + y = 100 is

	T	
X	0	50
y	100	0

(1)

.. It passes through the points (0, 100) and (50, 0).

On putting (0,0) in $2x + y \le 100$, we get



$$0 \le 100$$
 (true)

So, the half plane is towards the origin.


On multiplying Eq. (i) by 2 and subtracting Eq. (ii) from Eq. (i), we get

$$2x + 2y = 160$$
$$2x + y = 100$$
$$- - -$$
$$y = 60$$

On putting y = 60 in Eq. (i), we get

$$x + 60 = 80$$
$$x = 20$$

So, the point of intersection is (20, 60). (1/2) Now, the graph of the given system of inequalities is as follows:



From the graph, OABC is the feasible region. The corner points of the feasible region are O(0,0), A(50,0), B(20,60) and C(0,80), respectively. (1/2)

Corner points	Value of $Z = 40x + 25 y$	
O (0, 0)	Z=0+0=0	
A (50,0)	Z = 2000 + 0 = 2000	
B (20, 60)	Z = 800 + 1500 = 2300 (maximum)	



 \Rightarrow

From table, maximum value of Z is 2300 at B (20,60).

Hence, the dealer has maximum profit $\raiseta 2300$, when he sell 20 items of A type and 60 items of B type.

17. One kind of cake requires 300 g of flour and 15 g of fat, another kind of cake requires 150 g of flour and 30 g of fat. Find the maximum number of cakes which can be made from 7.5 kg of flour and 600 g of fat, assuming that there is no shortage of other ingredients used in making the cakes. Make it as an LPP and solve it graphically.

HOTS; All India 2010

(1)

Let the number of cakes of first kind be x and the number of cakes of second kind be y.

The given data can be written in tabular form as follows:

Type of cakes	Flour (in g)	Fat (in g)	
First kind (x)	300	15	
Second kind (y)	150	30	
*	atmost 7.5 kg or 7500	atmost 600	

(1)

The required LPP is

$$\max(Z) = x + y$$

Subject to constraints

$$300x + 150y \le 7500$$

$$\Rightarrow$$
 $2x + y \le 50$

[dividing both sides by 150]

$$15x + 30y \le 600$$

$$\Rightarrow$$
 $x + 2y \le 40$

[dividing both sides by 15]



and
$$x \ge 0, y \ge 0$$
 (1)

On considering the inequalities as equations, we get

$$2x + y = 50$$
 ...(i)

and

$$x + 2y = 40$$

Table for line 2x + y = 50 is

x	0	25
	<u> </u>	23
y	50	0

 \therefore It passes through the points (0, 50) and (25, 0).

On putting (0,0) in $2x + y \le 50$, we get

$$0 \le 50$$
 (true)

So, the half plane is towards the origin.

Table for line x + 2y = 40 is

X	0	40
y	20	0

:. It passes through the points (0, 20) and (40, 0).

On putting (0,0) in
$$x + 2y \le 40$$
, we get $0 \le 40$ (true)

So, the half plane is towards the origin.

On multiplying Eq. (ii) by 2 and subtracting Eq. (ii) from Eq. (i), we get

$$y - 4y = 50 - 80$$

$$\Rightarrow \qquad -3y = -30y$$

$$\Rightarrow \qquad y = 10$$


On putting y = 10 in Eq. (i), we get

$$2x + 10 = 50 \implies 2x = 40$$

$$\Rightarrow \qquad x = 20 \qquad (1/2)$$

So, the point of intersection is (20, 10).

Now, the graph of the given system of inequalities is as follows:



From the graph, OABC is the feasible region. The corner points of the feasible region are O(0,0), A(0,20), B(20,10) and C(25,0), respectively. (1/2)

Corner points	Value of $Z = x + y$
O(0, 0)	Z=0+0=0
A (0, 20)	Z = 0 + 20 = 20
B (20, 10)	Z = 20 + 10 = 30 (maximum)
C (25, 0)	Z = 25 + 0 = 25

From table, the maximum value of Z is 30 at B (20,10).

Hence, maximum number is 30, when number of cake of first kind of cakes is 20 and second kind is 10. (1)

18. A small firm manufactures gold rings and chains. The total number of rings and chains manufactured per day is atmost 24. It takes 1 h to make a ring and 30 min to make a chain.



The maximum number of hours available per day is 16. If the profit on a ring is ₹ 300 and that on a chain is ₹ 190, then find the number of rings and chains that should be manufactured per day so as to earn the maximum profit. Make it as an LPP and solve it graphically.

HOTS; Delhi 2010

Let the firm manufactures x gold rings and y chains per day. The given data can be written in tabular form as follows:

Items	Time taken	Profit (in ₹)
Gold rings (x)	1 h	300
Chains (y)	30 min = 1/2 h	190
atmost 24	atmost 16 h	

The required LPP is

Maximise, Z = 300x + 190y

Subject to constraints

$$x + y \le 24$$
$$x + \frac{1}{2}y \le 16$$

$$\Rightarrow$$
 $2x + y \le 32$

[multiplying both sides by2]

and
$$x \ge 0, y \ge 0$$
 (1)

On considering the inequations as equations, we get

$$x + y = 24$$
 ...(i)

and
$$2x + y = 32$$

Table for line x + y = 24 is

X	0	24
У	24	0

 \therefore It passes through the points (0, 24) and (24, 0).

On putting (0,0) in $x + y \le 24$, we get



$$0 \le 24$$
 (true)

So, the half plane is towards the origin.

Table for line 2x + y = 32 is

x	0	16
у	32	0

(1)

 \therefore It passes through the points (0, 32) and (16, 0).

On putting (0,0) in

$$2x + y \le 32$$
, we get $0 \le 32$ (true)

So, the half plane is towards the origin.

Now, on subtracting Eq. (i) from Eq. (ii), we get

$$2x - x = 32 - 24$$

$$\Rightarrow \qquad x = 8$$


On putting x = 8 in Eq. (i), we get

$$8 + y = 24$$
$$y = 16$$

So, the point of intersection is (8, 16). (1/2) Now, the graph of the system of inequalities is given as follows:



 \Rightarrow



From the graph, OABC is feasible region. The corner points of feasible region are O(0,0), A(0,24), B(8,16) and C(16,0). (1/2)

Corner points	Value of <i>Z</i> = 300 <i>x</i> + 190 <i>y</i>
O(0, 0)	Z = 300 (0) + 190 (0) = 0 + 0 = 0
A (0, 24)	Z = 300 (0) + 190 (24) = 0 + 4560 = 4560
B(8,16)	Z = 300 (8) + 190 (16) = 2400 + 3040 = 5440 (maximum)
C (16, 0)	Z = 300 (16) + 190 (0) = 4800 + 0 = 4800

From table the maximum value of Z is 5440 at B (8,16),

Hence, the manufacturers earns the maximum profit ₹ 5440, when he manufactures 8 gold rings and 16 chains per day. (1)



19. A man has ₹ 1500 for purchasing wheat and rice. A bag of rice and a bag of wheat cost ₹ 180 and ₹ 120, respectively. He has a storage capacity of only 10 bags. He earns a profit of ₹ 11 and ₹ 9 per bag of rice and wheat, respectively. Formulate the problem as an LPP to find the number of bags of each type he should buy for getting maximum profit and solve it graphically.

All India 2009C, 2008

Let x be the number of rice bags and y be the number of wheat bags purchase per day.

The given data can be written in the tabular form as follows:

Purchase	Bags	Cost (per bag)	Profit cost
Rice bag	1	₹ 180	₹ 11
Wheat bag	1	₹ 120	₹9
Requirement	10	₹ 1500	

(1)

The required LPP is Maximise, Z = 11x + 9ySubject to constraints

$$180x + 120y \le 1500 \Rightarrow 3x + 2y \le 25$$
 [dividing both sides by 60]

$$x + y \le 10 \quad \text{and} \quad x, y \ge 0 \tag{1}$$

On considering the inequalities as equations, we get

$$3x + 2y = 25$$
 ...(i)

and

$$x + y = 10$$
 ...(ii)

Table for line 3x + 2y = 25 is

X	0	25/3
у	25/ 2 or 12.5	0

: It passes through the points (0, 12.5) and (25/3, 0).

On putting (0.0) in $3v \pm 2v < 25$ we get

On putting (0,0) in $3x + 2y \le 23$, we get $0 \le 25$ (true)

So, the half plane is towards the origin.

Table for line x + y = 10 is

X	0	10
У	10	0

: It passes through the points (0, 10) and (10, 0).

On putting (0,0) in $x + y \le 10$, we get $0 \le 10$ (true)


So, the half plane is towards the origin. On multiplying Eq. (ii) by 2 and subtracting Eq. (ii) from Eq. (i), we get

$$3x - 2x = 25 - 20 \implies x = 5$$

On putting x = 5 in Eq. (ii), we get

$$5 + y = 10 \implies y = 5$$

So, the intersection point is P(5, 5). (1/2) Now, the graph of the system of inequation is given as follows:



From the graph, *OAPB* is the feasible region. The corner points of feasible region are O(0, 0), $A\left(\frac{25}{3}, 0\right)$, P(5, 5) and B(0, 10),

respectively.

Corner points	Value of $Z = 11x + 9y$	
O(0,0)	Z = 11(0) + 9(0) = 0	
$A\left(\frac{25}{3},0\right)$	Z=91.7+0=91.7	
P(5, 5)	Z=55 + 45 = 100 (maximum)	
B(0,10)	Z = 0 + 90 = 90	

From table, maximum value of Z is 100 at P(5,5). (1/2)

Hence, maximum profit is ₹ 100, when he purchase 5 rice bags and 5 wheat bags. (1)

20. A dealer wishes to purchase a number of fans and sewing machines. He has only ₹ 5760 to invest and has space for atmost 20 items. A fan costs ₹ 360 and a sewing machine costs ₹ 240. He can sell a fan at a profit of ₹ 22 and a sewing machine at a profit of ₹ 18. Assuming that he can sell all the items that he can buy, how should he invest his money in order to maximise his profit? Formulate the problem as an LPP and solve it graphically. All India 2009; Delhi 2009C



Suppose a dealer purchase x fans and y sewing machines.

The given data can be written in the tabular form as follows:

Purchase	Items	Costs (per item)	Profit cost
Fan (<i>x</i>)	1	₹ 360	₹ 22
Sewing machines (y)	1	₹ 240	₹ 18
-	atmost 20	atmost ₹ 5760	

(1)

The required LPP is Maximum, Z = 22x + 18ySubject to constraints are

$$x + y \le 20$$

$$360x + 240y \le 5760$$

$$\Rightarrow 3x + 2y \le 48$$

[dividing both sides by 120]

and

$$x, y \ge 0$$

(1)

On considering the inequalities as equations, we get

$$x + y = 20$$
 ...(i)

and

$$3x + 2y = 48$$

Table for line x + y = 20 is

X	0	20
y	20	0

∴ It passes through the points (0, 20) and (20, 0).

On putting (0,0) in $x + y \le 20$, we get

$$0 \le 20$$
 (true)

So, the half plane is towards the origin.

Table for line 3x + 2y = 48 is

×	0	16
У	24	0



: It passes through the points (0, 24) and (16, 0). (1)

On putting (0,0) in
$$3x + 2y \le 48$$
, we get $0 \le 48$ (true)

So, the half plane is towards the origin.

On multiplying Eq. (i) by 3 and subtracting

Eq. (ii) from Eq. (i), we get


$$3y - 2y = 60 - 48$$
 \Rightarrow $y = 12$

On putting y = 12 in Eq. (i), we get

$$x + 12 = 20$$
 \Rightarrow $x = 8$

So, point of intersection is P(8, 12). (1/2)

Now, the graph of the system of inequations is given as:



From graph, OAPC is the feasible region.

:. The corner points of feasible region are O(0, 0), A(16, 0), P(8, 12) and C(0, 20). (1/2)

Corner points	Value of $Z = 22x + 18 y$	
O(0,0)	Z = 22(0) + 18(0) = 0	
A (16, 0)	Z = 352 + 0 = 352	
P (8, 12)	Z = 176 + 216 = 392 (maximum)	
C(0,20)	Z = 0 + 360 = 360	

From table, the maximum value of Z is 392 at P(8,12).

Hence a dealer nurchase & fans and

12 sewing machines to get maximum profit of ₹ 392. (1)

21. Two tailors A and B earn ₹ 150 and ₹ 200 per day, respectively. A can stitch 6 shirts and 4 pants per day, while B can stitch 10 shirts and 4 pants per day. How many days shall each work, if it is desired to produce atleast 60 shirts and 32 pants at a minimum labour cost? Make it as an LPP and solve the problem graphically.
Delhi 2009C; 2008C

Do same as Ques 14.

Required linear programming problem is

$$min(Z) = 150x + 200y$$
 (1)


Subject to constraints

$$6x + 10y \ge 60 \qquad \Rightarrow \quad 3x + 5y \ge 30$$

[dividing both sides by 2]

$$4x + 4y \ge 32$$
 $\Rightarrow x + y \ge 8$

[dividing both sides by 4]



Hence, minimum labour cost is ₹ 1350, when tailor A works for 5 days and tailor B works for 3 days. (1)

22. A diet is to contain atleast 80 units of vitamin A and 100 units of minerals. Two foods F₁ and F₂ are available. Food F₁ costs ₹ 4 per unit and food F₂ costs ₹ 6 per unit. One unit of food F₁ contains 3 units of vitamin A and 4 units of minerals. One unit of food F₂ contains 6 units of vitamin A and 3 units of minerals. Formulate this as a linear programming problem and find graphically the minimum cost for diet that consists of mixture of these two foods and also meets the minerals nutritional requirements.

Delhi 2009

Do same as Que 14. Required LPP is Minimise z = 4x + 6ySubject to constraints

$$3x + 6y \ge 80, \ 4x + 3y \ge 100$$
and
$$x, y \ge 0$$

$$\begin{pmatrix} 0, \frac{100}{3} \end{pmatrix} A \qquad (1)$$

$$20 \qquad \qquad 3x + 6y = 80$$

$$D(0, \frac{40}{3}) \qquad 10 \qquad \qquad 3x + 6y = 80$$

$$O(0, 0) \qquad 5 \qquad 10 \qquad 15 \qquad 20 \in \mathbb{C} \qquad 80 \qquad 0$$

Hence, the minimum cost is $\stackrel{?}{=}$ 104, when diet contains 24 units of food F_1 and $\frac{4}{3}$ units of food F_2 . (1)

23. A diet for a sick person must contains atleast 4000 units of vitamins, 50 units of minerals and 1400 units of calories. Two foods A and B are available at a cost of ₹ 5 and ₹ 4 per unit, respectively. One unit of food A contains 200 units of vitamins, 1 unit of minerals and 40 units of calories, while one unit of food B contains 100 units of vitamins, 2 units of minerals and 40 units of calories. Find what combination of the foods A and B should be used to have least cost, but it must satisfy the requirements of the sick person? Formulate the question as an LPP and solve it graphically.

Let the sick person requires x units of food A and y units of food B.

The given data can be written into tabular form as follows:

Food	Vitamins	Minerals	Calories	Cost
A(x)	200	1	40	5
B(y)	100	2	40	4
	atleast 4000	atleast 50	atleast 1400	

:. Required LPP is Minimise, Z = 5x + 4ySubject to constraints

$$200x + 100y \ge 4000 \implies 2x + y \ge 40$$

[dividing both sides by 100]

$$x + 2y \ge 50$$

$$40x + 40y \ge 1400 \Rightarrow x + y \ge 35$$

[dividing both sides by 40]

and

$$x, y \ge 0$$

On considering the inequalities as equations, we get

$$2x + y = 40$$
 ...(i)

$$x + 2y = 50$$
 ...(ii)

and

$$x + y = 35$$
 ...(iii)

Table for line 2x + v = 40 is

X	0	20
у	40	0

 \therefore It passes through the points (0, 40) and (20, 0).

On putting (0,0) in $2x + y \ge 40$ we get

$$0 \ge 40$$
 (false)

So, the half plane is away from the origin.

Table for line x + 2y = 50 is

x	0	50
у	25	0

.. It passes through the points (0, 25) and (50, 0).

On putting
$$(0, 0)$$
 in $x + 2y \ge 50$, we get $0 \ge 50$ (false)

So, the half plane is away from the origin.

Table for line x + y = 35 is

X	0	35
y	35	0

:. It passes through the points (0,35) and (35,0).

On putting (0,0) in
$$x + y \ge 35$$
, we get $0 \ge 35$ (false)

So, the half plane is away from the origin.

On multiplying Eq. (i) by 2 and subtracting

$$4x - x = 80 - 50$$

$$\Rightarrow$$
 3x = 30 \Rightarrow x = 10

On putting x = 10 in Eq. (ii), we get

$$10 + 2y = 50$$

$$\Rightarrow$$
 2y = 40 \Rightarrow y = 20

So, point of intersection of line (i) and (ii) is *C* (10, 20).

On multiplying Eq. (iii) by 2 and subtracting Eq. (iii) from Eq. (ii), we get

$$x - 2x = 50 - 70$$



$$\Rightarrow$$
 $-x = -20 \Rightarrow x = 20$

On putting x = 20 in Eq. (ii), we get

$$20 + 2y = 50$$

$$\Rightarrow$$
 2y = 30 \Rightarrow y = 15

So, point of intersection of lines (i) and (iii) is C (20,15).

On subtracting Eq. (iii) from Eq. (i), we get


$$2x - x = 40 - 35 \implies x = 5$$

On putting x = 5 in Eq. (iii), we get

$$5 + y = 35$$
 \Rightarrow $y = 30$

So, point of intersection of lines (i) and (iii) is B(5, 30). (1)

Now, graph of above LPP is given below:



From the graph, ABCD is the feasible region which is bounded.

Corner points of feasible region are

A (0, 40), B (5, 30), C (20, 15) and D (50, 0).

Corner points	Value of $Z = 5x + 4y$	
A (0, 40)	Z=0+160=160	
B(5, 30)	Z = 25 + 120 = 145 (least cost)	
C (20,15)	Z = 100 + 60 = 160	
D (50, 0)	Z = 250 + 0 = 250	

From the table, minimum value of Z is 145 at \cdot B(5,30). (1)



As the feasible region is unbounded, therefore 145 may or may not be the minimum value of Z. For this, we draw a dotted line of the inequality 5x + 4y < 145 and check, whether

the resulting half plane has point in common with the feasible region or not.

It can be seen that the feasible region has no common point with 5x + 4y < 145.

Hence, least cost is ₹ 145, when sick person requires 5 units of food A and 30 units of food B.

24. A factory owner purchases two types of machines A and B for his factory. The requirements and the limitations for the machines are as follows:

Machines	Area occupied	Labour force	Daily output (in units)
Α	1000 m ²	12 men	60
В	1200 m ²	8 men	40

He has maximum area of 9000 m² available and 72 skilled labourers who can operate both the machines. How many machines of each type should be bought to maximise the daily output?

Delhi 2008

Let the number of machines of type A be x and the machines of type B be y.

The given data can be written in the tabular form as follows:

Machines	Area occupied	Labour force	Daily output (in units)
A(x)	1000 m ²	12 men	60
B(y)	1200 m ²	8 men	40
Maximum	9000 m ²	72 men	# 19

Then given LPP is Maximise, Z = 60x + 40y(1)Subject to constraints

 $1000x + 1200v < 9000 \implies 5x + 6v < 45$





[dividing both sides by 200]

$$12x + 8y \le 72 \qquad \Rightarrow 3x + 2y \le 18$$

[dividing both sides by 4]

and

$$x, y \ge 0$$

(1)

On considering the inequalities as equations, we get

$$5x + 6y = 45$$
 ...(i)

and

$$3x + 2y = 18$$

Table for line 5x + 6y = 45 is

x	0	9
y	7.5	0

:. It passes through the points (0, 7.5) and (9, 0).

On putting (0,0) in $5x + 6y \le 45$, we get

$$0 \le 45$$
 (true)

So, the half plane is towards the origin.

Table for line 3x + 2y = 18 is

X	0	6
y	9	0

 \therefore It passes through the points (0, 9) and (6, 0).

On putting (0,0) in $3x + 2y \le 18$, we get

$$0 \le 18$$
 (true)

So, the half plane is towards the origin.

Now, on multiplying Eq. (ii) by 3 and then subtracting Eq. (i) from it, we get

$$9x - 5x = 54 - 45$$

$$\Rightarrow$$
 $4x = 9$

$$4x = 9 \Rightarrow x = \frac{9}{4}$$

$$x = \frac{9}{4}$$

On putting $x = \frac{9}{4}$ in Eq. (ii), we get


$$3\left(\frac{9}{4}\right) + 2y = 18$$

$$\Rightarrow \qquad 2y = 18 - \frac{27}{4}$$

$$\Rightarrow \qquad y = \frac{45}{8}$$

So, point of intersection is
$$B\left(\frac{9}{4}, \frac{45}{8}\right)$$
. (1/2)

The graph of above LPP is as follows:



From the graph, OABC is the feasible region, whose corner points are

$$O(0,0)$$
, $A(0,7.5)$, $B\left(\frac{9}{4},\frac{45}{8}\right)$ and $C(6,0)$.

Corner points	Value of $Z = 60x + 40 y$	
A (0, 7.5)	Z=0+300=300	
$B\left(\frac{9}{4},\frac{45}{8}\right)$	Z = 135 + 225 = 360 (maximum)	
C (6, 0)	Z = 360 + 0 = 360	
O(0,0)	Z=0	

From the table, maximum value of Z, is 360 at

$$B\left(\frac{9}{4}, \frac{45}{8}\right)$$
 and C(6,0) (1/2)

Hence, the maximum output is at B and C. But the number of machines cannot be in fraction. Hence, number of machines of type A = 6 and



number of machines of type B = 0. (1)