Class VIII Session 2024-25 Subject - Mathematics Sample Question Paper - 2

| Time Al | llowed: 3 hours | Maximum Marks | 5: 80 | |
|--------------|--|--|-------|--|
| General | Instructions: | | | |
| | 1. This Question Paper has 4 Sections A-D. | | | |
| | 2. Section A has 20 MCQs carrying 1 mark each. | | | |
| | 3. Section B has 6 questions carrying 02 marks each. | | | |
| | 4. Section C has 8 questions carrying 03 marks each. | | | |
| | 5. Section D has 6 questions carrying 04 marks each. | | | |
| | 6. All Questions are compulsory. | | | |
| | 7. Draw neat figures wherever required. Take π =22/7 | wherever required if not stated | | |
| | Se | ction A | | |
| 1. | One (1) is: | | [1] | |
| | a) the identity for the subtraction of rational numbers | b) the identity for division of rational numbers | | |
| | c) the identity for the addition of rational | d) the identity for multiplication of rational | | |
| | numbers | numbers | | |
| 2. | Find $\frac{7}{8} + \left(-\frac{5}{16}\right) + \left(-\frac{3}{16}\right) + \frac{5}{8}$ | | [1] | |
| | a) -16 | b) -21 | | |
| | c) -1 | d) 1 | | |
| 3. | Solve the following: $(x + 1) + \frac{1}{3}(x - 1) = \frac{5}{12}(x - 2)$ | | [1] | |
| | a) $\frac{5}{12}$ | b) $\frac{-5}{12}$ | | |
| | c) $\frac{-12}{5}$ | d) $\frac{12}{5}$ | | |
| 4. | Find two parts of 34 such that $\left(\frac{4}{7}\right)^{\text{th}}$ of one part is | equal to $\left(\frac{2}{5}\right)^{\text{th}}$ of the other. | [1] | |
| | a) 15, 19 | b) 16, 18 | | |
| | c) 14, 20 | d) 16, 19 | | |
| 5. | Two adjacent angles of a parallelogram are in the rat | io 1 : 5. Then, all the angles of the parallelogram are | [1] | |
| | a) 85°, 95°, 85°, 95° | b) 30°, 180°, 30°, 180° | | |
| | c) 45°, 135°, 45°, 135° | d) 30°, 150°, 30°, 150° | | |
| 6. | The measure of each interior angle of a regular conve | ex polygon is 156 [°] . The number of sides of the polygon is : | [1] | |
| | a) 8 | b) 10 | | |
| Page 1 of 14 | | | | |

Get More Learning Materials Here :

CLICK HERE

Regional www.studentbro.in

| | c) 15 | d) 12 | | |
|--------------|---|---|-----|--|
| 7. | Without doing any calculation, find the number | s which are surely perfect squares: | [1] | |
| | a) 2657 | b) 2673 | | |
| | c) 2025 | d) 2688 | | |
| 8. | A group of students decided to collect as many members. If the total collection amounts to Rs.2 | paise from each member of the group as is the number of 22.09, the number of members in the group is: | [1] | |
| | a) 43 | b) 37 | | |
| | c) 47 | d) 107 | | |
| 9. | The value of (0.3) ³ is | , , | [1] | |
| | a) .27 | b) 27 | | |
| | c) 0.027 | d) 2.7 | | |
| 10. | Which of the following is not a perfect cube? | -, - | [1] | |
| | a) 10000 | b) 1000000 | | |
| | c) 1000 | d) 216 | | |
| 11. | What will be the increase in an amount in 2 yea | rs by 10% annual compounded interest? | [1] | |
| | a) of principal amount 50% | b) of principal amount 30% | | |
| | c) of principal amount 20% | d) of principal amount 21% | | |
| 12. | If a shirt cost ₹64 after a 20% discount, what wa | as its original price? | [1] | |
| | a) ₹76.80 | b) ₹86.80 | | |
| | c) ₹88 | d) ₹80 | | |
| 13. | x(x - 3) + 2 = ? | | [1] | |
| | a) $x^2 - 3x + 2$ | b) $x^2 - 2x + 2$ | | |
| | c) $x^2 - 5x + 3$ | d) $x^2 + 3x + 5$ | | |
| 14. | Which of the following is true for a polyhedron | ? | [1] | |
| | a) Faces = 5, Vertices = 1, Edges = 7 | b) Faces = 4, Vertices = 5, Edges = 6 | | |
| | c) Faces = 5, Vertices = 6, Edges = 9 | d) Faces = 18, Vertices = 10, Edges = 25 | | |
| 15. | A cube whose side is 5 cm will have surface are | ea is equal to | [1] | |
| | a) 120 cm ² | b) 50 cm ² | | |
| | c) 100 cm ² | d) 125 cm ² | | |
| 16. | The value of $(0.000064)^{\frac{5}{6}}$ is | | [1] | |
| | a) $\frac{32}{100000}$ | b) $\frac{16}{10000}$ | | |
| | c) $\frac{32}{10000}$ | d) $\frac{16}{100000}$ | | |
| 17. | The value of $(12^2 + 5^2)^{\frac{1}{2}}$ is | | [1] | |
| | a) 13 | b) 11 | | |
| Page 2 of 14 | | | | |

Get More Learning Materials Here :

www.studentbro.in

| | a) ₹ 7.30 | b) ₹ 6 | | |
|----------|---|-----------------------------------|-----------------|----|
| | c) ₹ 7 | d) ₹ 6.30 | | l |
| 19. | Factorise: $x^2 + 8x + 16$ | | [1] | |
| | a) $(x + 4)^2$ | b) $(x + 2)^2$ | | l |
| | c) $(x + 3)^2$ | d) $(x + 5)^2$ | | |
| 20. | The factors of $x^2 + xy - 2xz - 2yz$ are | | [1] | l |
| | a) (x - y)(x - 2z) | b) (x - y) (x + 2z) | | |
| | c) (x + y) (x - 2z) | d) $(x + y)(x + 2z)$ | | Ì |
| | Se | ction B | | l |
| 21. | Solve the equations and check your result: $2x - 1 = 14$ | 4 - x. | [2] | ļ |
| 22. | In rectangle PAIR, find $\angle ARI$, $\angle RMI$ and $\angle PMA$. | | [2] | l |
| | A DI 35° A A | | | |
| | | OR | | |
| | Find x in the following figure. | | | i |
| | 90° 60° D A 90° C X B 40° | | | |
| 23. | A dice is rolled. Find the probability of the event, a n | umber greater than 5. | [2] | |
| 24. | Find the smallest number by which of 100 must be m | ultiplied to obtain a perfect cub | e. [2] | |
| | | OR | | l |
| | Using prime factorisation, find the cube root of 2197 | | | l |
| 25. | Multiply the binomials: (y - 8) and (3y - 4) | | [2] | İ |
| 20. | A sketch of a house of a gift is shown below. b b b c b c b c b c c c c c c c c | of 14 | [4] | |
| Get More | e Learning Materials Here : 🌓 🤇 | | www.studentbro. | in |

d) 12

[1]

An agent receives a commission of ₹ 73 on sales of ₹ 1000. The commission he will get on sales of ₹ 100 is

c) 15

I

I

I

I

I

I

I

.

I

I

I

 18.

| 27. | Verify and name the property used | [3] |
|-----|--|-----|
| | $\left(rac{-3}{5}	imesrac{12}{13} ight)	imesrac{7}{8}=rac{-3}{5}	imes\left(rac{12}{13}	imesrac{7}{8} ight).$ | |
| 28. | Solve: $\frac{x}{2} - \frac{1}{4}\left(x - \frac{1}{3}\right) = \frac{1}{6}(x + 1) + \frac{1}{12}$ | [3] |
| | OR | |
| | Solve the equations and check your result: $rac{2x}{3}+1=rac{7x}{15}+3$ | |
| 29. | Find the square root of the following by long division method. | [3] |

29. Find the square root of the following by long division method.

i. 1369

ii. 5625

30. Vishakha offers a discount of 20% on all the items at her shop and still makes a profit of 12%. What is the cost [3] price of an article marked at Rs 280?

OR

The marked price of a DVD is ₹4500. A shopkeeper allows two successive discounts of 10% and 5% by the force of a customer. Find the selling price of the customer after two discounts are given.

31. What must be added to
$$2m^2 - 3mn + 3n^2$$
 to get $5m^2 + 2mn + 7n^2$? [3]

32. How many small cubes with edge of 20cm each can be just accommodated in a cubical box of 2m edge? [3]

33. Find the value of
$$:\left(\frac{1}{2}\right)^{-2} + \left(\frac{1}{3}\right)^{-2} + \left(\frac{1}{4}\right)^{-2}$$

34. Work out the division: 96abc $(3a - 12) (5b - 30) \div 144 (a - 4) (b - 6)$

35. In parallelogram LOST, SN \perp OL and SM \perp LT. Find \angle STM, \angle SON and \angle NSM.



OR

In trapezium HARE, EP and RP are bisectors of $\angle E$ and $\angle R$, respectively. Find $\angle HAR$ and $\angle EHA$.



For the development of basic infrastructure in a district, a project of ₹108 crore approved by Development Bank 36. [4] is as follows:

| Item head | Road | Electricity | Drinking water | Sewerage |
|---------------------|------|-------------|----------------|----------|
| Amount (in ₹ crore) | 43.2 | 16.2 | 27.00 | 21.6 |

Draw a pie chart for this data.

37. Raheem runs a readymade garment shop. He mark the garments at such a price that even after allowing a [4] discount of 12.5%, gain a profit of 25%. Find the marked price of a jacket which costs him Rs. 2,100.

OR

Fabina borrow ₹ 12500 at 12% per annum for 3 years at simple interest and Radha borrows the same amount for the same time period at 10% per annum, compounded annually. Who pays interest and by how much?

38. A company packages its milk powder in cylindrical container whose base has a diameter of 14 cm and height 20 [4] cm. Company places a label around the surface of the container (as shown in the figure). If the label is placed 2

Page 4 of 14

Get More Learning Materials Here :

CLICK HERE



[3]

[3]

[4]

cm from top and bottom, what is the area of the label.



39. An electric pole, 14 metres high, casts a shadow of 10 metres. Find the height of a tree that casts a shadow of 15 [4] metres under similar conditions.

40. Draw a graph for the following.

| Side of square (in cm) | 2 | 3 | 3.5 | 5 | 6 |
|------------------------|---|----|-----|----|----|
| Perimeter (in cm) | 8 | 12 | 14 | 20 | 24 |

i. Write the scale along the X axis and Y axis?

ii. What is marked on the horizontal axis?

iii. What is marked on the vertical axis?

iv. What is marked on the points plotted?

v. Is it a line graph?

Page 5 of 14

CLICK HERE



[4]

Solution

Section A

1.

(d) the identity for multiplication of rational numbers

Explanation: One (1) is the identity for multiplication of rational numbers. That means, If a is a rational number. Then, a.1 = 1.a = a

2.

(d) 1 Explanation: $\left[\frac{7}{8} + \left(\frac{-5}{16}\right)\right] + \left[\left(\frac{-3}{16}\right) + \frac{5}{8}\right]$ = $\left[\frac{7 \times 2 + \left(-5\right) \times 1}{16}\right] + \left[\frac{-3 \times 1 + 2 \times 5}{16}\right]$ = $\left[\frac{14 - 5}{16}\right] + \left[\frac{-3 + 10}{16}\right]$ = $\frac{9}{16} + \frac{7}{16}$ = $\frac{16}{16}$ = 1

3.

(c) $\frac{-12}{5}$ Explanation: $\frac{1}{2}(x+1) + \frac{1}{3}(x-1) = \frac{5}{12}(x-2)$ $\frac{x}{2} + \frac{1}{2} + \frac{x}{3} - \frac{1}{3} = \frac{5x}{12} - \frac{10}{12}$ $\frac{x}{2} + \frac{x}{3} - \frac{5x}{12} = \frac{-10}{12} + \frac{1}{3} - \frac{1}{2}$ $\frac{6x+4x-5x}{12} = \frac{-10+4-6}{12}$ $\frac{5x}{12} = \frac{-12}{12}$ $\frac{5x}{12} = -1$ $x = \frac{-12}{12}$ $x = \frac{-12}{5}$

4.

(c) 14, 20

Explanation: Let one part be x. Then, other part be 34 - x. According to question, we have $\frac{4}{7}(x) = \frac{2}{5}(34 - x) \Rightarrow \frac{4x}{7} = \frac{68}{5} - \frac{2x}{5} \Rightarrow \frac{4x}{7} + \frac{2x}{5} = \frac{68}{5}$ $\Rightarrow \frac{20x + 14x}{35} = \frac{68}{5} \Rightarrow \frac{34}{35} \times x = \frac{68}{5} \Rightarrow x = \frac{68}{5} \times \frac{35}{34}$ $\Rightarrow x = 2 \times 7 \Rightarrow x = 14$

 \therefore One part = 14 and other part = 34 - 14 = 20

5.

(d) 30°, 150°, 30°, 150°

Explanation: Let the adjacent angles of a parallelogram be x and 5x, respectively. Then, $x + 5x = 180^{\circ}$ [\therefore adjacent angles of a parallelogram are supplementary] $\Rightarrow 6x = 180^{\circ}$ $\Rightarrow x = 30^{\circ}$ \therefore The adjacent angles are 30° and 150°. Hence, the angles are 30°, 150°, 30°, 150° [\therefore opposite angles are equal]

6.

(c) 15 **Explanation:** We know that Sum of all the Internal angles of polygon = $180 \times (n - 2)$ According to question $180 (n - 2) = 156 \times n$ $\Rightarrow 180n - 360^{\circ} = 156n$

Page 6 of 14

Get More Learning Materials Here : 📕

```
\Rightarrow 180n - 156n = 360
24n = 360
n = \frac{360}{24} = 15
```

7.

(c) 2025

Explanation: 2025 is a perfect square as it ends with 5 at the unit's place whereas the other numbers 2657, 2688, and 2673 ends with 7, 8, and 3 at the unit's place and a perfect square never end with 2, 3, 7 and 8 at unit's place.

8.

(c) 47

Explanation: Number of members = $\sqrt{2209}$ = 47.

9.

(c) 0.027

Explanation: $(0.3)^3 = 0.027$

10. (a) 10000

> **Explanation:** $\sqrt[3]{1000000}$ = 100 is a perfect cube. $\sqrt[3]{216} = 6$ is a perfect cube.

 $\sqrt[3]{10000}$ = not a perfect cube.

11.

(d) of principal amount 21% **Explanation:** Let Principal be ₹P

$$A = P\left(1 + \frac{1}{10}\right)^{2}$$
$$= P\left(\frac{11}{10}\right)^{2}$$
$$A = P \times \frac{121}{100}$$
Percentage increase = $\frac{P \times \frac{121}{100} - P}{P} \times 100$
$$= 21\%$$

12.

(d) ₹80 **Explanation:** Let the original CP be \mathbb{P} x. $\therefore \mathbf{x} \times \frac{80}{100} = 64 \Rightarrow \mathbf{x} = \mathbf{\overline{80}}$

(a) $x^2 - 3x + 2$ 13.

> **Explanation:** x(x - 3) + 2Open the brackets we get, $x^2 - 3x + 2$

14.

(c) Faces = 5, Vertices = 6, Edges = 9**Explanation:** Euler's formula for polyhedron is F + V - E = 2F = 5, V = 6, E = 9 \therefore F + V - E = 5 + 6 - 9 = 2, True

15.

(c) 100 cm²

Explanation: Now, surface area of cube $=4(side)^2$ cm²

$$= 4 \times (5)^2 = 100 \text{ c}$$

16. (a)
$$\frac{32}{100000}$$

Explanation:
$$(0.000064)^{\frac{5}{6}} = \left(\frac{64}{1000000}\right)^{\frac{5}{6}}$$
$$= \left[\left\{\left(\frac{2}{10}\right)^{6}\right\}^{1/6}\right]^{5} = \left(\frac{2}{10}\right)^{5} = \frac{32}{100000}$$



Get More Learning Materials Here : 📕

CLICK HERE

🕀 www.studentbro.in

17. (a) 13

> **Explanation:** $(12^2 + 5^2)^{\frac{1}{2}} = (144 + 25)^{\frac{1}{2}}$ $=(169)^{\frac{1}{2}}$ $=(13^2)^{\frac{1}{2}}=13$

18

| Sales (in ₹) | 1000 | 100 |
|---|------|-----|
| Commission (in ₹) | 73 | у |
| It is a case of direct proportion. Hence, $\frac{1000}{73} = \frac{100}{y} \Rightarrow y = ₹ 7.30$ | | ' |
| (a) $(x + 4)^2$ | | |
| Explanation: $x^2 + 8x + 16$ | | |
| By substituting, we get, | | |
| $= x^2 + 4x + 4x + 16$ | | |
| By grouping | | |
| = x(x + 4) + 4(x + 4) | | |
| =(x + 4)(x + 4) | | |
| $=(x+4)^2$ | | |
| | | |
| (c) (x + y) (x - 2z) | | |
| Explanation: $x^{2} + xy - 2xz - 2yz = x(x + y) - 2z(x + y)$ | | |
| = (x + y)(x - 2z) | | |
| Section B | | |
| 2x - 1 = 14 - x | | |
| 2x + x = 14 + 1 [Transposing $-x$ to L.H.S. and -1 to R.H.S.] | | |
| \therefore 3x = 15 | | |
| \therefore x = $\frac{15}{3}$ [Dividing both sides by 3] | | |
| \therefore x = 5 this is the required solution. | | |
| Verification | | |
| L.H.S. = $2x - 1 = 2(5) - 1 = 10 - 1 = 9$ | | |
| R.H.S. = 14 - x = 14 - 5 = 9 | | |
| Ineretore, $L.H.S. = K.H.S.$ | | |

22. Given, $\angle RAI = 35^{\circ}$

 \therefore $\angle PRA = 35^{\circ}$ [PR || A I and AR is transversal]

 $\Rightarrow \angle ARI = 90^{\circ} - \angle PRA = 90^{\circ} - 35^{\circ} = 55$

 \therefore $AM = IM, \angle MIA = \angle MAI = 35^{\circ}$

In $\triangle AMI$, $\angle RMI = \angle MAI + \angle MIA = 70^{\circ}$ [exterior angle] Also, $\angle RMI = \angle PMA$

 \Rightarrow $\angle PMA = 70^{\circ}$ [vertically opposite angles]

OR

From the given figure it is clear that

 $\angle 1 + 90^{\circ} = 180^{\circ}$ (linear pair)

 $\Rightarrow \angle 1 = 90^{\circ}$

Now, $\angle A + \angle B + \angle C + \angle D + \angle E = 360^{\circ}$ [Sum of exterior angles of a polygon = 360^o] $90^{\circ} + 40^{\circ} + x + 60^{\circ} + 90^{\circ} = 360^{\circ}$

 $x + 280^{\circ} = 360^{\circ}$

x = 80⁰

Page 8 of 14

23. In throwing a die, possible outcomes of the number appearing on top face = (1, 2, 3, 4, 5, 6) = 6 Numbers greater than 5 = (6) = 1

Probability of getting number greater than 5

 $= \frac{Favourable outcomes}{total outcomes}$ $= \frac{1}{6}$ $2 \quad 100$ $24. \quad 5 \quad 25$ $5 \quad 5$ 1

Prime factors of 100 = $2 \times 2 \times 5 \times 5$

Here factor 2 and 5 both do not appear in 3's group.

Therefore 100 must be multiplied by $2 \times 5 = 10$ to make it a perfect cube.

OR

We have, 2197

Now, 2197 = $13 \times 13 \times 13$ $\therefore \sqrt[3]{2197} = 13$

25. $(y - 8) \times (3y - 4) = y(3y - 4) - 8(3y - 4)$

= y \times 3y - y \times 4 - 8 \times 3 y - 8 \times -4

 $= 3y^2 - 4y - 24y + 32$

 $= 3y^2 - 28y + 32$

• No face A is not identical to face B because face A is a square and face B is a rectangle.

• No face A is not identical to face B because area of both faces are not equal.

27. L.H.S.

26.

 $\begin{pmatrix} \frac{-3}{5} \times \frac{12}{13} \end{pmatrix} \times \frac{7}{8}$ $= \begin{pmatrix} \frac{-36}{65} \end{pmatrix} \times \frac{7}{8}$ $= \begin{pmatrix} \frac{-63}{130} \end{pmatrix}$ R.H.S. $\frac{-3}{5} \times \begin{pmatrix} \frac{12}{13} \times \frac{7}{8} \end{pmatrix}$ $= \frac{-3}{5} \times \begin{pmatrix} \frac{84}{104} \end{pmatrix}$ $= \frac{-3}{5} \times \begin{pmatrix} \frac{21}{26} \end{pmatrix}$ $= \begin{pmatrix} \frac{-63}{130} \end{pmatrix}$

Therefore, L.H.S = R.H.S. Hence, verified.

The property is Associative i.e. $(a \times b) \times c = a \times (b \times c)$.

28. Given,
$$\frac{x}{2} - \frac{1}{4}\left(x - \frac{1}{3}\right) = \frac{1}{6}(x + 1) + \frac{1}{12}$$

 $\Rightarrow \frac{x}{2} - \frac{x}{4} + \frac{1}{12} = \frac{x}{6} + \frac{1}{6} + \frac{1}{12}$
 $\Rightarrow \frac{2x - x}{4} + \frac{1}{12} = \frac{x}{6} + \frac{2 + 1}{12}$
 $\Rightarrow \frac{x}{4} + \frac{1}{12} = \frac{x}{6} + \frac{3}{12}$
 $\Rightarrow \frac{x}{4} - \frac{x}{6} = \frac{3}{12} - \frac{1}{12}$ [transposing $\frac{x}{6}$ to LHS and $\frac{1}{12}$ to RHS]
 $\Rightarrow \frac{6x - 4x}{24} = \frac{3 - 1}{12}$
 $\Rightarrow \frac{2x}{24} = \frac{2}{12}$
 $\Rightarrow 2 \times 12x = 2 \times 24$ [by cross-multiplication]
 $\Rightarrow 24x = 48$

Page 9 of 14

 $\Rightarrow \quad \frac{24x}{24} = \frac{48}{24}$ [dividing both sides by 24] ∴ x = 2 OR $\frac{2x}{3} + 1 = \frac{7x}{15} + 3$ $\frac{2x}{3} - \frac{7x}{15} = 3 - 1 \dots \text{[Transposing } \frac{7x}{15} \text{ to L.H.S. and } 1 \text{ to R.H.S.]}$ $\therefore \frac{2x}{3} - \frac{7x}{15} = 2$ $\therefore 15\left(\frac{2x}{3}-\frac{7x}{15}\right)=2\times 15$... [Multiplying both sides by 15] $\therefore 10x - 7x = 30$ \therefore 3x = 30 \therefore x = $\frac{30}{3}$... [Dividing both sides by 3] \therefore x = 10 this is the required solution. Verification, L.H.S. = $\frac{2x}{3} + 1 = \frac{2}{3}(10) + 1 = \frac{20+3}{3} = \frac{23}{3}$ R.H.S. = $\frac{7x}{15} + 3 = \frac{7}{15}(10) + 3 = \frac{70}{15} + 3 = \frac{70+5}{15+5} + 3 = \frac{14+9}{3} = \frac{23}{3}$ Therefore, L.H.S. = R.H.S. 29. i. We have, 1369 37 13 69 3 Q

n

 $\therefore \quad \sqrt{5625} = 75$

30. We have,

Marked Price = Rs 280 Discount = 20% of Rs 280 = $\frac{20}{100} \times 280$ = Rs 56 So, selling price = Rs (280 – 56) = Rs 224 Now, Let the cost price be Rs 100 Profit = 12% of Rs 100 = Rs 12 So, selling price = Rs (100 + 12) = Rs 112 If the selling price is Rs 112 then cost price = Rs 100 If the selling price is Rs 224 then cost price = Rs $\left(\frac{100}{112} \times 224\right)$ = Rs 200.

M.P. of DVD = ₹ 4500 First discount = 10% of ₹ 4500 = $\frac{10}{100} \times 4500 = ₹450$ Price after first discount = ₹ 4500 - ₹ 450= ₹ 4050

Page 10 of 14

OR

Second discount = 5% of reduced price $=\frac{5}{100} imes Rs.4050 = \frac{20250}{100} =$ ₹202.50 Net selling price of the DVD = ₹ 4050 - ₹ 202.50 = ₹3847.50. 31. Let the number added is x, $(2m^2 - 3mn + 3n^2) + x = (5m^2 + 2mn + 7n^2)$ $x = (5m^2 + 2mn + 7n^2) - (2m^2 - 3mn + 3n^2)$ $x = 5m^2 + 2mn + 7n^2 - 2m^2 + 3mn - 3n^2$ $x = 3m^2 + 5mn + 4n^2$ So, the number is $3m^2 + 5mn + 4n^2$. 32. Volume of cube = $(Side)^3$ Volume of ech small cube = $20^3 = 8000 \text{ cm}^3$ $= 0.008 \text{ m}^3$ Now, volume of the cubical box = $23 = 8m^3$: Number of small cubes, that can just be accommodated in the cubical box $= \frac{\text{V olume of cubical box}}{\text{V olume of small cube}} \times \frac{8}{0.008}$ = 1000 $33. \left(\frac{1}{2}\right)^{-2} + \left(\frac{1}{3}\right)^{-2} + \left(\frac{1}{4}\right)^{-2}$ $= \frac{1^{-2}}{2^{-2}} + \frac{1^{-2}}{3^{-2}} + \frac{1^{-2}}{4^{-2}}$ $= \frac{2^2}{1^2} + \frac{3^2}{1^2} + \frac{4^2}{1^2}$ $\frac{4}{1} + \frac{9}{1} + \frac{16}{1}$ = 4 + 0 + 10= 4 + 9 + 16= 2034. 96abc (3a - 12) (5b - 30) ÷ 144 (a - 4) (b - 6) = $\frac{96abc(3a-12)(5b-30)}{5b-30}$ 144(a-b)(b-6) $96abc \times 3(a-4) \times 5(b-6)$ 144(a-4)(b-6)= 10abc 35. It is given that \angle MST = 40° In Δ MST, \angle TMS + \angle MST + \angle STM = 180° [By the angle sum property of a triangle] $\Rightarrow \angle$ STM = 180° - (90° + 40°) = 50° [\because SM \perp LT, \angle TMS = 90°] \angle SON = \angle STM = 50° [: opposite angles of a parallelogram are equal] Now, in the Δ ONS, $\angle ONS + \angle OSN + \angle SON - 180^{\circ}$ [angle sum property of triangle] $\angle OSN = 180^{\circ} - (90^{\circ} + 50^{\circ})$ $= 180^{\circ} - 140^{\circ} = 40^{\circ}$ Moreover, \angle SON + \angle TSO = 180° [:: adjacent angles of a parallelogram are supplementary] $\Rightarrow \angle SON + \angle TSM + \angle NSM + \angle OSN = 180^{\circ}$ $\Rightarrow 50^{\circ} + 40^{\circ} + \angle \text{NSM} + 40^{\circ} = 180^{\circ}$ \Rightarrow 90°+ 40°+ \angle NSM = 180° $\Rightarrow 130^{\circ} + \angle \text{NSM} = 180^{\circ}$ $\Rightarrow \angle \text{NSM} = 180^\circ - 130^\circ = 50^\circ$ OR It is given that $\angle PER = 25^{\circ}$ and $\angle PRE = 30^{\circ}$ Also, $\angle PEH = 25^{\circ}$ and $\angle PRA = 30^{\circ}$ [: EP and PR are angle bisectors of $\angle REH$, and $\angle ARE$ respectively] Since, HARE is a trapezium, Therefore, $\angle E + \angle H = 180^{\circ}$ [co-interior angles] $\Rightarrow \angle PER + \angle PEH + \angle H = 180^{\circ}$

Page 11 of 14

Get More Learning Materials Here : 📕

 $\Rightarrow 25^{\circ} + 25^{\circ} + \angle H = 180^{\circ}$ $\Rightarrow 50^{\circ} + \angle H = 180^{\circ}$ $\Rightarrow \angle H = 130^{\circ}$ Similarly, $\angle R + \angle A = 180^{\circ}$ [co-interior angles] $\Rightarrow \angle ERP + \angle PRA + \angle RAH = 180^{\circ}$ $30^{\circ} + 30^{\circ} + \angle A = 180^{\circ}$ $60^{\circ} + \angle A = 180^{\circ}$ $\angle A = 120^{\circ}$ Therefore, $\angle EHA = 130^{\circ}$ and $\angle HAR = 120^{\circ}$

36. Total amount = ₹ 108 crore

| Item head | Amount (in ₹ crore) | Central angle |
|----------------|---------------------|--|
| Road | 43.2 | $rac{43.2}{108}	imes 360^\circ = 144^\circ$ |
| Electricity | 16.2 | $rac{16.2}{108} 	imes 360^{\circ} = 54^{\circ}$ |
| Drinking water | 27.00 | $rac{27}{108}	imes 360^\circ=90^\circ$ |
| Sewerage | 21.6 | $rac{21.6}{108} 	imes 360^\circ = 72^\circ$ |

The pie chart is as follows:



37. Let marked price of the garments = $\gtrless x$

Discount% = 12.5% Discount = 12.5% of $x = \frac{125}{10 \times 100} \times x = \frac{1}{8} \times x = \frac{x}{8}$ S.P. = M.P. - Discount = $x - \frac{x}{8} = \frac{8x - x}{8} = \frac{7x}{8}$ C.P. = ₹ 2,100 Gain% = 25% S. P. = $\frac{100 + Profit\%}{100} \times C.P.$ = $\frac{100 + 25}{100} \times 2100 = \frac{125}{100} \times 2,100 = ₹.2,625$ Therefore, $\frac{7x}{8} = ₹ 2,625$ $x = \frac{2625 \times 8}{7} = 375 \times 8 = ₹3,000$ Hence, Marked Price of Garments = ₹3,000.

For Fabina

S.I. on ₹ 12500 at 12% p.a. for 3 years $= \frac{12500 \times 12 \times 3}{100}$ = ₹ 4500 **For Radha** P = ₹ 12500 R = 10% per annum n = 3 years $\therefore A = P\left(1 + \frac{R}{100}\right)^n = 12500\left(1 + \frac{10}{100}\right)^3$ = 12500 $\left(1 + \frac{1}{10}\right)^3 = 12500\left(\frac{11}{10}\right)^3$ = 12500 × $\frac{11}{10}$ × $\frac{11}{10}$ × $\frac{11}{10}$ OR

Page 12 of 14

Get More Learning Materials Here :

= ₹ 16637.50 \therefore C.I. = A – P = ₹ 16637.50 - ₹ 12500 = ₹ 4137.50 Difference between C.I. and S.I. = ₹ 4500 - ₹ 4137.50 = ₹ 362.50 Hence, Fabina pays more by ₹ 362.50 38. For a cylindrical container Diameter of the base = 14 cm \therefore Radius of the base (r) = $\frac{14}{2}$ cm = 7 cm Height (h) = 20 cm \therefore Curved surface area of the container $= 2\pi rh$ $=2 imesrac{22}{7} imes7 imes20$ $= 880 \text{ cm}^2$. The surface area of the label $= 880 cm2 - 2\left(2 imes rac{22}{7} imes 7 imes 2
ight) cm2$ $= 880 \text{ cm}^2 - 176 \text{ cm}^2$ $= 704 \text{ cm}^2$ Hence, the surface area of the label is 704 cm^2 . Or Diameter of the base = 14 cm \therefore Radius of the base (r) = $\frac{14}{2}cm$ = 7 cm Height (h) = $(20 - 2 \times 2) = 16$ cm surface area of the label $= 2\pi rh$ $=2 imesrac{22}{7} imes7 imes16$ $= 704 \text{ cm}^2$

39. Let the height of the tree be x metres. We can form a table as shown below:

| Height of the object (in metres) | 14 | x |
|----------------------------------|----|----|
| Length of the shadow (in metres) | 10 | 15 |

Note that more the height of an object, the more would be the length of its shadow.

Hence, this is a case of direct proportion.

Thus, $\frac{14}{10} = \frac{x}{15}$ or $x = \frac{14}{10} \times 15$ or x = 21Thus, height of the tree is 21 m. 40.

Page 13 of 14

CLICK HERE

(>>

🕀 www.studentbro.in

i. Scale :

Horizontal : 1 unit = 1 cm

Vertical : 1 unit = 4 cm

- ii. Mark side of the square (in cm) on horizontal axis.
- iii. Mark perimeter (in cm) on vertical axis.
- iv. Plot the points (2, 8), (3, 12), (3.5, 14), (5, 20) and (6, 24).
- v. Join the points.
 - We get a line graph.

Page 14 of 14

