

Sample Question Paper - 7
Mathematics-Standard (041)
Class- X, Session: 2021-22
TERM II

Time Allowed: 2 hours

Maximum Marks: 40

General Instructions:

1. The question paper consists of 14 questions divided into 3 sections A, B, C.
2. All questions are compulsory.
3. Section A comprises of 6 questions of 2 marks each. Internal choice has been provided in two questions.
4. Section B comprises of 4 questions of 3 marks each. Internal choice has been provided in one question.
5. Section C comprises of 4 questions of 4 marks each. An internal choice has been provided in one question. It contains two case study-based questions.

Section A

1. Is the given sequence: $\sqrt{3}, \sqrt{6}, \sqrt{9}, \sqrt{12}, \dots$ form an AP? If it forms an AP, then find the common difference d and write the next three terms. [2]

OR

Find the n^{th} term of the AP: 5, 11, 17, 23,

2. If $x = 2$ and $x = 3$ are roots of the equation $3x^2 - 2kx + 2m = 0$, find the value of k and m . [2]
3. In the adjoining figure, a circle touches the side DF of $\triangle EDF$ at H and touches ED and EF produced at K and M respectively. If $EK = 9$ cm, then what is perimeter of $\triangle EDF$? [2]



4. A toy is in the form of a cone mounted on a hemisphere with the same radius. The diameter of the base of the conical portion is 6 cm and its height is 4 cm. Determine the surface area of the toy. (Use $\pi = 3.14$) [2]
5. If the class mark of a continuous frequency distribution are 12, 14, 16, 18, ..., then find the class intervals corresponding to the class marks 16 and 22. [2]
6. Two taps running together can fill a tank in $3\frac{1}{13}$ hours. If one tap takes 3 hours more than the other to fill the tank, then how much time will each tap take to fill the tank? [2]

OR

Find the values of k for which the given equation has real roots:

$$5x^2 - kx + 1 = 0$$

Section B

7. Find the median of the following frequency distribution: [3]

Weekly wages (in ₹)	60-69	70-79	80-89	90-99	100-109	110-119
No. of days	5	15	20	30	20	8

8. Let PQR be a right triangle in which PQ = 3 cm, QR = 4 cm and $\angle Q = 90^\circ$. QS is the perpendicular from Q on PR. The circle through Q, R, S is drawn. Construct the tangents from P to this circle. [3]

9. The arithmetic mean of the following frequency distribution is 50. [3]

Class	0 - 10	10 - 20	20 - 30	30 - 40	40 - 50
Frequency	16	p	30	32	14

Find the value of p.

10. From a window (60 metres high above the ground) of a house in street the angles of elevation and depression of the top and the foot of another house on opposite side of street are 60° and 45° respectively. Show that the height of the opposite house is $60(1 + \sqrt{3})$ metres. [3]


OR

Two boats approach a light house in mid-sea from opposite directions. The angles of elevations of the top of the lighthouse from two boats are 30° and 45° respectively. If the distance between two boats is 100 m, find the height of the lighthouse.

Section C


11. The interior of a building is in the form of cylinder of diameter 4.3 m and height 3.8 m, surmounted by a cone whose vertical angle is a right angle. Find the area of the surface and the volume of the building. (Use $\pi = 3.14$). [4]

12. In figure the incircle of $\triangle ABC$ touches the sides BC, CA and AB at D, E and F respectively. Show that $AF + BD + CE = AE + BF + CD = \frac{1}{2}(\text{Perimeter of } \triangle ABC)$ [4]




OR

In fig., two tangents AB and AC are drawn to a circle with centre O such that $\angle BAC = 120^\circ$. Prove that $OA = 2AB$.



13. A TV tower stands vertically on a bank of a canal. From a point on the other bank of a canal. From a point on the other bank directly opposite the tower, the angle of elevation of the top of [4]

the tower is 60° from a point 20 m away from this point on the same bank the angle of elevation of the top of the tower is 30° .



- i. Find the height of the tower
- ii. Find the width of the canal.

14. Deepa has to buy a scooty. She can buy scooty either making cashdown payment of Rs. 25,000 [4] or by making 15 monthly instalments as below.

Ist month - Rs. 3425, IInd month - Rs. 3225, IIIrd month - Rs. 3025, IVth month - Rs. 2825 and so on.



- i. Find the amount of 6th instalment.
- ii. Total amount paid in 15 instalments.

Solution

MATHEMATICS STANDARD 041

Class 10 - Mathematics

Section A

1. From the given information, we can have

$$a_2 - a_1 = \sqrt{6} - \sqrt{3}$$

$$a_3 - a_2 = \sqrt{9} - \sqrt{6} = 3 - \sqrt{6}$$

$$a_4 - a_3 = \sqrt{12} - \sqrt{9} = 2\sqrt{3} - 3 \text{ (since } \sqrt{12} = \sqrt{2} \times 2 \times 3 = 2\sqrt{3}\text{)}$$

since $a_{k+1} - a_k$ is not the same for all values of k .

Hence, it is not an AP.

OR

The given AP is:

5, 11, 17, 23

$$a = 5,$$

$$d = 11 - 5 = 6$$

So n^{th} term $a_n = a + (n - 1)d$

$$= 5 + (n - 1) \times 6$$

$$= 5 + 6n - 6$$

$$= 6n - 1$$

Hence n^{th} term = $6n - 1$

2. It is given that $x = 2$ and $x = 3$ are roots of the equation $3x^2 - 2kx + 2m = 0$.

$$\therefore 3 \times 2^2 - 2k \times 2 + 2m = 0 \text{ and } 3 \times 3^2 - 2k \times 3 + 2m = 0$$

$$\Rightarrow 12 - 4k + 2m = 0 \text{ and } 27 - 6k + 2m = 0$$

$$\Rightarrow 12 = 4k - 2m \dots \text{(i) and } 27 = 6k - 2m \dots \text{(ii)}$$

Solving i and ii equation, we get $k = \frac{15}{2}$ and $m = 9$

3. We know that tangent segments to a circle from the same external point are Equal. Therefore, we have

$$EK = EM = 9 \text{ cm}$$

Now, $EK + EM = 18 \text{ cm}$

$$\Rightarrow ED + DK + EF + FM = 18 \text{ cm}$$

$$\Rightarrow ED + DH + EF + HF = 18 \text{ cm}$$

$$\Rightarrow ED + DF + EF = 18 \text{ cm}$$

$$\Rightarrow \text{Perimeter of } \triangle EDF = 18 \text{ cm}$$

4. Height of cone = 4 cm

Radius of cone = 3 cm

$$\text{Slant height of cone (l)} = \sqrt{r^2 + h^2} = \sqrt{3^2 + 4^2} = \sqrt{9 + 16} = \sqrt{25} = 5 \text{ cm}$$

\therefore Surface area of toy = Curved surface area of cone + Curved surface area of hemisphere

$$= \pi r l + 2\pi r^2 = 3.14 \times 3 \times 5 + 2 \times 3.14 \times 3 \times 3$$

$$= 3.14 \times 15 + 3.14 \times 18 = 3.14 \times 33 = 103.62 \text{ cm}^2$$

5. Class marks are 12, 14, 16,
Class size = 2

Class Intervals are 11 - 13, 13 - 15, 15 - 17, 17 - 19, 19 - 21, 21 - 23,so on.

6. Two tap running together fill the tank in $3\frac{1}{13}$ hr.

$$= \frac{40}{13} \text{ hours}$$

If first tap alone fills the tank in x hrs.

Then second tap alone fills it in $(x + 3)$ hr

$$\text{Now } \frac{1}{x} + \frac{1}{x+3} = \frac{13}{40}$$

$$\frac{x+3+x}{x(x+3)} = \frac{13}{40}$$

$$\frac{2x+3}{x^2+3x} = \frac{13}{40}$$

$$80x + 120 = 13x^2 + 39x$$

$$\begin{aligned} \text{or, } 13x^2 - 41x - 120 &= 0 \\ 13x^2 - (65 - 24)x + 120 &= 0 \\ (x - 5)(13x + 24) &= 0 \\ x = 5, x = -\frac{24}{13} \end{aligned}$$

time can't be negative

Hence, 1st tap takes 5 hours and 2nd tap takes = 5 + 3 = 8 hours

OR

$$\text{We have, } 5x^2 - kx + 1 = 0.$$

$$a = 5, b = -k \text{ and } c = 1$$

$$\therefore D = b^2 - 4ac = (-k)^2 - 4 \times 5 \times 1 = k^2 - 20$$

To have a real roots,

$$D \geq 0$$

$$\Rightarrow k^2 - 20 \geq 0$$

$$\Rightarrow k \leq -\sqrt{20} \text{ or } k \geq \sqrt{20}$$

Section B

7. Here, the frequency table is given in inclusive form. So, we first transform it into exclusive form by subtracting and adding $\frac{h}{2}$ to the lower and upper limits respectively of each class, where h denotes the difference of lower limit of a class and the upper limit of the previous class.

Here, h = 1 So, $\frac{h}{2} = 0.5$

Transforming the above table into exclusive form and preparing the cumulative frequency table, we get:-

Weekly wages (in ₹)	No of workers	Cumulative frequency
59.5-69.5	5	5
69.5-79.5	15	20
79.5-89.5	20	40
89.5-99.5	30	70
99.5-109.5	20	90
109.5-119.5	8	98
		$N = \sum f_i = 98$

We have, N(Total frequency) = 98 Or, $\frac{h}{2} = 49$

The cumulative frequency just greater than $\frac{h}{2}$ is 70 and the corresponding class is 89.5-99.5. So, 89.5-99.5 is the median class.

Now,

l = 89.5 (lower limit of median class),


h = 10 (length of interval of median class),

f = 30 (frequency of median class)

F = 40 (cumulative frequency of the class just preceding the median class)

Now, Median is given by:-

$$\begin{aligned} &= l + \frac{\frac{N}{2} - f}{F} \times h \\ &= 89.5 + \frac{49 - 40}{30} \times 10 \\ &= 89.5 + 3 = 92.5 \end{aligned}$$



Steps of Construction:

- i. Draw perpendicular bisector of QR intersecting at O.
- ii. Draw a circle with O as centre and OR as radius.
- iii. Join OP.
- iv. Draw a circle with OP as diameter intersecting the given circle at Q and T. Join PT.
 \therefore PQ and PT are required tangents.

9. We have,

Class Interval	Frequency f_i	Mid- value x_i	$f_i x_i$
0 - 10	16	5	80
10 - 20	p	15	15p
20 - 30	30	25	750
30 - 40	32	35	1120
40 - 50	14	45	630
	$\Sigma f_i = 92 + p$		$\Sigma f_i x_i = 2580 + 15p$

Now, mean = $\frac{\Sigma f_i x_i}{\Sigma f_i}$


$\Rightarrow 25 = \frac{2580 + 15p}{92 + p}$

$\Rightarrow 25(92 + p) = 2580 + 15p$

$\Rightarrow 2300 + 25p = 2580 + 15p$

$\Rightarrow 10p = 280$

$\Rightarrow p = 28$



Let A be the window and CE be the opposite house

$CD = AB = 60 \text{ m} \dots (i)$

In rt. $\triangle ABC$, $\tan 45^\circ = \frac{60}{BC}$

$\Rightarrow 1 = \frac{60}{BC}$

$\Rightarrow BC = 60 \text{ m} \dots (ii)$

$AD = BC$

$\therefore AD = 60 \text{ m}$ [From(ii)] $\dots (iii)$

In rt. $\triangle ADE$, $\tan 60^\circ = \frac{DE}{AD}$

$\Rightarrow \sqrt{3} = \frac{DE}{60}$ [From (iii)]

$$\Rightarrow DE = 60\sqrt{3}\text{m}$$

\therefore Height of the opposite house

$$CE = CD + DE = 60 + 60\sqrt{3}$$


$$= 60(1 + \sqrt{3})\text{m}$$

OR

In right $\triangle ADB$,

$$h = x$$

$$\Rightarrow \frac{h}{x} = \tan 45^\circ \dots(i)$$



Now in rt. $\triangle ADC$

$$\frac{h}{100-x} = \tan 30^\circ$$

Solve for h and x.

$$\Rightarrow \frac{h}{100-x} = \frac{1}{\sqrt{3}} \Rightarrow \sqrt{3}h = 100 - x$$

$$\Rightarrow \sqrt{3}x = 100 - x \text{ [Using eq.(i)]}$$

$$\Rightarrow (\sqrt{3} + 1)x = 100 \Rightarrow x = \frac{100}{\sqrt{3}+1}$$

$$\Rightarrow x = \frac{100(\sqrt{3}-1)}{(\sqrt{3}+1)(\sqrt{3}-1)}$$


$$\Rightarrow x = \frac{100(\sqrt{3}-1)}{2} = 50(\sqrt{3}-1)\text{m}$$

$$\therefore h = \text{height of lighthouse} = 50(\sqrt{3}-1)\text{m}$$

Section C

11. $r_1 =$ Radius of the base of the cylinder = $\frac{4.3}{2}$ m = 2.15 m

$\therefore r_2 =$ Radius of the base of the cone = 2.15 m, $h_1 =$ Height of the cylinder = 3.8 m



In $\triangle VOA$, we have

$$\sin 45^\circ = \frac{OA}{VA} \Rightarrow \frac{1}{\sqrt{2}} = \frac{2.15}{VA} \Rightarrow VA = (\sqrt{2} \times 2.15)\text{m} = (1.414 \times 2.15)\text{m} = 3.04\text{m}$$

Clearly, $\triangle VOA$ is an isosceles triangle. Therefore, $VO = OA = 2.15$ m

Thus, we have

$$h_2 = \text{Height of the cone} = VO = 2.15 \text{ m}, l_2 = \text{Slant height of the cone} = VA = 3.04 \text{ m}$$

Let S be the Surface area of the building. Then,

$$\Rightarrow S = \text{Surface area of the cylinder} + \text{Surface area of cone}$$

$$\Rightarrow S = (2\pi r_1 h_1 + \pi r_2 l_2) \text{ m}^2$$

$$\Rightarrow S = (2\pi r_1 h_1 + \pi r_1 l_2) \text{ m}^2 [\because r_1 = r_2 = 2.15 \text{ m}]$$

$$\Rightarrow S = \pi r_1 (2h_1 + l_2) \text{ m}^2$$

$$\Rightarrow S = 3.14 \times 2.15 \times (2 \times 3.8 + 3.04) \text{ m}^2 = 3.14 \times 2.15 \times 10.64 \text{ m}^2 = 71.83 \text{ m}^2$$

Let U be the volume of the building. Then,

$V = \text{Volume of the cylinder} + \text{Volume of the cone}$

$$\Rightarrow V = (\pi r_1^2 h_1 + \frac{1}{3} \pi r_2^2 h_2) \text{ m}^3$$

$$\Rightarrow V = (\pi r_1^2 h_1 + \frac{1}{3} \pi r_1^2 h_2) \text{ m}^3 \quad [\because r_2 = r_1]$$


$$\Rightarrow V = \pi r_1^2 (h_1 + \frac{1}{3} h_2) \text{ m}^3$$

$$\Rightarrow V = 3.14 \times 2.15 \times 2.15 \times (3.8 + \frac{2.15}{3}) \text{ m}^3$$

$$\Rightarrow V = [3.14 \times 2.15 \times 2.15 \times (3.8 + 0.7166)] \text{ m}^3$$

$$\Rightarrow V = (3.14 \times 2.15 \times 2.15 \times 4.5166) \text{ m}^3 = 65.55 \text{ m}^3$$

12.



Since lengths of the tangents from an exterior point to a circle are equal. Therefore,

$$AF = AE \text{ [From A] ... (i)}$$

$$BD = BF \text{ [From B] ... (ii)}$$

$$\text{and, } CE = CD \text{ [From C] ... (iii)}$$

Therefore, Adding equations (i), (ii) and (iii), we get,

$$AF + BD + CE = AE + BF + CD$$

Now,

$$\text{Perimeter of } \triangle ABC = AB + BC + AC$$

$$\Rightarrow \text{Perimeter of } \triangle ABC = (AF + FB) + (BD + CD) + (AE + EC)$$

$$\Rightarrow \text{Perimeter of } \triangle ABC = (AF + AE) + (BF + BD) + (CD + CE)$$


$$\Rightarrow \text{Perimeter of } \triangle ABC = 2AF + 2BD + 2CE$$

$$\Rightarrow \text{Perimeter of } \triangle ABC = 2(AF + BD + CE) \text{ [From (i), (ii) and (iii), we get } AE = AF, BD = BF \text{ and } CD = CE]$$

$$\Rightarrow AF + BD + CE = \frac{1}{2} (\text{Perimeter of } \triangle ABC)$$

$$\text{Hence, } AF + BD + CE = AE + BF + CD = \frac{1}{2} (\text{Perimeter of } \triangle ABC)$$

OR



In \triangle 's OAB and OAC, we have,

$$\angle OBA = \angle OCA = 90^\circ$$

$$OA = OA \text{ [Common]}$$

$$AB = AC \text{ [}\because \text{ Tangents from an external point are equal in length]}$$

Therefore, by RHS congruence criterion, we have,

$$\triangle OBA \cong \triangle OCA$$

$$\Rightarrow \angle OAB = \angle OAC \text{ [By c.p.c.t.]}$$

$$\therefore \angle OAB = \angle OAC = \frac{1}{2} \angle BAC$$

$$= \frac{1}{2} \times 120^\circ = 60^\circ$$

$$\Rightarrow \angle OAB = \angle OAC = 60^\circ$$

In $\triangle OBA$, we have,

$$\cos B = \frac{AB}{OA}$$


$$\Rightarrow \cos 60^\circ = \frac{AB}{OA}$$

$$\Rightarrow \frac{1}{2} = \frac{AB}{OA}$$

$$\Rightarrow OA = 2AB$$

Hence proved.

13.



Let 'h' (AB) be the height of tower and x be the width of the river

$$\text{In } \triangle ABC, \frac{h}{x} = \tan 60^\circ$$

$$\Rightarrow h = \sqrt{3}x \dots\dots(i)$$

$$\text{In } \triangle ABD, \frac{h}{x+20} = \tan 30^\circ$$

$$\Rightarrow h = \frac{x+20}{\sqrt{3}} \dots\dots(ii)$$

Equating (i) and (ii),

$$\sqrt{3}x = \frac{x+20}{\sqrt{3}}$$

$$\Rightarrow 3x = x + 20$$

$$\Rightarrow 2x = 20$$

$$\Rightarrow x = 10 \text{ m}$$

$$\text{Put } x = 10 \text{ in (i), } h = \sqrt{3}x$$

$$\Rightarrow h = 10\sqrt{3} \text{ m}$$

14. i. 1st installment = Rs. 3425

2nd installment = Rs. 3225

3rd installment = Rs. 3025

and so on

Now, 3425, 3225, 3025, ... are in AP, with

$$a = 3425, d = 3225 - 3425 = -200$$

$$\text{Now 6th installment} = a_n = a + 5d = 3425 + 5(-200) = \text{Rs. } 2425$$

$$\text{ii. Total amount paid} = \frac{15}{2}(2a + 14d)$$

$$= \frac{15}{2}[2(3425) + 14(-200)] = \frac{15}{2}(6850 - 2800)$$

$$= \frac{15}{2}(4050) = \text{Rs. } 30375.$$

