Sample/Pre-Board Paper 10

Class X Term 1 Exam Nov -Dec 2021

Mathematics (Standard) 041

Time Allowed: 90 minutes Maximum Marks: 40

General Instructions:

- 1. The question paper contains three parts A, B and C.
- 2. Section A consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.
- 3. Section B consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.
- 4. Section C consists of 10 questions based on two Case Studies. Attempt any 8 questions.
- 5. There is no negative marking.

SECTION A

Section A consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.

1. HCF of 144 and 198 is

(a) 9

(b) 18

(c) 6


(d) 12

- 2. The pair of equations x+2y+5=0 and -3x-6y+1=0 has
 - (a) a unique solution
 - (b) exactly two solutions
 - (c) infinitely many solutions
 - (d) no solution
- 3. It is given that $\Delta ABC \sim \Delta PQR$ with $\frac{BC}{QR} = \frac{1}{4}$. Then $\frac{\operatorname{ar}(\Delta PRQ)}{\operatorname{ar}(\Delta BCA)}$ is equal to
 - (a) 16

(b) 3

(c) $\frac{1}{4}$

- (d) $\frac{1}{16}$
- **4.** In the given figure, if $AB \mid\mid DC$, the value of x will be



(a) 3

(b) 6

(c) 7

- (d) 8
- **5.** When a die is thrown, the probability of getting an odd number less than 3 is
 - (a) $\frac{1}{6}$

(b) $\frac{1}{3}$

(c) $\frac{1}{2}$

(d) 0

- **6.** In $\triangle ABC$, $AB = 6\sqrt{3}$ cm, AC = 12 cm and BC = 6 cm, then $\angle B = \dots$.
 - (a) 30°

(b) 60°

(c) 45°

- (d) 90°
- 7. If $\sin \theta = \frac{5}{13}$, then the value of $\tan \theta$ is
 - (a) $\frac{5}{13}$

(b) $\frac{5}{12}$

(c) $\frac{12}{13}$

- (d) $\frac{8}{13}$
- **8.** Which of the following will have a terminating decimal expansion?
 - (a) $\frac{77}{210}$

- (b) $\frac{23}{30}$
- (c) $\frac{125}{441}$
- (d) $\frac{23}{8}$
- **9.** What do you say about the solution of the pair of linear equations y = 0 and y = -5?
 - (a) no solution
 - (b) unique solution
 - (c) infinitely solution
 - (d) can't say anything
- 10. The distance of the point P(-3, -4) from the x-axis (in units) is
 - (a) 3

(b) -3


(c) 4

- (d) 5
- 11. If one of the zeroes of the quadratic polynomial $(k-1)x^2 + kx + 1$ is -3, then the value of k is
 - (a) $\frac{4}{3}$

(b) $\frac{-4}{3}$

(c) $\frac{2}{3}$

(d) $-\frac{2}{3}$



- **12.** If HCF (a, b) = 12 and $a \times b = 1,800$, then LCM (a, b)will be
 - (a) 300

(b) 150

(c) 450

- (d) 600
- 13. If $tan(3x+30^{\circ})=1$ then the value of x. will be
 - (a) 5°


(b) 10°

(c) 20°

- (d) 30°
- 14. $4(\sin^4 30^\circ + \cos^4 60^\circ) 3(\cos^2 45 \sin^2 90^\circ) = ?$

(c) 2

- (d) 3
- 15. In the given figure, OACB is a quadrant of a circle of radius 7 cm. The perimeter of the quadrant is




- (a) 11 cm
- (b) 18 cm
- (c) 25 cm
- (d) 36 cm
- 16. The perimeters of two similar triangles ΔABC and ΔPQR are 35 cm and 45 cm respectively, then the ratio of the areas of the two triangles is
 - (a) $\frac{2}{9}$

(b) $\frac{7}{9}$

(c) $\frac{49}{81}$

(d) $\frac{3}{4}$

17. In the given figure, if $AD \perp BC$, the term $AB^2 + CD^2$ is equal to



- (a) $2BD^2 + 3AC^2$
- (b) $\frac{1}{2}BD^2 + AC^2$
- (c) $BD^2 + \frac{1}{2}AC^2$
- (d) $BD^2 + AC^2$

$$18. \ \sqrt{\frac{1-\sin\theta}{1+\sin\theta}} = ?$$

- (a) $\sin \theta \cos \theta$
- (b) $\sec \theta \tan \theta$
- (c) $\sec \theta + \tan \theta$
- (d) $\sin \theta + \cos \theta$
- 19. For what value of k, the pair of linear equations kx-4y=3, 6x-12y=9 has an infinite number of solutions?
 - (a) k = 2
- (b) $k \neq 2$
- (c) $k \neq 3$
- (d) k = 4
- 20. A bag contains 3 red and 2 blue marbles. If a marble is drawn at random, then the probability of drawing a blue marble is
 - (a) $\frac{2}{5}$

(b) $\frac{1}{4}$


(c) $\frac{3}{5}$

(d) $\frac{2}{3}$

SECTION B

Section B consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.

21. In the given factor tree what is the composite number



(a) 65

(b) 585

(c) 130

- (d) 195
- 22. x-axis divides the line segment joining A(2, -3) and B(5,6) in the ratio
 - (a) 2:3
- (b) 3:5
- (c) 1:2
- (d) 2:1
- **23.** In $\triangle ABC$, $\angle B = 90^{\circ}$, BC = 5 cm, AC AB = 1, What will be the value of $\frac{1+\sin C}{1+\cos C}$?
 - (a) $\frac{31}{36}$

(b) $\frac{25}{18}$

(c) $\frac{36}{31}$

(d) $\frac{18}{25}$



- 24. Aruna has only ₹ 1 and ₹ 2 coins with her. If the total number of coins that she has is 50 and the amount of money with her is ₹ 75, then the number of ₹ 1 and ₹ 2 coins are, respectively
 - (a) 35 and 15
- (b) 35 and 20
- (c) 15 and 35
- (d) 25 and 25
- **25.** The zeroes of polynomial $p(x) = ax^2 + bx + c$ are reciprocal of each other if
 - (a) b = 2a
- (b) c = b
- (c) b = a
- (d) c = a
- **26.** A bag contains 5 red balls and some blue balls. If the probability of drawing a blue ball at random from the bag is three times that of a red ball, what is the number of blue balls in the bag.
 - (a) 13

(b) 14

(c) 15

- (d) 16
- 27. The probability of selecting a blue marble at random from a jar that contains only blue, black and green marbles is $\frac{1}{5}$. The probability of selecting a black marble at random from the same jar is $\frac{1}{4}$. If the jar contains 11 green marbles, what is the total number of marbles in the jar?
 - (a) 20

(b) 25

(c) 30

- (d) 35
- **28.** If $\sin \theta + \cos \theta = \sqrt{2}$ then $\tan \theta + \cot \theta = ?$
 - (a) 1

(b) 2


(c) 3

- (d) 4
- **29.** If the mid-point of the line segment joining the points A(3,4) and B(k,6) is P(x,y) and x+y-10=0, the value of k will be
 - (a) 4

(b) 5

(c) 6

- (d) 7
- **30.** In given figure, $\angle ACB = 90^{\circ}$ and $CD \perp AB$, the term CD^2 is equal to



- (a) $\frac{1}{2}BD \times AD$
- (b) $BD \times AD$
- (c) $\frac{1}{3}BD \times AD$
- (d) $\frac{1}{4}BD \times AD$


- **31.** The base QR of an equilateral triangle PQR lies on x-axis. The co-ordinates of point Q are (-4,0) and the origin is the mid-point of the base. The co-ordinates of the point P will be
 - (a) $(0, 3\sqrt{3})$
 - (b) $(0, \sqrt{3})$
 - (c) $(0,2\sqrt{3})$
 - (d) $(0,4\sqrt{3})$
- **32.** If $\sin \theta = \frac{c}{\sqrt{c^2 + d^2}}$ and d > 0, then $\tan \theta$ is equal to
 - (a) $\frac{d}{c}$

- (b) $\frac{c}{d}$
- (c) $\frac{c}{\sqrt{c^2+d^2}}$
- (d) $\frac{d}{\sqrt{c^2+d^2}}$
- **33.** What is the smallest natural number by which 1200 should be multiplied so that the square root of the product is a rational number?
 - (a) 1

(b) 2

(c) 3

- (d) 4
- **34.** In the given figure, DEFG is a square and $\angle BAC = 90^{\circ}$. The term FG^2 is equal to



- (a) $\frac{1}{3}BG \times FC$
- (b) $BG \times FC$
- (c) $\frac{2}{3}BG \times FC$
- (d) $\frac{1}{4}BG \times FC$
- **35.** The point (-3,p) divides the line segment joining the points (-5,-4) and (-2,3). The value of p is
 - (a) $\frac{2}{3}$


(b) $\frac{1}{3}$

(c) $\frac{5}{6}$

- (d) $\frac{6}{5}$
- **36.** The diameters of the front and rear wheels of a tractor are 80 cm and 200 cm respectively. What is the number of revolutions of rear wheel to cover the distance which the front wheel covers in 800 revolutions?
 - (a) 320
 - (b) 420
 - (c) 820
 - (d) 640




37. In the given figure AB and CD are two diameters of a circle perpendicular to each other and OD is the diameter of the smaller circle. If OA = 7 cm, what is the area of the shaded region?



- (a) 133 cm^2
- (b) 66.5 cm^2
- (c) 76 cm^2
- (d) 108 cm^2
- **38.** Select the quadratic polynomial whose zeroes are reciprocals of the zeroes of the polynomial $f(x) = ax^2 + bx + c$, $a \neq 0$, $c \neq 0$.
 - (a) $bx^2 + ax + c$
- (b) $ax^2 + cx + b$

- (c) $cx^2 + bx + a$
- (d) $bx^2 + cx + a$
- **39.** In the given figure, O is the centre of circle such that diameter AB=13 cm and AC=12cm. BC is joined. What is the area of the shaded region. $(\pi=3.14)$



- (a) 28.4 cm^2
- (b) 42.4 cm^2
- (c) $36.3 \, \text{cm}^2$
- (d) 52.4 cm^2
- **40.** Sum of the ages of a father and the son is 40 years. If father's age is three times that of his son, then what is father age?
 - (a) 22 years
- (b) 28 years
- (c) 30 years
- (d) 24 years

SECTION C

Case study based questions:

Section C consists of 10 questions of 1 mark each. Any 8 questions are to be attempted.

Case Based Questions: (41-45)

Shalvi is a tuition teacher and teaches mathematics to some kids at her home. She is very innovative and always plan new games to make her students learn concepts.



Today, she has planned a prime number game. She announce the number 2 in her class and asked the first student to multiply it by a prime number and then pass it to second student. Second student also multiplied it by a prime number and passed it to third student. In this way by multiplying to a prime number the last student got 173250. He told this number to

Shalvi in class. Now she asked some questions to the students as given below.

- 41. How many students are in the class?
 - (a) 6

(b) 7

(c) 8

- (d) 9
- **42.** What is the highest prime number used by student?
 - (a) 2

(b) 3

(c) 5

- (d) 11
- **43.** What is the least prime number used by students?
 - (a) 2

(b) 3

(c) 5

- (d) 11
- 44. Which prime number has been used maximum times?
 - (a) 2

(b) 3

(c) 5

- (d) 11
- **45.** Which prime number has been used minimum times?
 - (a) 2


(b) 3

(c) 7

(d) 11

Case Based Questions: (46-50)

Ajay, Bhigu and Colin are fast friend since childhood. They always want to sit in a row in the classroom . But teacher doesn't allow them and rotate the seats row-wise everyday. Bhigu is very good in maths and he does distance calculation everyday. He consider the centre of class as origin and marks their position on a paper in a co-ordinate system. One day Bhigu make the following diagram of their seating position.



- **46.** What are the coordinates of point A?
 - (a) (2,2)
- (b) (2, -2)
- (c) (-2,2)
- (d) (-2, -2)
- **47.** What is the distance of point A from origin?
 - (a) 8

(b) $2\sqrt{2}$

(c) 4

- (d) $4\sqrt{2}$
- **48.** What is the distance between A and B?
 - (a) $3\sqrt{19}$
- (b) $3\sqrt{5}$
- (c) $\sqrt{17}$
- (d) $2\sqrt{5}$
- **49.** What is the distance between B and C?
 - (a) $3\sqrt{19}$
- (b) $3\sqrt{5}$
- (c) $2\sqrt{17}$
- (d) $2\sqrt{5}$
- **50.** A point D lies on the line segment between points A and B such that AD:DB=4:3. What are the the coordinates of point D?
 - $\left(a\right) \, \left(\frac{10}{7}, \frac{2}{7}\right)$
- (b) $(\frac{2}{7}, \frac{7}{7})$
- (c) $\left(-\frac{10}{7}, -\frac{2}{7}\right)$
- (d) $\left(-\frac{2}{7}, -\frac{7}{7}\right)$





SAMPLE PAPER - 5 Answer Key

Paper Q. no.	Correct Option	Chapter no	Question Bank Q. no.
1	(b)	Ch-1	7
2	(d)	Ch-3	11
3	(a)	Ch-4	12
4	(c)	Ch-4	56
5	(a)	Ch-8	11
6	(d)	Ch-4	22
7	(b)	Ch-6	24
8	(d)	Ch-1	19
9	(a)	Ch-3	25
10	(c)	Ch-5	9
11	(a)	Ch-2	14
12	(b)	Ch-1	S-13
13	(a)	Ch-6	38
14	(c)	Ch-6	100
15	(c)	Ch-7	9
16	(c)	Ch-4	27
17	(d)	Ch-4	69
18	(b)	Ch-6	47
19	(a)	Ch-3	36
20	(b)	Ch-8	18
21	(b)	Ch-1	34
22	(c)	Ch-5	12
23	(b)	Ch-6	73
24	(d)	Ch-3	20
25	(d)	Ch-2	39

Paper Q. no.	Correct Option	Chapter no	Question Bank Q. no.
26	(c)	Ch-8	45
27	(a)	Ch-8	139
28	(b)	Ch-6	68
29	(d)	Ch-5	40
30	(b)	Ch-4	76
31	(d)	Ch-5	100
32	(b)	Ch-6	114
33	(c)	Ch-1	S-21
34	(b)	Ch-4	71
35	(a)	Ch-5	69
36	(a)	Ch-7	50
37	(b)	Ch-7	63
38	(c)	Ch-2	41
39	(c)	Ch-7	73
40	(c)	Ch-3	49
41	(c)	Ch-1	66
42	(d)	Ch-1	67
43	(b)	Ch-1	68
44	(c)	Ch-1	69
45	(c)	Ch-1	70
46	(c)	Ch-1	117
47	(b)	Ch-1	118
48	(c)	Ch-1	119
49	(d)	Ch-1	120
50	(c)	Ch-1	121

^{*} S- = Self Test Question