

Chapter 2 Acids Bases and Salts

Very Short Answer Type Questions [1 Mark]

Q. The pH of a sample of vegetable soup was found to be 6.5. How is this soup likely to taste?


Answer. The taste will be slightly sour as it is weakly acidic.

Q. Which bases are called alkalies? Give an example of alkalies.

Answer. Soluble bases are called alkalies, e.g. sodium hydroxide (NaOH).


Q. Write a balanced chemical equation for the reaction between sodium carbonate and hydrochloric acid indicating the physical state of the reactants and the products.

Answer.



Q. Write a balanced chemical equation for a neutralisation reaction, mentioning the physical state of the reactants and the products.

Answer.



Q. What would be the colour of red litmus in a solution of sodium carbonate?

Answer. The red litmus will change to blue in sodium carbonate solution.

Q. Which gas is evolved when sodium hydrogencarbonate reacts with dilute hydrochloric acid?

Answer. Carbon dioxide gas is evolved.

Q. Curd is not kept in copper and brass utensils. Why?

Answer. Curd and sour substances contain acids which react with brass and copper vessels to form poisonous salts which are harmful for our health.

Q. Name the gas usually liberated when a dilute acid reacts with a metal. What happens when a burning candle is brought near this gas?

Answer. H₂ gas is liberated. It burns with pop sound when burning candle is brought near the gas.

Q. What effect does an increase in concentration of H⁺(aq.) in a solution have on the pH of solution?

Answer. Higher the concentration, lower will be pH of the solution.

Q. Which one of these has a higher concentration of H⁺ ions ? 1 M HCl or 1 M CH₃COOH



Answer. 1 M HCl has higher concentration of H^+ ions.

Q. Why does 1 M HCl solution have a higher concentration of H^+ ions than 1 M CH_3COOH solution?

Answer. 1 M HCl has higher concn, of (H^+) because it ionises completely in aqueous solution whereas CH_3COOH does not as it is weak acid.

Q. Which gas is generally liberated when a dilute solution of hydrochloric acid reacts with an active metal?

Answer. Hydrogen gas is liberated when active metal reacts with dilute hydrochloric acid



Q. What is the colour of litmus in a solution of ammonium hydroxide?

Answer. Red litmus will turn blue in ammonium hydroxide.

Q. How will you test for the gas which is liberated when hydrochloric acid reacts with an active metal?

Answer. Bring a burning matchstick near the gas. It burns with 'pop' sound showing that it is hydrogen.

Short Answer Type Questions [2 Marks]

Q. Name the acid present in the following:

(i) Tomato (ii) Vinegar (iii) Tamarind

Answer. (i) Oxalic acid (ii) Acetic acid (iii) Tartaric acid

Q. 15 mL of water and 10 mL of sulphuric acid are to be mixed in a beaker

(i) State the method that should be followed with reason.

(ii) What is this process called?

Answer.

(i) The acid is to be added slowly in water to prevent the mixture to be splashed. The reaction is highly exothermic, therefore, constant cooling should be done.

(ii) The process is called dilution.

Q. Explain how antacid works.

Answer. Hyperacidity is caused by excess of hydrochloric acid in stomach. Antacid is basic in nature. It neutralizes excess of acid and gives relief from pain caused by hyperacidity.

Q. Name the natural source of each of the following acid

(i) Citric acid. (ii) Oxalic acid.

(iii) Lactic acid. (iv) Tartaric acid.

Answer.


(i) Lemon and orange. (ii) Tomatoes and Guava.

(iii) Sour milk (curd). (iv) Tamarind.

Q. A student detected the pH of four unknown solution A, B, C and D as follows 11, 5, 7 and 2. Predict the nature of the solution.

Answer. A is basic 'B' is acidic 'C' is natural and 'D' is strongly acidic.






Materials Required: $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ (Blue vitriol), boiling tube, burner, cork, delivery tube, test tube, clamp stand.

Procedure:

1. Take 2g of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ in a boiling tube fitted in a clamp stand.
2. Observe its colour. Fit it with cork and delivery tube bent at two right angles which dips into a test tube.
3. Heat crystals in boiling tube.
4. Observe vapours being condensed in test tube.
5. Cool the crystals and add few drops of water into it.

Observation: Water vapours get condensed in a test tube and colour of blue crystals changes into white. On adding water to anhydrous copper sulphate, it changes into blue again.

Chemical Reaction:



Blue vitriol White

Conclusion: Crystalline substances have water of crystallisation which are lost on heating.

Short Answer Type Questions [3 Marks]

Q. (a) Define olfactory indicators. Name two substances which can be used as olfactory indicator.

(b) Choose strong acids from the following:
 CH_3COOH , H_2SO_4 , H_2CO_3 , HNO_3

Answer.

(a) Those substances whose smell (odour) changes in acidic or basic solution are called olfactory indicators, e.g. onion and vanilla.

(b) H_2SO_4 and HNO_3 are strong acids.



Q. A white coloured powder is used by doctors for supporting fractured bones.

(a) Write chemical name and formula of the powder.

(b) When this white powder is mixed with water a hard solid mass is obtained. Write balanced chemical equation for the change.

Answer.

(a) Calcium sulphate hemihydrate




Q. Explain the action of dilute hydrochloric acid on the following with chemical equation:

(i) Magnesium ribbon (ii) Sodium hydroxide (iii) Crushed egg shells

Answer.


(i) Hydrogen gas will be formed



(ii) Sodium chloride and water will be formed



(iii) Crushed egg shells are made up of CaCO_3 which reacts with dil HCl to give brisk effervescence due to CO_2




Q. (i) Give the constituents of baking powder

(ii) Why cake or bread swells on adding baking powder? Write chemical equation.

Answer.

(i) Baking powder containing sodium hydrogen carbonate and tartaric acid.

(ii) It is due to carbon dioxide



Q. (a) Write the name given to bases that are highly soluble in water. Give an example.

(b) How is tooth decay related to pH? How can it be prevented?

(c) Why does bee sting cause pain and irritation? Rubbing of baking soda on the sting area gives relief. How?

Answer. (a) Alkali, e.g. NaOH (Sodium hydroxide).

(b) Lower the pH, more will be tooth decay. Acid reacts with $\text{Ca}_3(\text{PO}_4)_2$ and causes tooth decay. It can be prevented by brushing teeth after every meal.


(c) It is due to formic acid. Sodium hydrogencarbonate (Baking soda) neutralises formic acid giving relief.

Q. A white powder is added while baking breads and cakes to make them soft and fluffy. Write the name of the powder. Name its main ingredients. Explain the function of each ingredient. Write the chemical reaction taking place when the powder is heated during baking.

Answer. Baking powder.

It consists of sodium hydrogencarbonate and tartaric acid.


Sodium hydrogencarbonate gives CO_2 which makes cake soft and fluffy. Tartaric acid neutralizes the bitterness due to sodium carbonate produced.



Q. "Sodium hydrogencarbonate is a basic salt". Justify the statement. How is it converted into washing soda? Explain.

Answer. Sodium hydrogencarbonate is a salt of sodium hydroxide (strong base) and carbonic acid (weak acid).


It is basic salt. It is converted into washing soda by heating followed by crystallization.



Q. (a) What is universal indicator?

(b) Write the chemical equation involved in the preparation of sodium hydroxide. Name the process.

Answer. (a) Universal indicator is the mixture of synthetic indicators which is used to find pH of solutions.



It is called chlor-alkali process.

Q. A gas 'X' reacts with lime water and forms a compound 'Y' which is used as a bleaching agent in chemical industry. Identify 'X' and 'Y'. Give the chemical equation of the reactions involved.

Answer. 'X' is chlorine; 'Y' is bleaching powder.
'X' is chlorine; 'Y' is bleaching powder.



Q. (i) Name the compound which is obtained from baking soda and is used to remove permanent hardness of water.

(ii) Write its chemical formula.

(iii) What happens when it is recrystallised from its aqueous solution?

Answer.

(i) Sodium carbonate is obtained from baking soda and is used to remove hardness of water.


(ii) Na_2CO_3 .

(iii) It changes to washing soda, $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$.

Q. What is a neutralisation reaction? Give two examples.

Answer.

The reaction between acid and base to form salt and water is called neutralisation reaction, e.g.



Q. What is tooth enamel chemically? State the condition when it starts corroding. What happens when food particles left in the mouth after eating degrade? Why do doctors suggest use of tooth powder/toothpaste to prevent tooth decay?


Answer. It is made up of calcium phosphate.

It starts corroding due to acid formed in mouth. The food particles which are left in mouth form acids which cause tooth decay. Toothpaste and tooth powder are basic and neutralise acid formed in mouth which prevents tooth decay.



Q. What is Plaster of Paris chemically? How is it prepared? List its two important uses.



Answer. Calcium sulphate hemihydrate.
It is prepared by heating gypsum at 373 K.



- (i) It is used to prepare chalks.
- (ii) It is used to make casts and moulds.

Q. What is baking soda chemically called? Give reaction involved in its preparation. Write one of its uses.

Answer. Sodium hydrogencarbonate.
It is used as an antacid.



It is used as an antacid.

Q. (a) What is an alkali? Give an example.


(b) Why do HCl, HNO₃, etc. show acidic characters in aqueous solutions while solutions of compounds like alcohol and glucose do not show acidic character?

Answer.

- (a) Soluble bases are called alkalis, e.g. sodium hydroxide is an alkali.
- (b) HCl, HNO₃ ionise in aqueous solution, whereas alcohol and glucose do not show acidic characters because they do not ionise in aqueous solution.

Q. Compounds like alcohols and glucose also contain hydrogen but are not categorised as acids. Discuss an activity to prove it.

Answer. Take a beaker of 250 ml and place two nails fixed with the help of cork.



- Connect the nails to the two terminals of a 6 volt battery as shown in figure.
- Now add some water containing ethanol and put the switch ON.
- Repeat the experiment with glucose solution.

Observation : The bulb will not glow and the needle of ammeter will not show deflection because glucose and ethanol do not conduct electricity.


Conclusion: The experiment shows glucose and ethanol do not ionise in aqueous solution, that is, they do not give H^+ ions, therefore cannot conduct electricity. Thus, glucose and ethanol are not categorised as acids.

Q. A compound which is prepared from gypsum has the property of hardening when mixed with proper quantity of water.

- (i) Identify the compound.
(ii) Write the chemical equation for its preparation.
(iii) Mention one important use of this compound.

Answer.

(i) Plaster of Paris.




(iii) It is used for plastering fractured bones.

Q. Name the products formed in each case when


- (a) hydrochloric acid reacts with caustic soda.
(b) granulated zinc reacts with caustic soda.
(c) carbon dioxide is passed into lime water.

Answer.


(a) Sodium chloride and water are formed.



(b) Sodium zincate and $H_2(g)$ are formed.



(c) Calcium carbonate and water are formed.



Long Answer Type Questions [5 Marks]

Q. State reason for the following statements:

- (i) Tap water conducts electricity whereas distilled water does not.
(ii) Dry hydrogen chloride gas does not turn blue litmus red whereas dilute hydrochloric acid does.
(iii) During summer season, a milk man usually adds a very small amount of baking soda to fresh milk.
(iv) For a dilution of acid, acid is added into water and not water into acid.
(v) Ammonia is a base but does not contain hydroxyl group.

Answer.

- (i) Tap water contains ions which conduct electricity, distilled water does not contain ions.
(ii) Dry HCl does not form ions but HCl gives H^+ and Cl^- .

- (iii) Baking soda does not allow milk to change to lactic acid which makes milk sour.
- (iv) Adding water to acid is highly exothermic. Therefore water is added to acid very slowly with cooling.
- (v) Ammonia dissolves in water and forms H^- Therefore, it is basic in nature.

Q. (a) Write the chemical formula of hydrated copper sulphate and anhydrous copper sulphate. Giving an activity illustrate how these are inter convertible.
(b) Write chemical names and formula of plaster of paris and gypsum.

Answer.

(a) $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ is hydrated copper sulphate. CuSO_4 is anhydrous copper sulphate.

Aim: To show crystalline salts contain water of crystallization.

Material Required: $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ (Blue vitriol), boiling tube, burner, cork, delivery tube, test tube, clamp stand.

Procedure: 1. Take 2g of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ in a boiling tube fitted in a clamp stand.

2. Observe its colour. Fit it with cork and delivery tube bent at two right angles which dips into a test tube.


3. Heat crystals in boiling tube.

4. Observe vapours being condensed in test tube.

5. Cool the crystals and add few drops of water into it.

Observation: Water vapours get condensed in a test tube and colour of blue crystals changes into white. On adding water to anhydrous copper sulphate it changes into blue again.

Chemical Reaction :



Conclusion : Crystalline substances have water of crystallization which are lost on heating. When we add water in CuSO_4 till a saturated solution is formed. On cooling, it gets converted into $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ crystals and it shows that both are inter convertible.

$\text{CaSO}_4 \cdot \frac{1}{2}\text{H}_2\text{O}$ calcium sulphate hemihydrate

$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ calcium sulphate dihydrate.

Q. (a) State the chemical properties on which the following uses of baking soda are based:

(i) as an antacid

(ii) as a soda acid fire extinguisher

(iii) to make bread and cake soft and spongy.


Answer.

(b) How is washing soda is obtained from baking soda? Write balanced chemical equation.

(a) (i) It is weakly basic in nature and naturalize hyperacidity.

(ii) It liberates CO_2 with H_2SO_4 , which extinguish fire.

(iii) It liberates CO_2 on heating which makes bread and cake soft and sponge.



Baking soda on heating gives sodium carbonate which on crystallisation from hydrated washing soda



Get More Learning Materials Here : 

[CLICK HERE !\[\]\(529949c2c3dadbaa4e538e8c643454bc_img.jpg\)](#)



www.studentbro.in