Very Short Answer Type Questions

Q1. In the given figure, O is the centre of the circle with chords AP and BP being produced to R and Q respectively. If \angle QPR = 35°, find the measure of \angle AOB. [CBSE-14-17DIG1U]



Answer.

 $\angle APB = \angle RPQ = 35^{\circ}$

[vert. opp. ∠s]

Now, $\angle AOB$ and $\angle APB$ are angles subtended by an arc AB at centre and at the remaining part of the circle.

$$\therefore \qquad \angle AOB = 2 \angle APB = 2 \times 35^\circ = 70^\circ$$

Q2. In the given figure, what is the measure of angle x ?



Answer. We know that exterior angle of a cyclic quadrilateral is equal to interior opposite angle. -. $\angle CBE = \angle ADC$

=> x = 120°

Q3. In the given figure, if O is the centre of circle and $\angle POQ = 110^{\circ}$, then find $\angle PRQ$



Answer. We know that angle subtended by an arc at the centre is double the angle subtended by it at the remaining part of the circle. $\angle PRQ = 1/2 \angle POQ$

∠PRQ =1/2 ∠PO0 = 1/2 x 110° = 55°

Q4. In the given figure, ΔABC is an equilateral triangle and ABDC is a cyclic quadrilateral, then find the measure of $\angle BDC$.







Answer.

 $\triangle ABC$ is an equilateral triangle.

 $\therefore \qquad \angle BAC = 60^{\circ}$ Now, $\angle BDC + \angle BAC = 180^{\circ}$ $\angle BDC + 60^{\circ} = 180^{\circ}$ $\angle BDC = 180^{\circ} - 60^{\circ}$ $\angle BDC = 120^{\circ}$

Q5. In the given figure, O is the centre of the circle. PQ is a chord of the circle and R is any point on the circle. If \angle PRQ = I and \angle OPQ = m, then find I + m.



Answer.

 $\angle POQ = 2\angle PRQ$ $\Rightarrow \angle POQ = 2l$ $\ln \Delta PQO, OP = OQ = r$ $\Rightarrow \angle OQP = \angle OPQ = m$ Also, $\angle OPQ + \angle OQP + \angle POQ = 180^{\circ}$ $\Rightarrow m + m + 2l = 180^{\circ}$ $\Rightarrow 2(l + m) = 180^{\circ}$ $\Rightarrow l + m = 90^{\circ}$

Q6. The given figure shows a circle with centre O in which a diameter AB bisects the chord PQ at the point R. If PR = RQ = 8 cm and RB = 4 cm, then find the radius of the circle.









Let r be the radius, then OQ = OB = r and OR = (r - 4) $\therefore \quad OQ^2 = QR^2 + RO^2$ $\Rightarrow \quad r^2 = 64 + (r - 4)^2$ $\Rightarrow \quad r^2 = 64 + r^2 + 16 - 8r$ $\Rightarrow \quad 8r = 80 \Rightarrow r = 10 \text{ cm}$

Q7. In the given figure, ABCD is a cyclic quadrilateral such that $\angle ADB = 40^{\circ}$ and $\angle DCA = 70^{\circ}$, then find the measure of $\angle DAB$.



Answer.

 $\angle BCA = \angle ADB = 40^{\circ} \text{ [angles in same segment of a circle are equal]}$ $Now, \angle BCD = 70^{\circ} + 40^{\circ} = 110^{\circ}$ $\angle DAB + \angle BCD = 180^{\circ}$ $\angle DAB + 110^{\circ} = 180^{\circ}$ $\angle DAB = 180^{\circ} - 110^{\circ}$ $\Rightarrow \qquad \angle DAB = 70^{\circ}$

Q8. In the figure, 'O' is the centre of the circle, $\angle ABO = 20^{\circ}$ and $\angle ACO = 30^{\circ}$, where A, B, C are points on the circle. What is the value of x ?



Answer.



In ΔOAB , we have

	OA = C	OB	[radii of same circle]
⇒	∠OAB = ∠	$\angle OBA = 20^{\circ}$	$[\angle s \text{ opp. to equal sides}]$
In $\triangle OAC$, we have			
	OA = O	C	[radii of same circle]
⇒	∠OAC = ∠	$\angle OCA = 30^{\circ}$	$[\angle s \text{ opp. to equal sides}]$
Now,	∠BAC = ∠	∠OAB + ∠OAC	
	- = 2	$20^{\circ} + 30^{\circ} = 50^{\circ}$	
	x = 2	∠BOC = 2∠BAC	
	= 2	$2 \times 50^\circ = 100^\circ$	

Q9. In the given figure, if O is the centre of circle. Chord AB is equal to radius of the circle, then find $\angle ACB$.



Answer.

Join OA, OB \therefore AB = OA = OB $\therefore \Delta OAB$ is an equilateral triangle $\therefore \angle AOB = 60^{\circ}$

$$\angle AOB = 60^{\circ}$$
$$\angle ACB = \frac{1}{2} \angle AOB$$
$$= \frac{1}{2} \times 60^{\circ} = 30^{\circ}$$

Q10. In the given figure, if $\angle OAB = 40^{\circ}$, then find the measure of $\angle ACB$. [NCERT Exemplar Problem]









In ∆OAB,

OA = OB[radii of same circle] $\angle OBA = \angle OAB = 40^{\circ}$ [$\angle s$ opp. to equal sides in a \triangle are equal]Now, $\angle OAB + \angle AOB + \angle OBA = 180^{\circ}$ [angle sum property of a \triangle] \Rightarrow $40^{\circ} + \angle AOB + 40^{\circ} = 180^{\circ}$ \Rightarrow $\angle AOB = 100^{\circ}$ $\Box ACB = 50^{\circ}$

[: angle subtended by an arc at the centre is double the angle subtended by it at the remaining part of the circle]

Q11. In the given figure, O is the centre of the circle. If $\angle BOC = 120^\circ$, then find the value of x.



Answer.

Here, $\angle AOC + \angle COB = 180^{\circ}$ $\angle AOC = 180^{\circ} - \angle COB$ $= 180^{\circ} - 120^{\circ} = 60^{\circ}$ Now, $x = \frac{1}{2} \angle AOC = \frac{1}{2} \times 60^{\circ} = 30^{\circ}$

Q12. In the given figure, O is the centre of the circle, then compare the chords.



Answer. In chords AB and CD, AB is passing through the centre of the circle. AB is the diameter of circle. Thus, AB>CD [v diameter is the largest chord]





Q13. In the given figure, $\angle ACP = 40^{\circ}$ and $\angle BPD = 120^{\circ}$, then find $\angle CBD$.



[angle in same segment]

Answer.

 $\angle BDP = \angle ACP = 40^{\circ}$

[angle in same segment]

Now, in $\triangle BPD$, we have

 $\angle PBD + \angle BPD + \angle BDP = 180^{\circ}$ $\Rightarrow \ \angle PBD + 120^{\circ} + 40^{\circ} = 180^{\circ}$ $\Rightarrow \ \angle PBD = 180^{\circ} - 160^{\circ} = 20^{\circ}$ or $\angle CBD = 20^{\circ}$

Q14. In the given figure, if \angle SEC = 120°, \angle DCE = 25°, then find \angle BAC.



Answer.

 $\angle BEC \text{ is exterior angle of } \Delta CDE.$ $\therefore \quad \angle CDE + \angle DCE = \angle BEC$ $\Rightarrow \quad \angle CDE + 25^{\circ} = 120^{\circ}$ $\Rightarrow \qquad \angle CDE = 95^{\circ}$ Now, $\angle BAC = \angle CDE \qquad [\because \text{ angle in same segment are equal}]$ $\Rightarrow \qquad \angle BAC = 95^{\circ}$

Q15. AD is a diameter of a circle and AB is a chord. If AD = 34 cm, AB = 30 cm, then find the distance of AB from the centre of the circle. [CBSE March 2012]



Answer.



 \therefore The perpendicular drawn from centre to the chord bisects it.

$$\therefore AM = \frac{1}{2}AB = \frac{1}{2} \times 30 \text{ cm}$$

$$= 15 \text{ cm}$$
Also, $OA = \frac{1}{2}AD$

$$= \frac{1}{2} \times 34 \text{ cm}$$

$$= 17 \text{ cm}$$
In rt. $\triangle OAM$, we have
$$OA^2 = OM^2 + AM^2$$

$$17^2 = OM^2 + 15^2$$

$$\Rightarrow 289 = OM^2 + 225$$

$$\Rightarrow OM^2 = 289 - 225$$

$$\Rightarrow OM^2 = 64$$

$$\Rightarrow OM = \sqrt{64} = 8 \text{ cm}$$

Q16. In the given figure, if $\angle DAB = 60^\circ$, $\angle ABD = 50^\circ$, then find $\angle ACB$. [NCERT Exemplar Problem]



Answer.

In ΔABD,	$\angle ABD + \angle ADB + \angle DAB = 180^{\circ}$	[angle sum property of Δ]
	50° + $\angle ADB$ + 60° = 180°	ale t
\Rightarrow	$\angle ADB = 70^{\circ}$	
Now,	$\angle ACB = \angle ADB = 70^{\circ}$	[∵ angle in same segment]

Q17. In the given figure, AB || DC. If $\angle A = 50^{\circ}$, then find the measure of $\angle ABC$. [NCERT Exemplar Problem]



Answer.



ABCD is a cyclic quadrilateral.

 $\therefore \qquad \angle A + \angle C = 180^{\circ} \qquad \dots(i) \text{ [opposite } \angle s \text{ of cyclic quad.]}$ Also, AB || DC $\therefore \qquad \angle B + \angle C = 180^{\circ} \qquad \dots(ii)$ From (i) and (ii), we have $\angle B + \angle C = \angle A + \angle C$ $\Rightarrow \qquad \angle B = \angle A = 50^{\circ}$

Short Answer Questions Type-I

Q18. Equal chords of a circle subtend equal angles at the centre. [CBSE March 2012]

Given : In a circle C(O, r), chord AB = chord CD. **To Prove** : $\angle AOB = \angle COD$. **Proof** : In $\triangle AOB$ and $\triangle COD$ AO = CO [radii of same circle] BO = DO [radii of same circle] Chord AB = Chord CD [given] $\Rightarrow \triangle AOB \cong \triangle COD$ [by SSS congruence axiom] $\Rightarrow \angle AOB = \angle COD$ [c.p.c.t.]



Q19. If the angles subtended by the chords of a circle at the centre are equal, then chords are equal. [CBSE March 2012]

Answer.

Given : In a circle C(O, r), $\angle AOB = \angle COD$. **To Prove** : Chord AB = Chord CD. **Proof** : In $\triangle AOB$ and $\triangle COD$ AO = CO [radii of same circle] BO = DO [radii of same circle] $\angle AOB = \angle COD$ [given] $\Rightarrow \quad \triangle AOB \cong \triangle COD$ [by SAS congruence axiom] $\Rightarrow \quad Chord AB = Chord CD$ [c.p.c.t.]

Q20. In the figure, O is the centre of the circle and $\angle ABC = 45^{\circ}$. Show that OA $\perp OC[/latex]$. [CBSE March 2013]



Answer.



Γ

Since angle subtended by an arc at the centre of the circle is double the angle subtended it at any point on the remaining part of the circle.

 $\therefore \angle AOC = 2 \angle ABC = 2 \times 45^{\circ} = 90^{\circ}$

Hence, $OA \perp OC$.

Q21. In the given figure, \angle PQR= 100°, where P,Q and R are points on a circle with centre O. Find \angle OPR. [CBSE March 2012]



Answer.

Take any point A on the circumcircle of the circle.

Join AP and AR.

: APQR is a cyclic quadrilateral.

 $\begin{array}{ll} \therefore & \angle PAR + \angle PQR = 180^{\circ} & [sum of opposite angles of a cyclic quad. is 180^{\circ}] \\ & \angle PAR + 100^{\circ} = 180^{\circ} \\ \Rightarrow & \angle PAR = 80^{\circ} \end{array}$

Since \angle POR and \angle PAR are the angles subtended by an arc PR at the centre of the circle and circumcircle of the circle.

<i>.</i>	$\angle POR = 2 \angle PAR =$	$2 \times 80^{\circ} = 160^{\circ}$
\therefore In $\triangle POR$, we have	OP = OR	[radii of same circle]
	$\angle OPR = \angle ORP$	[angles opposite to equal sides]
Now, $\angle POR + \angle OPR$	$+ \angle ORP = 180^{\circ}$	
\Rightarrow 160° + \angle OPR	$+ \angle OPR = 180^{\circ}$	
\Rightarrow	$2\angle OPR = 20^{\circ}$	
⇒	$\angle OPR = 10^{\circ}$	







Sum of opposite angles of a cyclic quadrilateral is 180°

<i>.</i> .	$\angle DAB + \angle BCD = 180^{\circ}$	
⇒	$95^{\circ} + \angle BCD = 180^{\circ}$	
⇒	$\angle BCD = 180^{\circ} - 95^{\circ} = 85^{\circ}$	
\therefore	BE DC	
÷	$\angle CBE = \angle BCD = 85^{\circ}$	[alternate interior angles]
: .	$\angle CBF = \angle CBE + \angle FBE$	
	$= 85^{\circ} + 20^{\circ} = 105^{\circ}$	
Now,	$\angle ABC + \angle CBF = 180^{\circ}$	[linear pair]
and	$\angle ABC + \angle ADC = 180^{\circ}$	[opposite angles of cyclic quad.]
Thus,	$\angle ABC + \angle ADC = \angle ABC + \angle CBF$	
⇒	$\angle ADC = \angle CBF$	
\Rightarrow	$\angle ADC = 105^{\circ}$	$[\because \angle CBF = 105^\circ]$

Q23. In the figure, chord AB of circle with centre O, is produced to C such that BC = OB. CO is joined and produced to meet the circle in D. If $\angle ACD = y$ and $\angle AOD = x$, show that x = 3y. [CBSE March 2011]



Answer.

In $\triangle OBC$, OB = BC $\Rightarrow \angle BOC = \angle BCO = y$

...[angles opp. to equal sides are equal]

🕀 www.studentbro.in



 $\angle OBA$ is the exterior angle of $\triangle BOC$

So, $\angle ABO = 2y$...[ext. angle is equal to the sum of int. opp. angles] Similarly, $\angle AOD$ is the exterior angle of $\triangle AOC$

$$\therefore$$
 $x = 2y + y = 3y$

Q24. If a line intersects two concentric circles (circles with the same centre) with centre O at A, B, C and D, prove that AB = CD (see fig.). [CBSE March 2013]

CLICK HERE

>>>



Answer. Draw $OM \perp I$ Since perpendicular from the centre of a circle to a chord of the circle bisects the chord. $BM = CM \dots (i)$ and $AM = DM \dots (ii)$ Subtracting (i) from (ii), we have AM - BM = DM - CMAB = CD



Q25. In the given figure, P is the centre of the circle. Prove that : \angle XPZ = 2(\angle XZY + \angle YXZ)



Answer.

Arc XY subtends \angle XPY at the centre P and \angle XZY in the remaining part of the circle. $\therefore \qquad \angle$ XPY = 2 (\angle XZY)(i) Similarly, arc YZ subtends \angle YPZ at the centre P and \angle YXZ in the remaining part of the circle. $\therefore \qquad \angle$ YPZ = 2(\angle YXZ)(ii) Adding (i) and (ii), we have \angle XPY + \angle YPZ = 2 (\angle XZY + \angle YXZ) \angle XPZ = 2 (\angle XZY + \angle YXZ)

Q26. Two circles intersect at two points B and C. Through B, two line segments ABD and PBQ are drawn to intersect the circles at A, D and P, Q respectively (see fig.). Prove that \angle ACP = \angle QCD.

CLICK HERE

>>

🕀 www.studentbro.in



Answer.

	$\angle ACP = \angle ABP$	(i)
	$\angle QCD = \angle QBD$	(ii)
Also,	$\angle ABP = \angle QBD$	(iii)
\therefore From (i), (ii) and (iii), we have		
$\angle ACP = \angle QCD$		

[angles in the same segment] [angles in the same segment] [vertically opposite angles]

Q27. If the diagonals of a cyclic quadrilateral are diameters of the circle through the opposite vertices of the quadrilateral. Prove that the quadrilateral is a rectangle. [CBSE-14-GDQNI3W]

Answer.

Here, ABCD is a cyclic quadrilateral in which AC and BD are diameters.



Short Answer Questions Type-II

Q28. If the non-parallel sides of a trapezium are equal, prove that it is cyclic. [CBSE March 2013] Answer.





Given : ABCD is a trapezium in which AD = BC. To Prove : ABCD is a cyclic quadrilateral. Const. Draw CE || DA intersect AB in E. : Here, AB || DC [given] Proof : AE || DC or B [by construction] CE || DA and ⇒ AECD is a parallelogram. [opposite sides of a parallelogram] AD = EC... ∠D = ∠3 [opposite angles of a parallelogram] CE = CBNow, in $\triangle EBC$ [:: AD = BC (given) and AD = EC (proved)][angles opposite to equal sides of a triangle] $\angle 1 = \angle 2$ ⇒ $\angle 1 + \angle 3 = 180^{\circ}$ [a linear pair] $\angle 2 + \angle D = 180^{\circ}$ [:: $\angle 1 = \angle 2$ and $\angle 3 = \angle D$ (proved)] [$\therefore \angle 2$ and $\angle B$ are same] $\angle B + \angle D = 180^{\circ}$ or

Hence, ABCD is a cyclic trapezium.

Q29. ABCD is a parallelogram. The circle through A, B and C intersects (produce if necessary) at E. Prove that AE = AD.

Answer.

: ABCD is a parallelogram. Circle through A, B and C intersects CD produced in E. Given **To Prove** : AE = ADProof : ABCE is a cyclic quadrilateral. $\angle B + \angle E = 180^{\circ}$...(i) *:*.. ABCD is a parallelogram. *:*.. $\angle B = \angle 1$...(ii) D $\angle 1 + \angle 2 = 180^{\circ}$ Also. [a linear pair] $\angle B + \angle 2 = 180^{\circ}$...(iii) [using (ii)] or Now, from (i) and (iii), we have $\angle B + \angle E = \angle B + \angle 2$ $\angle E = \angle 2$ \Rightarrow In $\triangle ADE$, we have $\angle E = \angle 2$ AD = AE[sides opposite to equal angles of a Δ] \Rightarrow

Q30. ABCD is a cyclic quadrilateral in which AB and CD when produced meet in E and EA = ED. Prove that : (i) AD\\BC (ii) EB = EC

Answer.







Q31. If two equal chords of a circle intersect within a circle, prove that the line segment joining the point of intersection to the centre makes equal angles with the chords. [CBSE-15-NS72LP7]

Answer.

Join OP, draw OL \perp AB and OM \perp CD, thus, L and M are the mid-points of AB and CD respectively. Also, equal chords are equidistant from the centre.

 \therefore OL = OM Now, in right-angled Δs OLP and OMP

OL = OM	
OP = OP	[common]
∠OLP = ∠OMP	$[each = 90^\circ]$



So, by RHS congruence axiom, we have

 $\Delta OLP \cong \Delta OMP$ Hence, $\angle OPL = \angle OPM$

[c.p.c.t.]

Q32. Two circles whose centres are O and O' intersect at P. Through P, a line parallel to OO', intersecting the circles at C and D is drawn as shown in the figure. Prove the CD = 200'. [CBSE-15-6DWMW5A] [CBSE-14-ERFKZ8H]









Draw OA \perp CD and O'B \perp CD $OA \perp CD$ Now, $OA \perp CP$ \Rightarrow $CA = AP = \frac{1}{2}CP$ \Rightarrow CP = 2AP \Rightarrow ... (i) Similarly, O'B \perp CD $O'B \perp PD$ ⇒ $PB = BD = \frac{1}{2}PD$ \Rightarrow PD = 2PB \Rightarrow ... (ii) CD = CP + PDAlso, = 2AP + 2PB = 2(AP + PB) = 2ABCD = 2OO' [:: OABO' is a rectangle]



Q33. If ABC is an equilateral triangle inscribed in a circle and P be any point on the minor arc BC which does not coincide with B or C, prove that PA is angle bisector of \angle BPC . [NCERT Exemplar Problem]

Answer.

Here, ΔABC is an equilateral triangle inscribed in a circle with centre O.

 $\Rightarrow AB = AC = BC [:: \Delta ABC is equilateral]$ $\angle AOB = \angle AOC = \angle BOC$ [equal chords subtend equal angles at centre] $\Rightarrow \angle AOB = \angle AOC \dots (i)$ Now $\angle AOB$ and $\angle ABB$ are angles subtended by an equal AB et equal.



Now, $\angle AOB$ and $\angle APB$ are angles subtended by an arc AB at centre and at the remaining part of the circle by same arc.

Therefore,	$\angle APB = \frac{1}{2} \angle AOB$	(ii)
Similarly,	$\angle APC = \frac{1}{2} \angle AOC$	(iii)
Using (i), (ii)	and (iii), we have	
	$\angle APB = \angle APC$	
Hence, PA is	angle bisector of $\angle BPC$.	

Q34. In the given figure, AB and CD are two equal chords of a circle with centre O. OP and OQ are perpendiculars on chords AB and CD respectively. If \angle POQ = 120°, find \angle APQ . [CBSE-14-ERFKZ8H]





Since AB = CD $\therefore OP = OQ$ [\because equal chords are equidistant from the centre] $\therefore \angle OPQ = \angle OQP$

[by using isosceles triangle property, angles opp. to equal sides of a Δ] In Δ POQ, by using angle sum property, we have

 $\angle OPQ + \angle OQP + \angle POQ = 180^{\circ}$ $\Rightarrow \angle OPQ + \angle OPQ + 120^{\circ} = 180^{\circ}$ $\Rightarrow \qquad 2\angle OPQ = 60^{\circ}$ $\Rightarrow \qquad \angle OPQ = 30^{\circ}$ Now, $\angle APQ + \angle OPQ = 90^{\circ}$ $\Rightarrow \qquad \angle APQ + 30^{\circ} = 90^{\circ}$ $\Rightarrow \qquad \angle APQ = 90^{\circ} - 30^{\circ} = 60^{\circ}$ Hence, $\angle APQ = 60^{\circ}$

LONG ANSWER TYPE QUESTIONS

Q35. Show that the quadrilateral formed by angle bisectors of a cyclic quadrilateral, is also cyclic. [CBSE March 2012]



Answer.





DR are the angle bisectors of $\angle A$, $\angle B$, $\angle C$ and $\angle D$			
respectively, such that a quadrilateral PQRS is formed.			
To Prove : PQRS is a cyclic quadrilateral.			
Proof : Since ABCD is a cyclic quadrilateral.			
$\therefore \qquad \angle A + \angle C = 180^{\circ} \text{ and } \angle B + \angle D = 180^{\circ} \qquad \dots (i$			
Also, AP, BP, CR and DR are the bisectors of $\angle A$, $\angle B$, $\angle C$ and $\angle D$ respectively.			
$\therefore \qquad \qquad \angle 1 = \frac{1}{2} \angle A,$			
$\angle 2 = \frac{1}{2} \angle B,$			
$\angle 3 = \frac{1}{2} \angle C$ and $\angle 4 = \frac{1}{2} \angle D$			
From (i), we have $\frac{1}{2} \angle A + \frac{1}{2} \angle C = \frac{1}{2} (\angle A + \angle C) = \frac{1}{2} \times 180^\circ = 90^\circ$			
and $\frac{1}{2} \angle B + \frac{1}{2} \angle D = \frac{1}{2} (\angle B + \angle D) = \frac{1}{2} \times 180^{\circ} = 90^{\circ}$			
or $\angle 1 + \angle 3 = 90^{\circ}$			
and $\angle 2 + \angle 4 = 90^{\circ}$ (ii)			
Now, in $\triangle APB$, by angles sum property of a \triangle			
$\angle 1 + \angle 2 + \angle P = 180^{\circ} \qquad \dots (iii)$			
Again, in ΔCRD , by angles sum property of a Δ			
$\angle 3 + \angle 4 + \angle R = 180^{\circ} \qquad \dots (iv)$			
Adding (iii) and (iv), we have $(1 + \sqrt{2} +$			
$21 \pm 25 \pm 25 \pm 24 \pm 2F \pm 260^{\circ} \pm 180^{\circ} \pm 180^{\circ}$			
20 + 20 + 21 + 21 = 300 [using (<i>n</i>)] $2P + 2R = 360^{\circ} - 180^{\circ} = 180^{\circ}$			

i.e., the sum of one pair of the opposite angles of quadrilateral PQRS is 180°.

Hence, the quadrilateral PQRS is a cyclic quadrilateral.

Q36. Prove that the angle subtended by an arc at the centre is double the angle subtended by it at any point on the remaining part of the circle. [CBSE March 2012]

Answer.



Given : A circle with centre O. Arc AB subtends $\angle AOB$ at the centre and $\angle ACB$ at any point C on the remaining part of the circle.



To Prove	:	$\angle AOB = 2 \angle ACB$ in figure (i), (ii figure (iii).) and (iv) and reflex $\angle AOB = 2 \angle ACB$ in	
Const.	:	: Join CO and produce it to P.		
Proof	:	In ΔAOC		
\Rightarrow		OA = OC	[radii of same circle]	
⇒		$\angle 1 = \angle 2$	(i)	
			[angle opposite to equal sides of a Δ]	
		Ext. $\angle AOP = \angle 1 + \angle 2$		
		$\angle 5 = \angle 2 + \angle 2$	[using (<i>i</i>)]	
		$\angle 5 = 2 \angle 2$	(<i>ii</i>)	
Similarly,		$\angle 6 = 2 \angle 4$	(iii)	
A 1 1: /···		• (

Adding (ii) and (iii), we have

$$\angle 5 + \angle 6 = 2\angle 2 + 2\angle 4$$
$$\angle 5 + \angle 6 = 2(\angle 2 + \angle 4)$$
$$\Rightarrow \qquad \angle AOB = 2\angle ACB$$
or reflex $\angle AOB = 2\angle ACB$

Subtracting (ii) from (iii) for figure (iv), we have

$$\angle 6 - \angle 5 = 2\angle 4 - 2\angle 2 = 2(\angle 4 - \angle 2)$$
$$\angle AOB = 2\angle ACB$$

Q37. Prove that the angle bisectors of the angle formed by producing opposite sides of a cyclic quadrilateral (provided they are not parallel) intersect at right angle.

Answer.

Get More Learning Materials Here : 📕





[for figures (i), (ii)]

[for figure (iii)]



Given : In cyclic quadrilateral ABCD, opposite sides are produced to meet in E and F. Bisectors of $\angle E$ and $\angle F$ meet in G.

To Prove : $\angle EGI = \angle EGH = 90^{\circ}$ **Proof** : EG and FI are the bisectors of $\angle E$ and $\angle F$ $\angle 1 = \angle 2$ and $\angle 3 = \angle 4$ *:*.. ...(i) In ∆FCH, ext. \angle FHD = \angle 7 = \angle 4 + \angle 5 $\angle 7 = \angle 8$ Also. [vertically opposite angles] and ext. \angle FCD = \angle 5 = \angle 6 [ext. angle of a cyclic quadrilateral is equal to interior opposite angle] $\angle 8 = \angle 3 + \angle 6$ \Rightarrow ...(ii) [using (i)] Again, in Δ FAI, using ext. angle property $\angle 9 = \angle 3 + \angle 6$...(iii) From (ii) and (iii), we have $\angle 8 = \angle 9$ Now, in \triangle EGI and \triangle EGH $\angle 1 = \angle 2$ $\angle 8 = \angle 9$ ∠EGI = ∠EGH ⇒ $\angle EGI + \angle EGH = 180^{\circ}$ But [a linear pair] $\angle EGI = \angle EGH = 90^{\circ}$ ⇒

Q38. Bisectors of angles A, B and C of triangle ABC intersect its circumcircle at D, E and F respectively. Prove that the angles of the Δ DEF are 90° - \angle A/2 ,90° - \angle B/2 and 90°- \angle C/2 respectively.

CLICK HERE

>>>

🕀 www.studentbro.in

Answer.

Let $\angle BAD = x, \angle ABE = y$ and $\angle ACF = z$, then $\angle CAD = x, \angle CBE = y$ and $\angle BCF = z$ [AD, BE and CF is bisector of $\angle A$, $\angle B$ and $\angle C$] $\angle A + \angle B + \angle C = 180^{\circ}$ In ∆ABC, $2x + 2y + 2z = 180^{\circ}$ $x + y + z = 90^{\circ}$ or ...(i) $\angle ADE = \angle ABE$ Now, $\angle ADF = \angle ACF$ and [angles in the same segment of a circle] $\angle ADE = y \text{ and } \angle ADF = z$ ⇒ $\angle ADE + \angle ADF = y + z$ \Rightarrow $\angle D = y + z$ or ...(ii) From (i) and (ii), we have $x + \angle D = 90^{\circ}$ $\angle D = 90^\circ - x$ \Rightarrow $\angle D = 90^{\circ} - \frac{\angle A}{2} \qquad \left[\because x = \frac{\angle A}{2} \right]$ or $\angle E = 90^\circ - \frac{\angle B}{2}$ Similarly, $\angle F = 90^\circ - \frac{\angle C}{2}$ and

Q39. In the given figure, O is the centre of a circle of radius r cm, OP and OQ are perpendiculars to AB and CD respectively and PQ = 1 cm. If AB II CD, AB = 6cm and CD = 8cm, determiner. [CBSE-15-6DWMW5A]



Answer. Since the perpendicular drawn from the centre of the circle to a chord bisects the chord. Therefore, P and Q are mid-points of AB and CD respectively.





 $AP = BP = \frac{1}{2}AB = 3 cm$ Consequently, $CQ = QD = \frac{1}{2} CD = 4 cm$ and In right-angled $\triangle OAP$, we have $OA^2 = OP^2 + AP^2$ $r^2 = OP^2 + 3^2$ $r^2 = OP^2 + 9$... (i) In right-angled $\triangle OCQ$, we have $OC^2 = OQ^2 + CQ^2$ $r^2 = OQ^2 + 4^2$ $r^2 = OQ^2 + 16$... (ii) From (i) and (ii), we have $OP^2 + 9 = OQ^2 + 16$ $OP^2 - OQ^2 = 16 - 9$ $x^2 - (x - 1)^2 = 16 - 9$ [where OP = x and PQ = 1 cm given] $x^2 - x^2 - 1 + 2x = 7$ 2x = 7 + 1x = 4OP = 4 cm \Rightarrow From (i), we have $r^2 = (4)^2 + 9$ $r^2 = 16 + 9 = 25$ r = 5 cm

Q40. If two chords AB and CD of a circle AYDZBWCX intersect at right angles (see fig.), prove that arc CXA + arc DZB = arc AYD + arc BWC = semicircle. [NCERT Exemplar Problem]



Answer. Given two chords AB and CD of a circle intersect at right angle. Let P be the point of intersection of the chord and O be the centre of circle AYDZBWCX.





Join AC, AD, DB and BC and AO, BO, CO and DO. Now, arc CXA subtends ∠AOC and ∠ABC at centre and at the w remaining part of the circle. Therefore, $\angle AOC = 2 \angle ABC$...(i) Similarly, arc DZB subtends \angle BOD and \angle DCB at the centre and at the remaining part of circle respectively $\angle BOD = 2 \angle DCB$...(ii) *.*.. Adding (i) and (ii), we have $\angle AOC + \angle BOD = 2(\angle ABC + \angle DCB)$ $= 2 \times 90^{\circ}$ [\because in rt. $\triangle CPB$, $\angle P = 90^{\circ} \Rightarrow \angle PCB + \angle PBC = 90^{\circ}$] $= 180^{\circ}$ $\operatorname{arc} \operatorname{CXA} + \operatorname{arc} \operatorname{DZB} = \operatorname{semicircle}$...(iii) \Rightarrow $\angle AOD + \angle BOC = 2(\angle ACD + \angle CAB) = 2 \times 90^{\circ} = 180^{\circ}$ Similarly, arc AYD + arc BWC = semicircle...(iv) \Rightarrow From (iii) and (iv), we have $\operatorname{arc} \operatorname{CXA} + \operatorname{arc} \operatorname{DZB} = \operatorname{arc} \operatorname{AYD} + \operatorname{arc} \operatorname{BWC} = \operatorname{semicircle}$

Q41. In the given figure, AC is a diameter of the circle with centre O. Chord BD is perpendicular to AC. Write down the measures of angles a, b, c and d in terms of x. [CBSE-15-NS72LP7]









Here, AC is a diameter of the circle.

 $[\angle s$ substended by the same segment are equal]

Now, $\angle AOB$ and $\angle ADB$ are angles subtended by an arc AB at the centre and at the remaining part of the circle.

$$\therefore \qquad \angle ADB = \frac{1}{2} \angle AOB \Rightarrow \angle a = \frac{x}{2}$$

From (iv), we have $\angle a = \angle c = \frac{x}{2}$

Again,
$$\angle AOB + \angle BOC = 180^{\circ}$$

$$\Rightarrow$$
 $\angle BOC = 180^{\circ} - \angle AOB = 180^{\circ} - x$

 \angle BOC and \angle BDC are angles subtended by an arc BC at the centre and at the remaining part of the circle.

:.

 \Rightarrow

$$\angle BDC = \frac{1}{2} \angle BOC$$
$$\angle d = \frac{1}{2} (180^\circ - x) = 90^\circ - \frac{x}{2}$$

From (iii), we have $\angle b = \angle d = 90^\circ - \frac{x}{2}$

Hence, $\angle a = \frac{x}{2}$, $\angle b = 90^\circ - \frac{x}{2}$, $\angle c = \frac{x}{2}$ and $\angle d = 90^\circ - \frac{x}{2}$.

Q42. The bisector of $\angle B$ of an isosceles triangle ABC with AB = AC meets the circumcircle of \triangle ABC at P as shown in the given figure. If AP and BC produced meet at Q, prove that CQ = CA. [CBSE-14-GDQNI3W]



Answer.





Let ∠ABP b	e x.	
Since BP is a	angle bise∈tor of ∠B	
<i>.</i>	$\angle ABP = \angle PBC = x$	
\Rightarrow	$\angle ABC = 2x$	
In ∆ABC,	AB = AC	[given]
<i>.</i>	$\angle ACB = \angle ABC$	$[\angle s \text{ opp. to equal sides of a } \Delta]$
	$\angle ACB = 2x$	
	$\angle PAC = \angle PBC = x$	$[\angle s$ in the same segment]
In AAQC , by	using exterior angle property,	we have
	$\angle ACB = \angle AQC + \angle QAC$	
	$2x = \angle AQC + x$	[$\because \angle PAC$ and $\angle QAC$ are same angle]
\Rightarrow	$\angle AQC = 2x - x = x$	
⇒	$\angle AQC = \angle QAC$	
Now, in ΔQA	IC, we have	
	$\angle AQC = \angle QAC$	
⇒	CA = CQ	[sides opp. to equal angles of a Δ]

Value Based Questions

Q1. A small cottage industry employing people from a nearby slum area prepares round table cloths having six equal designs in the six segment formed by equal chords AB, BC, CD, DE, EF and FA. If O is the centre of round table cloth (see figure). Find $\angle AOB$, $\angle AEB$ and $\angle AFB$. What value is depicted through this question ? [CBSE-14-17DJG1U]









Since six equal designs in the six segment formed by equal chords AB, BC, CD, DE, EF and FA.

Therefore, we have six equilateral triangles as shown in the figure.

Since $\triangle AOB$, $\triangle BOC$, $\triangle COD$, $\triangle DOE$, $\triangle EOF$ and $\triangle FOA$ are equilateral. \therefore Each angle is equal to 60°.

$$\angle AOB = 60^{\circ}$$

 $\angle AOB$, $\angle AEB$ and $\angle AFB$ are angles subtended by an arc AB at the centre and at the remaining part of the circle.

:.

$$\angle AEB = \angle AFB = \frac{1}{2} \angle AOB$$

 $\angle AEB = \angle AFB = 30^{\circ}$

$$=\frac{1}{2}$$
 × 60° = 30°

Thus,

Value depicted : By employing people from a slum area to prepare round table cloths realize their social responsibility to work for helping the ones in need.

Q2. Three students Priyanka, Sania and David are protesting against killing innocent animals for commercial purposes in a circular park of radius 20 m. They are standing at equal distances on its boundary by holding banners in their hands.

(i) Find the distance between each of them.

(ii) Which mathematical concept is used in it ?

(iii) How does an act like this reflects their attitude towards society ?

Answer.

(*i*) Let us assume that A, B and C be the positions of Priyanka, Sania and David respectively on the boundary of circular park with centre O.

Draw AD \perp BC.

Since the centre of the circle coincides with the centroid of the equilateral $\triangle ABC$.

 \therefore Radius of circumscribed circle = $\frac{2}{3}$ AD

2

$$\Rightarrow$$
 20 = $\frac{2}{3}$ AD

$$\Rightarrow$$
 AD = 20 $\times \frac{3}{2}$

 \Rightarrow AD = 30 m

Now, $AD \perp BC$, and let AB = BC = CA = x m

х

 $\overline{2}$

$$\Rightarrow$$
 BD = CD = $\frac{1}{2}$ BC =

In rt. Δ BDA, \angle D = 90°

:. By Pythagoras Theorem, we have $AB^2 = BD^2 + AD^2$







$$x^{2} = \left(\frac{x}{2}\right)^{2} + (30)^{2}$$
$$x^{2} - \frac{x^{2}}{4} = 900$$
$$\frac{3}{4} x^{2} = 900$$
$$x^{2} = 900 \times \frac{4}{3}$$
$$x^{2} = 1200$$
$$x = \sqrt{1200} = 20\sqrt{3}$$

Hence, distance between each of them is $20\sqrt{3}$ m.

- (ii) Properties of circle, equilateral triangle and Pythagoras theorem.
- (iii) Live and let live !

Q3. A circular park of radius 10 m is situated in a colony. Three students Ashok, Raman and Kanaihya are standing at equal distances on its circumference each having a toy telephone in his hands to talk each other about Honesty, Peace and Discipline. (i) Find the length of the string of each phone.

(ii) Write the role of discipline in students' life.

Answer. Let us assume, A, B and C be the position of three students Ashok, Raman and Kanaihya respectively on the circumference of the circular park with centre O and radius 10 m. Since the centre of circle coincides with the centroid of the equilateral Δ ABC.

 $\therefore \text{ Radius of circumscribed circle} = \frac{2}{3} \text{ AD}$ $\Rightarrow 10 = \frac{2}{3} \text{ AD}$ $\Rightarrow \text{ AD} = 15 \text{ m}$ Now, $\text{AD} \perp \text{BC}$ and let AB = BC = CA = x $\Rightarrow \text{ BD} = \text{CD} = \frac{1}{2} \text{ BC} = \frac{x}{2}$ In rt. $\angle \text{ed } \Delta \text{BDA}, \angle \text{D} = 90^{\circ}$ $AB^{2} = BD^{2} + AD^{2}$ $x^{2} = \frac{x^{2}}{4} + 225$ $x^{2} - \frac{x^{2}}{4} = 225$ $\Rightarrow x^{2} = 225 \times \frac{4}{3} = 300$ $\Rightarrow x = 10\sqrt{3} \text{ m}$



🕀 www.studentbro.in

Thus, the length of each string is $10\sqrt{3}$ m.

In students' life, discipline is necessary. It motivates as well as it nurture the students to make him as a responsible citizen.

Q4. Three scouts Rajat, Rohit and Ramit in the cultural show holded three stringed balloons with a message 'Stop Child Labour'. Keeping themselves on the boundary of a circle of radius 25 cm, each scout holded the string tightly. Find the distance between Rajat and Ramit, when distance between Rajat and Rohit and Rohit and Ramit is 30 cm. What message was given by scouts and why ?

CLICK HERE

Answer.

R (Ramit) Let P, Q and R be the position of Rajat, Rohit and Ramit respectively. Let O be the centre of circle. Points P and R are equidistant from Q. Q Now, OQ is the perpendicular bisector of PR. (Rohit) Let OQ bisect PR at S. In rt. **DPSQ**, $\angle S = 90^{\circ}$ $PS^2 = PQ^2 - SQ^2$ (Rajat) $PS^2 = 900 - SQ^2$ \Rightarrow ...(i) Also, in rt. $\triangle OSP$, we have $PS^2 = OP^2 - OS^2$ $= 625 - (OQ - SQ)^2$ \Rightarrow $900 - SQ^2 = 625 - (25 - SQ)^2$ ⇒ $= 625 - 625 - SQ^2 + 50 SQ$ $50 \text{ SQ} = 900 \Rightarrow \text{SQ} = 18 \text{ cm}$...(ii) ⇒ From (i) and (ii), we have $PS^2 = 900 - (18)^2 = 576$ PS = 24 cm \Rightarrow $PR = 2 \times 24 = 48 \text{ cm}$ ⇒ Thus, distance between Rajat and Ramit is 48 cm. Child labour is curse to society. Scouts appealed everyone to stop child labour.



