

## Heron's Formula

S.no	Term	Description
1	Mensuration	It is branch of mathematics which is concerned about the measurement of length ,area and Volume of plane and Solid figure
2	Perimeter	a)The perimeter of plane figure is defined as the length of the boundary b)It units is same as that of length i.e. m ,cm,km
3	Area	a)The area of the plane figure is the surface enclosed by its boundary b) It unit is square of length unit. i.e. $m^2$ , $km^2$

### Unit Conversion

<b>1 Meter</b>	<b>10 Decimeter</b>	<b>100 centimeter</b>
<b>1 Decimeter</b>	10 centimeter	100 millimeter
<b>1 Km</b>	10 Hectometer	100 Decameter
<b>1 Decameter</b>	10 meter	1000 centimeter
<b>1 square Meter</b>	<b>100 square Decimeter</b>	<b>10000 square centimeter</b>



<b>1 square Decimeter</b>	100 square centimeter	10000 square millimeter
<b>1 Hectare</b>	100 square Decameter	10000 square meter
<b>1 square myrameter</b>	100 square kilometer	10 <sup>8</sup> square meter

Perimeter and Area of Different Figure

N	Shape	Perimeter/height	Area
1	Right angle triangle  Base =b, Height =h  Hypotenuse=d	P=b+h+d  Height =h	$A = \frac{1}{2}bh$
2	Isosceles right angled triangle  Equal side =a	$p = 2a + a\sqrt{2}$  Height=a	$A = \frac{1}{2}a^2$
3	Any triangle of sides a,b ,c	P=a+b+c	$A = 2\sqrt{s(s-a)(s-b)(s-c)}$ Where $s = \frac{a+b+c}{2}$  This is called Heron's formula (sometimes called Hero's formula) is named after Hero of Alexandria
4	Square Side =a	P=4a	<b>A=a<sup>2</sup></b>

<b>5</b> Rectangle of Length and breadth L and B respectively	$P=2L +2B$	$A=LX B$
<b>6</b> Parallelograms  Two sides are given as a and b	$P=2a+2b$	$A= \text{Base} \times \text{height}$  When the diagonal is also given ,say d  Then $A = 2\sqrt{s(s-a)(s-b)(s-d)}$
<b>7</b> Rhombus  Diagonal $d_1$ and $d_2$ are given	$p = 2\sqrt{d_1^2 + d_2^2}$	$A = \frac{1}{2}d_1d_2$
<b>8</b> Quadrilateral  a) All the sides are given a,b,c ,d  b) Both the diagonal are perpendicular to each other  c) When a diagonal and perpendicular to diagonal are given	a) $P=a+b+c+d$	a) $A = \sqrt{(s-a)(s-b)(s-c)(s-d)}$  where $s = \frac{a+b+c+d}{2}$  b) $A = \frac{1}{2}d_1d_2$  where $d_1$ and $d_2$ are the diagonal  c) $A = \frac{1}{2}d(h_1+h_2)$  where d is diagonal and $h_1$ and $h_2$ are perpendicular to that