

CHAPTER 10

VECTORS

VERY SHORT ANSWER TYPE QUESTIONS (1 MARK)

1. What are the horizontal and vertical components of a vector \vec{a} of magnitude 5 making an angle of 150° with the direction of x-axis.
2. What is $a \in R$ such that $|a\vec{x}| = 1$, where $\vec{x} = \hat{i} - 2\hat{j} + 2\hat{k}$?
3. When is $|\vec{x} + \vec{y}| = |\vec{x}| + |\vec{y}|$?
4. What is the area of a parallelogram whose sides are given by $2\hat{i} - \hat{j}$ and $\hat{i} + 5\hat{k}$?
5. What is the angle between \vec{a} and \vec{b} , If $\vec{a} \cdot \vec{b} = 3$ and $|\vec{a} \times \vec{b}| = 3\sqrt{3}$.
6. Write a unit vector which makes an angle of $\frac{\pi}{4}$ with x-axis and $\frac{\pi}{3}$ with z-axis and an acute angle with y-axis.
7. If A is the point (4, 5) and vector \vec{AB} has components 2 and 6 along x-axis and y-axis respectively then write point B.



8. What is the point of trisection of PQ nearer to P if positions of P and Q are $3\hat{i} + 3\hat{j} - 4\hat{k}$ and $9\hat{i} + 8\hat{j} - 10\hat{k}$ respectively?
9. Write the vector in the direction of $2\hat{i} + 3\hat{j} + 2\sqrt{3}\hat{k}$, whose magnitude is 10 units.
10. What are the direction cosines of a vector equiangular with co-ordinate axes?
11. What is the angle which the vector $3\hat{i} - 6\hat{j} + 2\hat{k}$ makes with the x -axis?
12. Write a unit vector perpendicular to both the vectors $3\hat{i} - 2\hat{j} + \hat{k}$ and $-2\hat{i} + \hat{j} - 2\hat{k}$.
13. What is the projection of the vector $\hat{i} - \hat{j}$ on the vector $\hat{i} + \hat{j}$?
14. If $|\vec{a}| = 2$, $|\vec{b}| = 2\sqrt{3}$ and $\vec{a} \perp \vec{b}$, what is the value of $|\vec{a} + \vec{b}|$?
15. For what value of λ , $\vec{a} = \lambda\hat{i} + \hat{j} + 4\hat{k}$ is perpendicular to $\vec{b} = 2\hat{i} + 6\hat{j} + 3\hat{k}$?
16. What is $|\vec{a}|$, if $(\vec{a} + \vec{b}) \cdot (\vec{a} - \vec{b}) = 3$ and $2|\vec{b}| = |\vec{a}|$?
17. What is the angle between \vec{a} and \vec{b} , if $|\vec{a} - \vec{b}| = |\vec{a} + \vec{b}|$?
18. In a parallelogram $ABCD$, $\vec{AB} = 2\hat{i} - \hat{j} + 4\hat{k}$ and $\vec{AC} = \hat{i} + \hat{j} + 4\hat{k}$. What is the length of side BC ?
19. What is the area of a parallelogram whose diagonals are given by vectors $2\hat{i} + \hat{j} - 2\hat{k}$ and $-\hat{j} + 2\hat{k}$?
20. Find $|\vec{x}|$ if for a unit vector \hat{a} , $(\vec{x} - \hat{a}) \cdot (\vec{x} + \hat{a}) = 12$.
21. If \vec{a} and \vec{b} are two unit vectors and $\vec{a} + \vec{b}$ is also a unit vector then what is the angle between \vec{a} and \vec{b} ?
22. If $\hat{i}, \hat{j}, \hat{k}$ are the usual three mutually perpendicular unit vectors then what is the value of $\hat{i} \cdot (\hat{j} \times \hat{k}) + \hat{j} \cdot (\hat{i} \times \hat{k}) + \hat{k} \cdot (\hat{j} \times \hat{i})$?
23. What is the angle between \vec{x} and \vec{y} if $\vec{x} \cdot \vec{y} = |\vec{x} \times \vec{y}|$?



24. Write a unit vector in xy -plane, making an angle of 30° with the +ve direction of x -axis.
25. If \vec{a} , \vec{b} and \vec{c} are unit vectors with $\vec{a} + \vec{b} + \vec{c} = \vec{0}$, then what is the value of $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a}$?
26. If \vec{a} and \vec{b} are unit vectors such that $(\vec{a} + 2\vec{b})$ is perpendicular to $(5\vec{a} - 4\vec{b})$, then what is the angle between \vec{a} and \vec{b} ?

SHORT ANSWER TYPE QUESTIONS (4 MARKS)

27. If ABCDEF is a regular hexagon then using triangle law of addition prove that :

$$\vec{AB} + \vec{AC} + \vec{AD} + \vec{AE} + \vec{AF} = 3\vec{AD} = 6\vec{AO}$$

O being the centre of hexagon.

28. Points L , M , N divides the sides BC , CA , AB of a $\triangle ABC$ in the ratios $1 : 4$, $3 : 2$, $3 : 7$ respectively. Prove that $\vec{AL} + \vec{BM} + \vec{CN}$ is a vector parallel to \vec{CK} where K divides AB in ratio $1 : 3$.
29. The scalar product of vector $\hat{i} + \hat{j} + \hat{k}$ with a unit vector along the sum of the vectors $2\hat{i} + 4\hat{j} - 5\hat{k}$ and $\lambda\hat{i} + 2\hat{j} + 3\hat{k}$ is equal to 1. Find the value of λ .
30. \vec{a} , \vec{b} and \vec{c} are three mutually perpendicular vectors of equal magnitude. Show that $\vec{a} + \vec{b} + \vec{c}$ makes equal angles with \vec{a} , \vec{b} and \vec{c} with each angle as $\cos^{-1}\left(\frac{1}{\sqrt{3}}\right)$.
31. If $\vec{\alpha} = 3\hat{i} - \hat{j}$ and $\vec{\beta} = 2\hat{i} + \hat{j} + 3\hat{k}$ then express $\vec{\beta}$ in the form of $\vec{\beta} = \vec{\beta}_1 + \vec{\beta}_2$, where $\vec{\beta}_1$ is parallel to $\vec{\alpha}$ and $\vec{\beta}_2$ is perpendicular to $\vec{\alpha}$.
32. If \vec{a} , \vec{b} , \vec{c} are three vectors such that $\vec{a} + \vec{b} + \vec{c} = \vec{0}$ then prove that $\vec{a} \times \vec{b} = \vec{b} \times \vec{c} = \vec{c} \times \vec{a}$.

33. If $|\vec{a}| = 3$, $|\vec{b}| = 5$, $|\vec{c}| = 7$ and $\vec{a} + \vec{b} + \vec{c} = \vec{0}$, find the angle between \vec{a} and \vec{b} .
34. Let $\vec{a} = \hat{i} - \hat{j}$, $\vec{b} = 3\hat{j} - \hat{k}$ and $\vec{c} = 7\hat{i} - \hat{k}$, find a vector \vec{d} which is perpendicular to \vec{a} and \vec{b} and $\vec{c} \cdot \vec{d} = 1$.
35. If $\vec{a} = \hat{i} + \hat{j} + \hat{k}$, $\vec{c} = \hat{j} - \hat{k}$ are the given vectors then find a vector \vec{b} satisfying the equation $\vec{a} \times \vec{b} = \vec{c}$, $\vec{a} \cdot \vec{b} = 3$.
36. Find a unit vector perpendicular to plane ABC , when position vectors of A, B, C are $3\hat{i} - \hat{j} + 2\hat{k}$, $\hat{i} - \hat{j} - 3\hat{k}$ and $4\hat{i} - 3\hat{j} + \hat{k}$ respectively.
37. For any two vector, show that $|\vec{a} + \vec{b}| \leq |\vec{a}| + |\vec{b}|$.
38. Evaluate $(\vec{a} \times \hat{i})^2 + (\vec{a} \times \hat{j})^2 + (\vec{a} \times \hat{k})^2$.
39. If \hat{a} and \hat{b} are unit vector inclined at an angle θ than prove that :
- (i) $\sin \frac{\theta}{2} = \frac{1}{2} |\hat{a} - \hat{b}|$. (ii) $\tan \frac{\theta}{2} = \left| \frac{\hat{a} - \hat{b}}{\hat{a} + \hat{b}} \right|$.
40. For any two vectors, show that $|\vec{a} \times \vec{b}| = \sqrt{a^2 b^2 - (\vec{a} \cdot \vec{b})^2}$.
41. $\vec{a} = \hat{i} + \hat{j} + \hat{k}$, $\vec{b} = \hat{i} - \hat{j} + 2\hat{k}$ and $\vec{c} = x\hat{i} + (x - 2)\hat{j} - \hat{k}$. If \vec{c} lies in the plane of \vec{a} and \vec{b} , then find the value of x .
42. Prove that angle between any two diagonals of a cube is $\cos^{-1} \left(\frac{1}{3} \right)$.
43. Let \hat{a} , \hat{b} and \hat{c} are unit vectors such that $\hat{a} \cdot \hat{b} = \hat{a} \cdot \hat{c} = 0$ and the angle between \hat{b} and \hat{c} is $\frac{\pi}{6}$, then prove that $\hat{a} = \pm 2(\hat{b} \times \hat{c})$.
44. Prove that the normal vector to the plane containing three points with position vectors \vec{a} , \vec{b} and \vec{c} lies in the direction of vector $\vec{b} \times \vec{c} + \vec{c} \times \vec{a} + \vec{a} \times \vec{b}$.

45. If $\vec{a}, \vec{b}, \vec{c}$ are position vectors of the vertices A, B, C of a triangle ABC then show that the area of ΔABC is $\frac{1}{2}|\vec{a} \times \vec{b} + \vec{b} \times \vec{c} + \vec{c} \times \vec{a}|$.
46. If $\vec{a} \times \vec{b} = \vec{c} \times \vec{d}$ and $\vec{a} \times \vec{c} = \vec{b} \times \vec{d}$, then prove that $\vec{a} - \vec{d}$ is parallel to $\vec{b} - \vec{c}$ provided $\vec{a} \neq \vec{d}$ and $\vec{b} \neq \vec{c}$.
47. Dot product of a vector with vectors $\hat{i} + \hat{j} - 3\hat{k}, \hat{i} + 3\hat{j} - 2\hat{k}$ and $2\hat{i} + \hat{j} + 4\hat{k}$ is 0, 5 and 8 respectively. Find the vectors.
48. If $\vec{a} = 5\hat{i} - \hat{j} + 7\hat{k}, \vec{b} = \hat{i} - \hat{j} - \lambda\hat{k}$, find λ such that $\vec{a} + \vec{b}$ and $\vec{a} - \vec{b}$ are orthogonal.
49. Let \vec{a} and \vec{b} be vectors such that $|\vec{a}| = |\vec{b}| = |\vec{a} - \vec{b}| = 1$, then find $|\vec{a} + \vec{b}|$.
50. If $|\vec{a}| = 2, |\vec{b}| = 5$ and $\vec{a} \times \vec{b} = 2\hat{i} + \hat{j} - 2\hat{k}$, find the value of $\vec{a} \cdot \vec{b}$.
51. $\vec{a}, \vec{b}, \vec{c}$ are three vectors such that $\vec{b} \times \vec{c} = \vec{a}$ and $\vec{a} \times \vec{b} = \vec{c}$. Prove that \vec{a}, \vec{b} and \vec{c} are mutually perpendicular to each other and $|\vec{b}| = 1, |\vec{c}| = |\vec{a}|$.
52. If $\vec{a} = 2\hat{i} - 3\hat{j}, \vec{b} = \hat{i} + \hat{j} - \hat{k}$ and $\vec{c} = 3\hat{i} - \hat{k}$ find $[\vec{a} \vec{b} \vec{c}]$.
53. Find volume of parallelepiped whose coterminal edges are given by vectors $\vec{a} = 2\hat{i} + 3\hat{j} + 4\hat{k}, \vec{b} = \hat{i} + 2\hat{j} - \hat{k}$, and $\vec{c} = 3\hat{i} - \hat{j} + 2\hat{k}$.
54. Find the value of λ such that $\vec{a} = \hat{i} - \hat{j} + \hat{k}, \vec{b} = 2\hat{i} + \hat{j} - \hat{k}$ and $\vec{c} = \lambda\hat{i} - \hat{j} + \lambda\hat{k}$ are coplanar.
55. Show that the four points $(-1, 4, -3), (3, 2, -5), (-3, 8, -5)$ and $(-3, 2, 1)$ are coplanar.
56. For any three vectors \vec{a}, \vec{b} and \vec{c} , prove that

$$[\vec{a} + \vec{b} \quad \vec{b} + \vec{c} \quad \vec{c} + \vec{a}] = 2[\vec{a} \quad \vec{b} \quad \vec{c}]$$

57. For any three vectors \vec{a} , \vec{b} and \vec{c} , prove that $\vec{a} - \vec{b}$, $\vec{b} - \vec{c}$ and $\vec{c} - \vec{a}$ are coplanar.

ANSWERS

1. $-\frac{5\sqrt{3}}{2}, \frac{5}{2}$.
2. $a = \pm \frac{1}{3}$
3. \vec{x} and \vec{y} are like parallel vectors.
4. $\sqrt{126}$ sq units.
5. $\frac{\pi}{3}$
6. $\frac{1}{\sqrt{2}}\hat{i} + \frac{1}{2}\hat{j} + \frac{1}{2}\hat{k}$
7. (6, 11)
8. $(5, \frac{14}{3}, -6)$
9. $4\hat{i} + 6\hat{j} + 4\sqrt{3}\hat{k}$.
10. $\pm \frac{1}{\sqrt{3}}, \pm \frac{1}{\sqrt{3}}, \pm \frac{1}{\sqrt{3}}$.
11. $\cos^{-1}\left(\frac{3}{7}\right)$.
12. $\frac{3\hat{i} + 4\hat{j} - \hat{k}}{\sqrt{26}}$.
13. 0
14. 4
15. -9
16. 2
17. $\frac{\pi}{2}$.
18. $\sqrt{5}$
19. $\frac{3}{2}$ sq. units.



20. $\sqrt{13}$

21. $\frac{2\pi}{3}$

22. -1

23. $\frac{\pi}{4}$

24. $\frac{\sqrt{3}}{2}\hat{i} + \frac{1}{2}\hat{j}$

25. $-\frac{3}{2}$

26. $\frac{\pi}{3}$

29. $\lambda = 1$

31. $\vec{\beta} = \left(\frac{3}{2}\hat{i} - \frac{1}{2}\hat{j}\right) + \left(\frac{1}{2}\hat{i} + \frac{3}{2}\hat{j} - 3\hat{k}\right).$

33. 60°

34. $\frac{1}{4}\hat{i} + \frac{1}{4}\hat{j} + \frac{3}{4}\hat{k}.$

35. $\frac{5}{3}\hat{i} + \frac{2}{3}\hat{j} + \frac{2}{3}\hat{k}.$

36. $\frac{-1}{\sqrt{165}}(10\hat{i} + 7\hat{j} - 4\hat{k}).$

38. $2|\vec{a}|^2$

41. $x = -2$

47. $\hat{i} + 2\hat{j} + \hat{k}$

48. $\pm\sqrt{73}$

49. $\sqrt{3}$

50. $\frac{91}{10}$

52. 4

53. 37

54. $\lambda = 1$

