

Class-X

Mathematics Basic (241)



Section A

1.1

b) $2^4 \times 7^3$ ✓

2.1

d) $\text{Mode} = 3 \text{ Median} - 2 \text{ Mean}$ ✓

3

a) 60° ✓

4

c) 5.5 ✓

5

d) $\frac{8}{2}, -1$ ✓

6.

a) 4 ✓

7.

b) 5 ✓

8.

b) $x + y = 19$ ✓

Rough
~~2/5/8~~
~~2/2/4~~
~~2/1/7~~
~~2/6/8~~
~~1/2/3~~
~~1/4/5~~

2x² - 3x + 1
2x² + 3x - 1
(2x² + 3x - 1) + (2x² - 3x + 1)
= 4x²

9.

a) 0

10.

c) $\frac{77}{2} \text{ cm}^2$

11.

c) 115°

12.

a) $\frac{1}{26}$

13.

d) 4

14.

d) -2

15.

d) $\frac{1}{3}$

16.

a) $K = \frac{3}{2}$

17.

d) -1

3
Rough

~~1~~
~~2~~
~~3~~
~~4~~
~~5~~
~~6~~
~~7~~
~~8~~

K = 245
d = 475
H

~~245~~
~~475~~
~~245~~
~~475~~
~~245~~
~~475~~
~~245~~
~~475~~
~~245~~
~~475~~

18

c) 360

19

c) Assertion (A) is true, but Reason (R) is false.

20

b) Both (A) and (R) are true, but Reason (R) is not the correct explanation of Assertion (A).

Section - B

21

a) divisible by 6

favourable outcomes = 5, Total outcomes \Rightarrow 30

\Rightarrow No. divisible by 6 are 6, 12, 18, 24, 30

$$P(E) \Rightarrow \frac{5}{30} \Rightarrow \frac{1}{6}$$

$$P(E) \Rightarrow \frac{1}{6} \text{ ans}$$

Rough

272-122
272-122
272-122
272-122
272-122



21. b)

greater than 25

Total outcomes \rightarrow 30favourable outcomes \rightarrow 26, 27, 28, 29, 30 \Rightarrow

$$P(E) \Rightarrow \frac{5}{30} = \frac{1}{6}$$

$$\text{ans} \rightarrow \frac{1}{6}$$

22. a)

$$5x^2 - 10x + K = 0$$

for real and equal roots

$$D = 0$$

$$D = b^2 - 4ac$$

$$b \Rightarrow -10, \quad a \Rightarrow 5, \quad c \Rightarrow K$$

$$0 \Rightarrow (-10)^2 - 4 \times 5 \times K$$

$$\Rightarrow 100 - 20K$$

$$100 \Rightarrow 20K$$

P.T.O.

$$K = \frac{100}{20}$$

$$[K = 5] \text{ ans}$$

23.

$$5 \operatorname{cosec}^2 45^\circ - 3 \sin^2 90^\circ + 5 \cos 0^\circ$$

$$\operatorname{cosec} 45^\circ \Rightarrow \sqrt{2}, \quad \sin 90^\circ \Rightarrow 1$$

$$\cos 0^\circ \Rightarrow 1$$

$$5(\sqrt{2})^2 - 3 \times (1)^2 + 5 \times (1)$$

$$\Rightarrow 5 \times 2 - 3 + 5$$

$$\Rightarrow 10 - 3 + 5$$


$$\Rightarrow 12 \text{ ans}$$

24.

Given: $(0, 4)$, $PA = 24$ (Tangent)

$PO = 25$ cm, $OA = \text{radius}$

To find: OA -



P-O



Solution :- $\angle OAP = 90^\circ$ [radius is always \perp to point of contact on tangent]

ΔAOP is a right angled triangle
 $OP^2 = PA^2 + OA^2$ [Pythagoras theorem]

$$\Rightarrow (25)^2 \Rightarrow (24)^2 + OA^2$$

$$625 \Rightarrow 576 + x^2$$

$$625 - 576 \Rightarrow x^2$$

$$49 \Rightarrow x^2$$

$$x = 7 \text{ cm}$$

Ans. Radius $\Rightarrow 7 \text{ cm}$

Q5. b)

$$x^2 + 4x - 12$$

$$\Rightarrow x^2 + 6x - 2x - 12$$

$$\Rightarrow x(x+6) - 2(x+6)$$

$$(x-2)(x+6)$$

$$x-2=0, \quad x+6=0$$

$$x=2, \quad x=-6$$

Zeros $\Rightarrow 2, -6$

Section - C

26.

Let, $7 + 4\sqrt{5}$ be a rational number.

$$7 + 4\sqrt{5} = \frac{a}{b}, \quad b \neq 0, \quad a \& b \text{ are integers (co-prime)}$$

$$\therefore 7 + 4\sqrt{5} = \frac{a}{b}$$

$$4\sqrt{5} = \frac{a}{b} - 7$$

$$4\sqrt{5} = \frac{a-7b}{b}$$

$$\sqrt{5} = \frac{a-7b}{4b}$$

Since, a and b are integers. $\frac{a-7b}{4b}$ is rational but we know that $\sqrt{5}$ is an irrational number. So, Contradicts by facts, Hence, $7 + 4\sqrt{5}$ is an irrational number.

27.

$$\frac{1}{x} - \frac{1}{x-2} = 3$$

$$\frac{x-2-x}{x(x-2)} = 3$$

$$\frac{-2}{x^2-2x} = 3$$

$$-2 \Rightarrow 3x^2 - 6x$$

$$\Rightarrow 3x^2 - 6x + 2 = 0$$

$$D = b^2 - 4ac$$

$$\Rightarrow (-6)^2 - 4 \times 3 \times 2$$

$$36 - 4 \times 6$$

$$36 - 24$$

$$= 12$$

$$\text{Roots} \Rightarrow \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \Rightarrow \frac{6 \pm \sqrt{12}}{2 \times 3} \Rightarrow \frac{6 \pm 2\sqrt{3}}{6}$$

$$\Rightarrow \frac{2\sqrt{3}(1+\sqrt{3})}{6} \Rightarrow \frac{3+\sqrt{3}}{3}$$

$$\Rightarrow \text{Root} \Rightarrow \frac{-(-6) - \sqrt{12}}{2 \times 3}$$

$$\Rightarrow \frac{6 - 2\sqrt{3}}{6}$$

$$\Rightarrow \frac{2(3-\sqrt{3})}{6}$$

$$= \frac{3-\sqrt{3}}{3}$$

Ans \Rightarrow roots \Rightarrow

$$\frac{3+\sqrt{3}}{3}, \frac{3-\sqrt{3}}{3}$$

28.

x)

$$\frac{\cancel{\cot A} - \cancel{\cos A}}{\cancel{\cot A} + \cancel{\cos A}} = \frac{\cancel{\cos^2 A}}{(1 + \cancel{\sin A})^2}$$

LHS \rightarrow

$$\frac{\cancel{\cot A} - \cancel{\cos A}}{\cancel{\cot A} + \cancel{\cos A}} \times \cot$$

$$\Rightarrow \frac{\cancel{\cos A} - \cancel{\cos A}}{\cancel{\sin A}}$$

28.

$$b) (\sec \theta + \tan \theta)(1 - \sin \theta) = \cos \theta$$

$$\text{HS} \Rightarrow (\sec \theta + \tan \theta)(1 - \sin \theta)$$

$$\Rightarrow \left(\frac{1 + \sin \theta}{\cos \theta} + \frac{\sin \theta}{\cos \theta} \right) (1 - \sin \theta)$$

$$\Rightarrow \frac{(1 + \sin \theta) \times (1 - \sin \theta)}{\cos \theta}$$

P.T.O




» $\frac{1 - \sin^2 \theta}{\cos \theta}$

» $\frac{\cos^2 \theta}{\cos \theta} \quad [\sin^2 \theta + \cos^2 \theta = 1]$

» $\cos \theta$

LHS = RHS, $\cos \theta = \cos \theta$

29. b)



Given :- CM and RN are medians respectively of ΔABC and ΔPOR . $\Delta ABC \sim \Delta POR$

To prove : $\triangle AMC \sim \triangle PNR$ ✓
 prog : $\triangle ABC \sim \triangle PQR$ (given) ✓

$$\frac{AB}{PQ} = \frac{AC}{PR} = \frac{BC}{QR} \quad \checkmark$$

$$\angle A = \angle P, \quad \angle B = \angle Q, \quad \angle C = \angle R$$

$$\therefore \frac{AB}{PQ} = \frac{2AM}{2PN} \quad [AM \text{ and } PN \text{ are medians}]$$

\therefore In $\triangle AMC$ and $\triangle PNR$

$$\frac{AC}{PR} = \frac{AM}{PN} \quad [\text{each equal to } \frac{AB}{PQ}]$$

$$\angle A = \angle P \quad (\text{given})$$

$$\triangle AMC \sim \triangle PNR \quad (\text{By SAS similarity})$$

HP

30°

30.

Family size	No. of families	C.F.	
1-3	7	7	
3-5	8	15	median class
5-7	2	17	
7-9	2	19	
9-11	1	20	

$$\frac{N}{2} \Rightarrow \frac{20}{2} \Rightarrow 10$$

$$\text{median} \Rightarrow l + \left(\frac{N/2 - cf}{f} \right) \times h$$

$$\Rightarrow 3 + \left(\frac{10 - 7}{8} \right) \times 2$$


$$3 + \frac{3}{8} \times 2$$

$$\Rightarrow 3 + \frac{3}{4} \Rightarrow \frac{15}{4}$$

$$\Rightarrow 3.75$$

Handwritten scribbles and marks on the right margin.

31.



$A \Rightarrow 5, 3$ $B \Rightarrow 4, 5$

• At O ratio $\Rightarrow 1:2$

$\therefore O(x, y)$

$$x = \frac{mx_2 + nx_1}{m+n}$$

$\Rightarrow x \Rightarrow \frac{1 \times 4 + 2 \times 5}{1+2}$

$x \Rightarrow \frac{4+10}{3} \Rightarrow \frac{14}{3}$

$y \Rightarrow \frac{1 \times 5 + 2 \times 3}{3} \Rightarrow \frac{5+6}{3} \Rightarrow \frac{11}{3}$

$\therefore O(x, y) \Rightarrow O\left(\frac{14}{3}, \frac{11}{3}\right)$

• At P ratio $\Rightarrow 2:1$

$P(x, y) \Rightarrow$

P.T.O



$$x = \frac{2 \times 4 + 1 \times 5}{2+1}$$

$$x = \frac{8+5}{3} \Rightarrow \frac{13}{3}$$

$$y = \frac{2 \times 5 + 1 \times 3}{3} = \frac{13}{3}$$

$$\therefore P(x,y) = P\left(\frac{13}{3}, \frac{13}{3}\right) = A_2$$

Section - D


32. b) given: $\frac{QR}{QS} = \frac{QT}{PA}$, $\angle 1 = \angle 2$

To prove: $\triangle POS \sim \triangle TOR$

proof: In $\triangle POR$

$$\angle 1 = \angle 2$$

$PO = PR$ [sides opposite to equal angles are equal]



PTO


In $\triangle POS$ and $\triangle TOR$
 $\angle O = \angle O$ [common]

$$\frac{OR}{OS} = \frac{OT}{PR} \quad (\text{given})$$

$$\therefore \frac{OR}{OS} = \frac{OT}{PO} \quad [PR = PO]$$

$\therefore \triangle POS \sim \triangle TOR$ [By SAS similarity] \checkmark

33. a)



Given, $AB = \text{height of building} = 3\text{m}$

\therefore In $\triangle ABC$

$$\tan 45^\circ = \frac{AB}{BC}$$

PTO



$$1 = \frac{3}{BC}$$

$$BC = 3 \text{ m}$$

In ΔABD ,

$$\tan 30^\circ \Rightarrow \frac{AB}{BD}$$

$$\frac{1}{\sqrt{3}} \Rightarrow \frac{3}{BD}$$

$$BD = 3\sqrt{3} \text{ m}$$

\therefore width of river $\Rightarrow BC + BD \Rightarrow CD$

$$3 + 3\sqrt{3}$$

$$\Rightarrow 3(1 + \sqrt{3})$$

$$= 3 \times 2.73$$

$$\Rightarrow 8.19 \text{ m}$$

34.

First term $\rightarrow a$, common difference $\rightarrow d$

$$a_4 + a_8 \Rightarrow 24$$

$$a_6 + a_{10} \Rightarrow 44$$

$$\Rightarrow a + 3d + a + 7d \Rightarrow 24$$

$$2a + 10d = 24$$

$$a + 5d = 12$$

$$a + 5d + a + 9d \Rightarrow 44$$

$$2a + 14d \Rightarrow 44$$

$$\cdot a + 7d \Rightarrow 22$$

from ① and ②


$$a + 5d = 12$$

$$a + 7d = 22$$

$$2d = 10$$

$$[d = 5]$$

35. height of cylinder \Rightarrow 10 cm
 radius \Rightarrow 3.5 cm \Rightarrow $\frac{7}{2}$ cm



TSA of article \Rightarrow
 CSA of cylinder +
 $2 \times$ CSA of hemisphere

$$\begin{aligned} &\Rightarrow 2\pi r h + 2 \times 2\pi r^2 \\ &\Rightarrow 2\pi r [h + 2r] \\ &\Rightarrow 2 \times \frac{22}{7} \times \frac{7}{2} \left(10 + 2 \times \frac{7}{2} \right) \\ &\quad 22 \times 17 \\ &\Rightarrow 374 \text{ cm}^2 \end{aligned}$$

17
 $\times 22$
 34
 374



Section - E

36. i) B is midpoint of AC

$$\therefore AB = BC$$

$$AC = 2AB$$

$$AC = 2 \times 20$$

$$\therefore AC = 40 \text{ m}$$

ii)

shortest distance of road from the village = radius.

$$OA^2 = AB^2 + OB^2$$


$$\Rightarrow (25)^2 = (20)^2 + OB^2$$

$$625 - 400 = OB^2$$

$$225 = OB^2$$

$$[OB = 15 \text{ m}]$$

\(\therefore\) Shortest distance = 15 m



iii) a)

$$\text{Circumference} \Rightarrow 2\pi r$$

$$\Rightarrow 2 \times \frac{22}{7} \times 15$$

$$\Rightarrow \frac{44 \times 15}{7}$$

$$\Rightarrow \frac{660}{7} \text{ cm}$$

$$\Rightarrow 94 \frac{2}{7} \text{ cm or } 94.183 \text{ cm}$$

37. i) area of square \Rightarrow side²

$$8 \times 8 \Rightarrow 64 \text{ cm}^2$$

ii) length of diagonal $\Rightarrow \sqrt{2}a$

$$\Rightarrow 8 \times \sqrt{2} \Rightarrow 8\sqrt{2} \text{ cm}$$

iii)

side \Rightarrow diameter \Rightarrow diameter $\Rightarrow 8 \text{ cm}$ radius $\Rightarrow 4 \text{ cm}$

$$\text{area of sector} \Rightarrow \frac{\pi r^2 \theta}{360^\circ} \Rightarrow \frac{22}{7} \times 4 \times 4 \times \frac{90}{360} \Rightarrow \frac{88}{7} \text{ cm}^2$$

$$\Rightarrow \frac{88}{7} \text{ cm}^2 \text{ or } 12.57 \text{ cm}^2$$



38.

Let, the fixed charge be ₹ x ✓
 Let, the charges per km be ₹ y ✓

$$\begin{aligned} \therefore \quad & -x + 10y = 105 \quad \text{--- (1)} \\ & -x + 15y = 155 \quad \text{--- (2)} \end{aligned}$$

$$5y = 50$$

$$[y = 10]$$

$$\therefore \quad x + 10 \times 10 = 105$$

$$x = 105 - 100$$

$$[x = 5]$$

i) fixed charges ₹ 5 ✓

Charges per km ₹ 10 ✓

ii) fixed charge ₹ 20, charges per km ₹ 10

$$\therefore \quad \text{pay for 10 km} \rightarrow 20 + 10 \times 10$$

$$\rightarrow 20 + 100 = ₹ 120 \quad \text{--- HP}$$

