




#### MAKING CHEMICAL REACTION HAPPEN FASTER


There are a number of different things that we can change to make a chemical reaction faster. Here, we explain the concept of collision theory, and how it can be used to explain the effects of five different factors on the rate of a chemical reaction.

#### **COLLISION THEORY**




Collision theory states that for a reaction to occur, particles must collide with the correct orientation and with sufficient energy for a reaction to occur. Different factors affect the rate of the reaction by affecting the frequency of particle collisions, and the proportion of collisions that have enough energy to react.


## 01 INCREASE CONCENTRATION OF REACTANTS



Increasing the concentration of reactants in solution increases the rate of reaction as there are a greater number of particles to react. This increases the frequency of collision between particles.


#### **INCREASE TEMPERATURE OF REACTION**





Increasing the temperature increases the kinetic energy of particles. This increases the frequency of particle collisions and a greater proportion of collisions will have the sufficient energy required to react.

## **INCREASE SURFACE AREA OF REACTANTS**



Increasing the surface area of solid reactants increases the number of particles that are exposed and available to react and as a consequence this increases the frequency of particle collisions, thus increasing the rate.

## INCREASES PRESSURE OF REACTION




Frequency of Collisions

% of Successful Collisions

Increasing the pressure of a reaction involving gases, forces the gas particles closer together. This will increase the frequency of particle collisions and therefore increases the rate of reaction.


### **USE A CATALYST IN A REACTION**

A catalyst provides an alternative route for the reaction with a lower activation energy. This means that particle collisions need less energy in order for a reaction to occur, thus increasing the rate of the reaction.



# RDER OF **REACTION**

## Zero Order Reactions




A zero order reaction has a constant rate that is independent of the concentration of the reactant(s); the rate law is simply. Rate = k


#### HALF LIFE (†1/2)

Time in which half of inital amount is left.

$$t_{1/2} = \frac{[A]_0}{2k}$$



#### **First Order Reactions**




A first-order reaction is a reaction that proceeds at a rate that depends linearly on only one reactant concentration.

$$k = \frac{2.303}{t} \log \frac{[A]_0}{[A]}$$


#### HALF LIFE (†1/2)

$$k = \frac{2.303}{t} \log \frac{[A]_0}{[A]}$$

$$f_{1/2} = \frac{0.693}{k} \quad [A] = \frac{[A]_0}{2^n}$$




# **Second Order Reactions**



A chemical reaction in which the rate of the reaction is determined by the concentration of two chemical reactants involved or the square of the concentration of one chemical reactant.

$$k = \frac{1/[A] - 1/[A]_{\circ}}{t}$$

HALF LIFE (†1/2)




# Pseudo first order reactions

If the concentration of a reactant remains constant (because it is a catalyst or it is in great excess with respect to the other reactants), its concentration can be included in the rate constant, obtaining a pseudo-first-order (or occasionally pseudo-second-order) rate equation.

For example, the hydrolysis of sucrose in acid solution rate r = k[sucrose]. The true rate equation is third-order, r = k[sucrose] [H+] [H<sub>2</sub>O]; however, the concentrations of both the catalyst H<sup>+</sup> and the solvent  $H_2O$  are normally constant, so that the reaction is pseudo-first-order.

### Nth order reactions



N<sub>th</sub> order reaction is one which proceeds at the rate that depends on concentration of multiple reactants or on

$$\Rightarrow k = \frac{1}{(n-1)!} \left[ \frac{1}{[A]_{t}^{n-1}} - \frac{1}{[A]_{0}^{n-1}} \right]$$

