Multiple Choice Questions:

1. An isosceles right triangle has area 8 cm². The length of its hypotenuse is

- **(A)** $\sqrt{32}$ cm
- **(B)** $\sqrt{16}$ cm
- **(C)** $\sqrt{48}$ cm
- **(D)** $\sqrt{24}$ cm

Solution:

Given: An isosceles right triangle has area 8 cm².


Area of an isosceles right triangle = $\frac{1}{2} \times \text{Base} \times \text{Height}$

So,
$$8 = \frac{1}{2} \times \text{Base} \times \text{Height}$$

(Base)²=16 [Base=height, as triangle is an isosceles]

Base =
$$\sqrt{16}$$

Base =4cm



See the triangle ABC, using Pythagoras theorem:

$$AC^2 + AB^2 + BC^2 = 4^2 + 4^2$$

$$=16+16$$

$$AC^2 = 32$$

$$AC = \sqrt{32}$$

Therefore, the length of its hypotenuse is $\sqrt{32}$.

Hence, the correct option is (A).

2. The perimeter of an equilateral triangle is 60 m. The area is

- **(A)** $10\sqrt{3} \text{ m}^2$
- **(B)** $15\sqrt{3} \text{ m}^2$
- (C) $20\sqrt{3} \text{ m}^2$
- **(D)** $100\sqrt{3} \text{ m}^2$



Solution:

Given: The perimeter of an equilateral triangle is 60 m.

Suppose that each side of an equilateral be a.

$$a + a + a = 60$$
m

$$3a = 60$$
m

$$a = 20 \text{m}$$

Area of an equilateral triangle =
$$\frac{\sqrt{3}}{4} \times (\text{Side})^2$$

= $\frac{\sqrt{3}}{4} \times (20)^2$
= $100\sqrt{3}\text{m}^2$

Therefore, the area of the triangle is $100\sqrt{3}$ m².

3. The sides of a triangle are 56 cm, 60 cm and 52 cm long. Then the area of the triangle is

- (A) 1322 cm²
- **(B)** 1311 cm²
- **(C)** 1344 cm²
- **(D)** 1392 cm²

Solution:

The sides of a triangle are a = 56cm, b=60cm and c=52cm.

So, semi-perimeter of a triangle will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{56+60+52}{2}$$

$$= \frac{168}{2}$$

$$= 84cm$$

Area of the triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [By heron's formula]
= $\sqrt{84(84-56)(84-60)(84-52)}$
= $\sqrt{84 \times 28 \times 24 \times 32}$
= $\sqrt{4 \times 7 \times 3 \times 4 \times 7 \times 4 \times 2 \times 3 \times 4 \times 4 \times 2}$
= $\sqrt{4^6 \times 7^2 \times 3^2}$
= $4^3 \times 7 \times 3$
= 1344 cm²

Hence, the correct option is (C).



4. The area of an equilateral triangle with side $2\sqrt{3}$ cm is

- (A) 5.196 cm²
- (B) 0.866 cm²
- (C) 3.496 cm²
- (D) 1.732 cm²

Solution:

Given: The side of an equilateral triangle is $2\sqrt{3}$ cm.

Now, area of an equilateral triangle $=\frac{\sqrt{3}}{4}(\text{Side})^2$ $=\frac{\sqrt{3}}{4} \times (2\sqrt{3})^2$ $=\frac{\sqrt{3}}{4} \times 4 \times 3$ $=3\sqrt{3}$ $=3 \times 1.732$ $=5.196 \text{cm}^2$

Hence, the area of an equilateral triangle is 5.196cm^2 . Hence, the correct option is (A).

5. The length of each side of an equilateral triangle having an area of $9\sqrt{3}$ cm² is

- (A) 8 cm
- (B) 36 cm
- (C) 4 cm
- (D) 6 cm

Solution:

Given: area of an equilateral triangle = $9\sqrt{3}$ cm²

Area of an equilateral triangle = $\frac{\sqrt{3}}{4} \times (\text{Side})^2$

$$\frac{\sqrt{3}}{4} \times (\text{Side})^2 = 9\sqrt{3}$$

$$(\text{Side})^2 = 9 \times 4$$

$$\text{Side} = \sqrt{9 \times 4}$$

$$\text{Side} = 3 \times 2$$

$$\text{Side} = 6 \text{cm}$$

Therefore, the length of an equilateral triangle is 6 cm.

Hence, the correct option is (D).



6. If the area of an equilateral triangle is $16\sqrt{3}$ cm², then the perimeter of the triangle is

Solution:

Given: The area of an equilateral triangle is $16\sqrt{3}$ cm².

Area of equilateral triangle = $\frac{\sqrt{3}}{4} \times (\text{side})^2$

$$16\sqrt{3} = \frac{\sqrt{3}}{4} \times (\text{side})^2$$

$$\left(\text{Side}\right)^2 = \frac{16\sqrt{3} \times 4}{\sqrt{3}}$$
$$= 64$$

Side =
$$\sqrt{64}$$

$$Side = 8cm$$

Therefore, the perimeter of triangle 8 + 8 + 8 = 24cm

Hence, the correct option is (B).

7. The sides of a triangle are 35 cm, 54 cm and 61 cm, respectively. The length of its longest altitude

(A)
$$16\sqrt{5}$$
 cm

(B)
$$10\sqrt{5}$$
 cm

(C)
$$24\sqrt{5}$$
 cm

Solution:

Given: The sides of a triangle are a= 35 cm, b=54 cm and c=61 cm, respectively. So, semi-perimeter of a triangle is:

perimeter of a triangle is:

$$s = \frac{a+b+c}{2} = \frac{35+54+61}{2} = \frac{150}{2} = 75$$

Area of triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$



$$= \sqrt{75(75-35)(75-54)(75-61)}$$

$$= \sqrt{75\times40\times21\times14}$$

$$= \sqrt{5\times5\times3\times2\times2\times2\times5\times3\times7\times7\times2}$$

$$= 5\times3\times2\times2\times7\sqrt{5}$$

$$= 420\sqrt{5}$$

As know that,

Area of triangle ABC=
$$\frac{1}{2}$$
×Base×Altitude

$$\frac{1}{2}$$
×35×Altitude = $420\sqrt{5}$
Altitude = $\frac{420\sqrt{5} \times 2}{35}$

Altitude =
$$24\sqrt{5}$$

Therefore, the length of altitude is $24\sqrt{5}$. Hence, the correct option is (C).

8. The area of an isosceles triangle having base 2 cm and the length of one of the equal sides 4 cm, is

(A)
$$\sqrt{15}$$
 cm²

(B)
$$\sqrt{\frac{15}{2}}$$
 cm²

(C)
$$2\sqrt{15}$$
 cm²

(D)
$$4\sqrt{15}$$
 cm²

Solution:

Given: The length of side be a = 2cm and b = 4cm. As we know that,

Area of an isosceles triangle =
$$\frac{a}{4}\sqrt{4b^2 - a^2}$$

= $\frac{2\sqrt{4\times(4)^2 - 2^2}}{4}$
= $\frac{\sqrt{64-4}}{2}$



$$= \frac{\sqrt{60}}{2}$$
$$= \frac{2\sqrt{15}}{2}$$
$$= \sqrt{15} \text{cm}^2$$

Hence, the correct option is (A).

- 9. The edges of a triangular board are 6 cm, 8 cm and 10 cm. The cost of painting it at the rate of 9 paise per cm² is
- (A) Rs 2.00
- (B) Rs 2.16
- (C) Rs 2.48
- (D) Rs 3.00

Solution:

Given: The edges of a triangular board are a=6 cm, b=8 cm and c=10 cm. Now, semi-perimeter of a triangular board will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{6+8+10}{2}$$

$$= \frac{24}{2}$$

$$= 12cm$$

Now, by Heron's formula:

Area of a triangle board = $\sqrt{s(s-a)(s-b)(s-c)}$ = $\sqrt{12(12-6)(12-8)(12-10)}$ = $\sqrt{12 \times 6 \times 4 \times 2}$ = $\sqrt{12^2 \times 2^2}$ = 12×2 = 24cm^2

As, the cost of painting for area $1 \text{ cm}^2 = \text{Rs. } 0.09$

So, Cost of paint for area $24 \text{ cm}^2 = 0.09 \times 24 = \text{Rs. } 2.16$ Therefore, the cost of a triangular board is Rs. 2.16. Hence, the correct option is (B).



Exercise No. 12.2

Short Answer Questions with Reasoning:

Write True or False and justify your answer:

1. The area of a triangle with base 4 cm and height 6 cm is 24 cm².

Solution:

Given: The base and height of a triangle are 4 cm and 6 cm respectively.

As we know that, area of a triangle = $\frac{1}{2} \times \text{Base} \times \text{Height}$ = $\frac{1}{2} \times 4 \times 6$ = 12cm^2

Hence, the given statement is false.

2. The area of $\triangle ABC$ is 8 cm² in which AB = AC = 4 cm and $\angle A = 90^{\circ}$.

Solution:

Area of a triangle =
$$\frac{1}{2} \times \text{Base} \times \text{Height}$$

= $\frac{1}{2} \times 4 \times 4$
= 8cm^2

Hence, the given statement is true.

3. The area of the isosceles triangle is $\frac{5}{4}\sqrt{11}$ cm², if the perimeter is 11 cm and the base is 5 cm.

Solution:

Suppose that side of isosceles triangle be a.

Now, perimeter of an isosceles triangle:

$$2s = 5 + a + a$$
 $[2s = a + b + c]$
 $11 = 5+2a$
 $2a = 11 - 5$
 $2a=6$
 $a=3$

Now, the formula of an area of isosceles triangle = $\frac{a}{4}\sqrt{4b^2-a^2}$



So, area of an isosceles triangle =
$$\frac{5\sqrt{4\times(3)^2 - (5)^2}}{4}$$
$$= \frac{5\sqrt{4\times9 - 25}}{4}$$
$$= 5\times\frac{\sqrt{36 - 25}}{4}$$
$$= \frac{5\sqrt{11}}{4} \text{ cm}^2$$

Hence, the given statement is true.

4. The area of the equilateral triangle is $20\sqrt{3}$ cm² whose each side is 8 cm.

Solution:

Given, side of an equilateral triangle be 8 cm.


Area of the equilateral triangle =
$$\frac{\sqrt{3}}{4}$$
 (Side)²
= $\frac{\sqrt{3}}{4}$ × (8)²
= $\frac{64}{3}$ $\sqrt{3}$ [: side = 8 cm]
= $16 \sqrt{3}$ cm²

Hence, the given statement is false.

5. If the side of a rhombus is 10 cm and one diagonal is 16 cm, the area of the rhombus is $96~\rm{cm}^2$.

Solution:

Let PQRS be the rhombus whose one diagonal is 16 cm, the area of the rhombus is 10 cm.



As we know that diagonal of a rhombus bisect each other at right angles. So, OA = OC = 8cm and OB = OD

Now, in triangle AOB,
$$\angle AOB = 90^{\circ}$$

So, $AB^2 = OA^2 + OB^2$ [By Pythagoras theorem]





$$AB^{2} = OA^{2} + OB^{2}$$

$$OB^{2} = AB^{2} - OA^{2}$$

$$= (10)^{2} - 8^{2}$$

$$= 100 - 64$$

$$= 36$$
So, $OB = \sqrt{36} = 6$

Also,

$$OB = 2(OA) = 2 \times 6$$

 $= 12cm$

Therefore, area of rhombus =
$$\frac{1}{2} \times \text{Products of diagonals}$$

= $\frac{1}{2} \times 16 \times 12$
= 96cm^2

Hence, the given statement is true.

6. The base and the corresponding altitude of a parallelogram are 10 cm and 3.5 cm, respectively. The area of the parallelogram is 30 cm².

Solution:


Given, parallelogram in which base = 10 cm and altitude =
$$3.5$$
 cm
Area of a parallelogram = Base x Altitude
= 10×3.5
= 35 cm^2

Hence, the given statement is false.

7. The area of a regular hexagon of side 'a' is the sum of the areas of the five equilateral triangles with side a.

Solution:

Given: The side of a regular hexagon is 'a'.



As we know that the regular hexagon is divided into six equilateral triangles. So,





Area of regular hexagon = Sum of area of the six equilateral triangles. Hence, the given statement is false.

8. The cost of levelling the ground in the form of a triangle having the sides 51 m, 37 m and 20 m at the rate of Rs 3 per m² is Rs 918.

Solution:

Given: The sides of the ground are a = 51m, b = 37cm, and c = 20cm. Now, the semi-parameter(s) of ground is:

$$2s = a + b + c$$

$$2s = 51m + 37m + 20m$$

$$2s = 108m$$

$$s = \frac{108m}{2}$$

$$s = 54m$$

Area of triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{54(54-51)(54-37)(54-20)}$
= $\sqrt{54\times3\times17\times34}$
= $\sqrt{3\times3\times3\times2\times3\times17\times17\times2}$
= $3\times3\times17\times2$
= 306m^2

The cost of levelling of 1 m² area is Rs. 3.

So, cost of levelling the ground of 306 m² area = Rs. 3×306 = Rs. 918 Hence, the given statement is true.

9. In a triangle, the sides are given as 11 cm, 12 cm and 13 cm. The length of the altitude is 10.25 cm corresponding to the side having length 12 cm.

Solution:

Given: The length of the altitude is 10.25. And in a triangle, the sides are a=11cm, b=12cm and c=13cm.

So, semi-perimeter(s) will be:

$$2s = a+b+c$$

$$2s = 11cm + 12cm + 13cm$$

$$2s = 36$$
cm

$$s = \frac{36}{2}$$

$$s = 18$$
cm





So, area of triangle =
$$\frac{2 \times \text{Area of } \Delta}{\text{Base}}$$
=
$$\frac{2 \times 6\sqrt{105}}{12}$$
=
$$\sqrt{105}$$
=
$$10.25$$

Hence, the given statement is true.



Short Answer Questions:

1 Find the cost of laying grass in a triangular field of sides 50 m, 65 m and 65 m at the rate of Rs 7 per m².

Solution:

Given: The sides of the ground are a = 50m, b = 65m, and c = 65m. Now, the semi-parameter(s) of the cost of levelling is:

$$2s = a + b + c$$

$$2s = 50m + 65m + 65m$$

$$2s = 180m$$

$$s = \frac{180m}{2}$$

$$s = 90 \text{m}$$

Area of triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{90(90-50)(90-65)(90-65)}$
= $\sqrt{90\times40\times25\times25}$
= $3\times2\times10\times25$
= 6×250
= 1500m^2

The cost of laying grass 1 m² area is Rs. 7.

Therefore, the cost of levelling grass per $1500\text{m}^2 = \text{Rs. } 7 \times 1500 = \text{Rs. } 10500$

2 The triangular side walls of a flyover have been used for advertisements. The sides of the walls are 13 m, 14 m and 15 m. The advertisements yield an earning of Rs 2000 per m² a year. A company hired one of its walls for 6 months. How much rent did it pay?

Solution:

Let the sides of a triangular walls are $a=13m,\,b=14m$ and c=15m.

Now, the semi-perimeter of triangular side wall,

$$s = \frac{a+b+c}{2} = \frac{13+14+15}{2} = 21m$$

Now, area of triangular wall = $\sqrt{s(s-a)(s-b)(s-c)}$ [By Heron's formula]







$$= \sqrt{21(21-13)(21-14)(21-15)}$$

$$= \sqrt{21\times(21-13)\times(21-14)\times(21-15)}$$

$$= \sqrt{21\times8\times7\times6}$$

$$= \sqrt{21\times4\times2\times7\times3\times2}$$

$$= \sqrt{21^2\times4^2}$$

$$= 21\times4$$

$$= 84\text{m}^2$$

The advertisement yield earning per year for 1 m^2 area is Rs. 2000. Therefore, advertisement yield earning per year on $84 \text{ m}^2 = 2000 \times 84 = \text{Rs. } 168000$. According to the question, the company hired one of its walls for 6 months, therefor company


pay the rent = $\frac{1}{2} \times 168000 = \text{Rs. } 84000$.

Hence, the company paid rent Rs. 84000.

3 From a point in the interior of an equilateral triangle, perpendiculars are drawn on the three sides. The lengths of the perpendiculars are 14 cm, 10 cm and 6 cm. Find the area of the triangle.

Solution:

Let ABC be an equilateral triangle, O be the interior point and OP=14cm, OQ = 10cm and OR = 6cm. Also, sides of an equilateral triangle be a m.



Area of triangle OAB =
$$\frac{1}{2} \times AB \times OP$$
 [Area of a triangle = $\frac{1}{2} \times (Base \times Height)$]
= $\frac{1}{2} \times a \times 14$
= $7acm^2$

Similarly, Area of triangle OBC =
$$\frac{1}{2} \times BC \times OQ$$

= $\frac{1}{2} \times a \times 10$
= $5a\text{cm}^2$





Again, area of triangle OAC =
$$\frac{1}{2} \times AC \times OR$$

= $\frac{1}{2} \times a \times 6$
= $3a \text{cm}^2$

See the given figure, area of equilateral triangle ABC = Area of $(\Delta OAB + \Delta OBC + \Delta OAC)$

$$= (7a + 5a + 3a) \text{cm}^2$$

=15acm²

Now, semi-perimeter of triangle ABC is:

$$s = \frac{a+a+a}{2}$$

$$s = \frac{3a}{2}cm$$

As, area of equilateral triangle ABC =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [By Heron's formula]
= $\sqrt{\frac{3a}{2} \left(\frac{3a}{2} - a\right) \left(\frac{3a}{2} - a\right) \left(\frac{3a}{2} - a\right)}$
= $\sqrt{\frac{3a}{2}} \times \frac{a}{2} \times \frac{a}{2} \times \frac{a}{2}$
= $\frac{\sqrt{3}}{4} a^2$...(II)

According to the equation (I) and (II), get:

$$\frac{\sqrt{3}}{4}a^2 = 15a$$

$$a = \frac{15 \times 4}{\sqrt{3}}$$

$$a = \frac{60}{\sqrt{3}}$$

$$a = 20\sqrt{3}$$

Putting $a = 20\sqrt{3}$ in equation (II), get:

Area of triangle ABC =
$$\frac{\sqrt{3}}{4} \times (20\sqrt{3})^2$$

= $\frac{\sqrt{3}}{4} \times 400 \times 3$
= $300\sqrt{3}cm^2$





Hence, the area of an equilateral triangle is $300 \sqrt{3} \text{cm}^2$.

4 The perimeter of an isosceles triangle is 32 cm. The ratio of the equal side to its base is 3 : 2. Find the area of the triangle.

Solution:

Given: Perimeter of triangle= 32cm

The ratio of the equal side to its base of an isosceles triangle is 3:2. Let sides of an isosceles triangle be 3x, 3x and 2x.

So, perimeter of the triangle = 3x + 3x + 2x = 8x

$$32 = 8x$$

$$x = \frac{32}{8}$$

$$x = 4$$

Since, the sides of the isosceles triangle are $3 \times 4 = 12$, $3 \times 4 = 12$ and $2 \times 4 = 8cm$.

Now, semi-perimeter of triangle will be:

$$s = \frac{12+12+8}{2}$$
$$= \frac{32}{2}$$
$$= 16cm$$

Area of triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{16(16-12)(16-12)(16-8)}$
= $\sqrt{16 \times 4 \times 4 \times 8}$
= $4 \times 4 \times 2\sqrt{2}cm^2$
= $32\sqrt{2}$


Therefore, the area of an isosceles triangle ABC =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{16(16-12)(16-12)(16-8)}$
= $\sqrt{16\times4\times4\times8}$
= $32\sqrt{2}cm^2$

Therefore, the area of an isosceles triangle is $32\sqrt{2}$ cm².

5 Find the area of a parallelogram given in Fig. Also find the length of the altitude from vertex A on the side DC.





Solution:

Let the sides of a triangle BCD are a = 12cm, b = 17 cm and c = 25 cm and altitude of a parallelogram is h.

Area of parallelogram, ABCD = 2 (Area of triangle BCD) ...(I)

Now, semi-perimeter(s) of triangle BCD will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{12+17+25}{2}$$

$$= \frac{54}{2}$$

$$= 27cm$$

Area of triangle BCD =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [By heron's formula]
= $\sqrt{27(27-12)(27-17)(27-25)}$
= $\sqrt{27\times15\times10\times2}$
= $\sqrt{9\times3\times3\times5\times5\times2\times2}$
= $3\times3\times5\times2\text{cm}^2$
= 90cm^2

So, area of parallelogram ABCD = $2 \times$ Area of triangle BCD = $2 \times 90 \text{cm}^2$ = 180cm^2 ...(II)

As, Area of parallelogram ABCD = $Base \times Altitude$

$$180 = DC \times h$$


$$180 = 12 \times h$$

$$h = \frac{180}{12}$$

$$h = 15$$
cm

Therefore, the area of parallelogram is 180 cm² and the length of altitude is 15 cm.






6 A field in the form of a parallelogram has sides 60 m and 40 m and one of its diagonals is 80 m long. Find the area of the parallelogram.

Solution:

Given: Let a field in the form of a parallelogram ABCD has sides 60 m and 40 m and one of its diagonals is 80 m long.



See the figure, in triangle ABC, let a = 40m, b = 60 m and c = 80m. Now, semi perimeter(s) of triangle ABC:

$$s = \frac{a+b+c}{2}$$
$$= \frac{40+60+80}{2}$$
$$= \frac{180}{2}$$
$$= 90 \text{m}$$

So, area of triangle ABC will be =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{90(90-40)(90-60)(90-80)}$
= $\sqrt{90\times50\times30\times10}$
= $\sqrt{3\times30\times5\times10\times30\times10}$
= $300\sqrt{15}$
= $1161.895m^2$

Now, from equation (I),

Area of parallelogram ABCD = 2×1161.895 m² = 2323.79m².

Therefore, the area of parallelogram ABCD is $2323.79m^2$.

7 The perimeter of a triangular field is 420 m and its sides are in the ratio 6: 7: 8. Find the area of the triangular field.

Solution:

Given: The perimeter of a triangular field is 420 m and its sides are in the ratio 6:7:8. According to the question, Let the sides in meters are a=6x, b=7x and c=8x. So, perimeter of the triangle=6x+7x+8x 420=21x







$$x = \frac{420}{21}$$

$$x = 20$$

Since, the sides of the triangular field are $a = 6 \times 20$ cm = 120m, $b = 7 \times 20$ m = 140m and $c = 8 \times 20$ m = 160m.

Now, semi-perimeter(s) of triangle will be:

$$s = \frac{1}{2} \times 420m$$
$$= 210m$$

Area of the triangle field =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [Using Heron's formula]
= $\sqrt{210(210-120)(210-140)(210-160)}$
= $\sqrt{210\times90\times70\times50}$
= $100\sqrt{7\times3\times3^2\times7\times5}$
= $100\times7\times3\times\sqrt{15}$
= $2100\sqrt{15}$


Therefore, the area of the triangular field is $2100\sqrt{15}$.

8 The sides of a quadrilateral ABCD are 6 cm, 8 cm, 12 cm and 14 cm (taken in order) respectively, and the angle between the first two sides is a right angle. Find its area.

Solution:

Given: The sides of a quadrilateral ABCD are AB = 6 cm, BC = 8 cm, and CD = 12 cm and DA = 14 cm.

Construction: Join AC.



In the right triangle ABC, whose angle B is right angle. So,

$$AC^2 = AB^2 + BC^2$$
 [By Pythagoras theorem]

$$AC^2 = 6^2 + 8^2$$

$$AC^2 = 36 + 64$$

$$AC = \sqrt{100}$$

$$AC = 10$$





Area of quadrilateral ABCD = Area of triangle ABC + Area of triangle ACD

Now, area of triangle ABC=
$$\frac{1}{2} \times AB \times AC$$

= $\frac{1}{2} \times 6 \times 8$
= 24cm^2

In triangle ACD, let AC = a = 10 cm, CD = b = 12 cm, and DA = c = 14cm.

Now, semi-perimeter of triangle ACD will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{10+12+14}{2}$$

$$= \frac{36}{2}$$

$$= 18cm$$

So, area of triangle ACD =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [By heron's formula]
= $\sqrt{18(18-10)(18-12)(18-14)}$
= $\sqrt{18\times8\times6\times4}$
= $\sqrt{(3)^2\times2\times4\times2\times3\times2\times4}$
= $3\times4\times2\sqrt{3\times2}$
= $24\sqrt{6}$ cm²

Hence, the area of the quadrilateral ABCD is $24\sqrt{6}\text{cm}^2$.

9 A rhombus shaped sheet with perimeter 40 cm and one diagonal 12 cm, is painted on both sides at the rate of Rs 5 per m². Find the cost of painting.

Solution:

Given: One diagonal = 12 cm, Perimeter of rhombus = 40 cm So, 4×Side = 40


side =
$$\frac{40}{4}$$

$$Side = 10cm$$









In triangle ABC, let a = 10 cm, b = 10 cm, and c = 12 cm.

As we know that rhombus is also a parallelogram, so its diagonal divide it into two congruent triangles of equal area. So,

Area of rhombus = 2 (Area of triangle ABC)

Now, Semi-perimeter of triangle ABC will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{10+10+12}{2}$$

$$= \frac{32}{2}$$

$$= 16 \text{cm}$$

So, area of triangle ABC =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{16(16-10)(16-10)(16-12)}$
= $\sqrt{16 \times 6 \times 6 \times 4}$
= $\sqrt{2304}$
= $48cm^2$


Since, area of rhombus = 2 (Area of triangle ABC) = $2 \times 48 \text{cm}^2$ = 96cm^2

The cost of painting of the sheet is Rs. 5 per m².

Therefore, cost of painting both sides of rhombus shaped sheet ABCD = $Rs.(2\times5\times96) = Rs.960$.


10 Find the area of the trapezium PQRS with height PQ given in Fig.





Solution:

Let PQRS is a trapezium, in which draw a line RT perpendicular to PS.



See the figure, ST = PS - TP = 12 - 7 = 5cm

So, in right triangle STR,

$$(SR)^2 = (ST)^2 + (TR)^2$$
 [By using Pythagoras theorem]

$$(13)^2 = (5)^2 + (TR)^2$$

$$\left(TR\right)^2 = 169 - 25$$

$$(TR)^2 = 144$$

$$TR = 12m$$

Now, area of triangle STR = $\frac{1}{2} \times TR \times TS$ [area of triangle = $\frac{1}{2} \times Base \times Height$ = $\frac{1}{2} \times 12 \times 5$ = $30m^2$


As, area of rectangle PQRT = $PQ \times RQ = 12 \times 7 = 84m^2$

Now, area of trapezium = Area of DSTR + Area of rectangle PQRT = 30 + 84 = $114m^2$

Therefore, the area of trapezium is $114m^2$.








Exercise No. 12.4

Long Answer Questions:

1. How much paper of each shade is needed to make a kite given in Fig., in which ABCD is a square with diagonal 44 cm?



Solution:

Given: Diagonal of square ABCD = 44 cm Also, ABCD is a square. So, AB = BC = CD = DA

Now, in triangle ACD,

$$AC^2 = AD^2 + DC^2$$

$$44^2 = AD^2 + AD^2$$

$$2AD^2 = 44 \times 44$$

$$2AD^2 = 22 \times 2 \times 22 \times 2$$

$$AD^2 = 22 \times 2 \times 22$$

$$AD = \sqrt{22 \times 2 \times 22}$$

$$AD = 22\sqrt{2}$$

Now, area of square ABCD = Side \times Side = $22\sqrt{2} \times 22\sqrt{2} = 968$ cm² Since, area of square is divided into four parts.

Now, the area of paper of Red shade needed to make the kite is: $=\frac{1}{4} \times 968cm^2 = 242cm^2$

Also, area of green portion is:

$$=\frac{1}{4}\times968cm^2$$

$$=242cm^2$$

Similarly, area of yellow portion is:



$$=\frac{1}{2}\times968cm^2=484cm^2$$

In triangle PCQ, Let PC = a = 20cm, CQ = b = 20cm, and PQ = c = 14cm. Now, semi-perimeter of triangle PCQ will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{20+20+14}{2}$$

$$= \frac{54}{2}$$

$$= 27cm$$

So, area of triangle PCQ =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{27 \times (27-20) \times (27-20)(27-14)}$
= $\sqrt{27 \times 7 \times 7 \times 13}$
= $\sqrt{3 \times 3 \times 3 \times 7 \times 7 \times 13}$
= $21\sqrt{39}$
= 21×6.24
= 131.04cm^2

Since, the total area of green portion = $242 \, \text{cm}^2 + 131.04 \, \text{cm}^2 = 373.04 \, \text{cm}^2$ Therefore, the paper required for each shade to make a kite is red paper = $242 \, \text{cm}^2$, yellow paper = $484 \, \text{cm}^2$, and green paper = $373.04 \, \text{cm}^2$.

2. The perimeter of a triangle is 50 cm. One side of a triangle is 4 cm longer than the smaller side and the third side is 6 cm less than twice the smaller side. Find the area of the triangle.

Solution:

Given: the perimeter of a triangle is 50 cm.

Now, semi-perimeter(s) of the triangle is
$$=\frac{\text{Perimeter of triangle}}{2} = \frac{50}{2} = 25$$

Suppose that the smaller side of the triangle be a = x cm. So, the second side will be b = (x+4) cm and 3^{rd} side will be c = (2x-6)cm.

Now, perimeter of triangle = a + b + c = x + (x+4) + (2x-6)

$$50 \text{ cm} = (4x - 2) \text{ cm}$$

$$50 = 4x - 2$$

$$4x = 50 + 2$$

$$4x = 52$$

$$x = \frac{52}{4}$$

$$x = 13$$





Since, the three side of the triangle are:

$$a = x = 13,$$

 $b = x + 4 = 13 + 4 = 17$
 $c = 2x - 6 = 2 \times 13 - 6 = 26 - 6 = 20.$

So, area of the triangle =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

= $\sqrt{25 \times (25-13) \times (25-17) \times (25-20)}$
= $\sqrt{25 \times 12 \times 8 \times 5}$
= $\sqrt{5 \times 5 \times 4 \times 3 \times 4 \times 2 \times 5}$
= $5 \times 4 \times 20\sqrt{30}cm^2$
= $20\sqrt{30}cm^2$


Therefore, the area of triangle is $20\sqrt{30}cm^2$.

3. The area of a trapezium is 475 cm² and the height is 19 cm. Find the lengths of its two parallel sides if one side is 4 cm greater than the other.

Solution:

Given:

Area of a trapezium = $475cm^2$ and Height = 19 cm.



According to the question, let one sides of trapezium is x. So, another side will be x + 4.

Now, Area of trapezium = $\frac{1}{2} \times (\text{Sum of the parallel sides}) \times \text{Height}$

$$475 = \frac{1}{2} \times (x + x + 4) \times 19cm$$

$$2x + 4 = \frac{950}{19}$$

$$= 50$$

$$2x = 50 - 4$$

$$2x = 46$$

$$x = 23$$

Therefore, the length of the parallel side of trapezium are x = 23 cm and x + 4 = 23 + 4 = 27 cm


4. A rectangular plot is given for constructing a house, having a measurement of 40 m long and 15 m in the front. According to the laws, a



minimum of 3 m, wide space should be left in the front and back each and 2 m wide space on each of other sides. Find the largest area where house can be constructed.

Solution:

Given: Let a rectangular plot ABCD is constructing a house, having a measurement of 40 m long and 15 m in the front.



According to the question,

Length of inner-rectangle (EF) = 40 - 3 - 3 = 34m

And breadth of inner rectangle (FG) = 15 - 2 - 2 = 11m

Now, area of inner rectangle (EFGH) will be = Length x Breadth = $EF \times FG$ = $34 \times 11 \text{m}^2$ = 374m^2

Therefore, the largest area where house can be constructed = 374m².


5. A field is in the shape of a trapezium having parallel sides 90 m and 30 m. These sides meet the third side at right angles. The length of the fourth side is 100 m. If it costs Rs 4 to plough 1m² of the field, find the total cost of ploughing the field.

Solution:

Given: In the trapezium ABCD, the two parallel sides are AB = 90 m, CD = 30 m, and $EC \perp AB$.

So, EB = AB - EA = 90 m - 30 m = 60 m





Now, in triangle BEC,

$$(BC)^2 = (BE)^2 + (EC)^2$$

 $100^2 = 60^2 + (EC)^2$
 $(EC)^2 = 10000 - 3600$
 $(EC)^2 = 6400$
 $EC = \sqrt{6400}$
 $EC = 80m$

Now, area of trapezium ABCD =
$$\frac{1}{2} \times (\text{Sum of parallel sides}) \times (\text{Distance between parallel sides})$$

= $\frac{1}{2} \times (AB + CD) \times EC$
= $\frac{1}{2} \times (90 + 30) \times 80$
= $\frac{1}{2} \times 120 \times 80$
= 4800m^2


The cost of ploughing the field of 1m² is Rs. 4.

Now, The cost of ploughing the field of 4800m^2 area = $4800 \times \text{Rs}$. 4 = Rs. 19200.

Therefore, the total cost of plughing the field is Rs. 19200.

6. In Fig., $\triangle ABC$ has sides AB = 7.5 cm, AC = 6.5 cm and BC = 7 cm. On base BC a parallelogram DBCE of same area as that of $\triangle ABC$ is constructed. Find the height DF of the parallelogram.





Solution:

Given: in triangle ABC, the sides are AB = a = 7.5 cm, BC = b = 7 cm, and CA = c = 6.5 cm. Now, semi-perimeter of a triangle will be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{7.5+7+6.5}{2}$$

$$= \frac{21}{2}$$

$$= 10.5$$

So, area of triangle ABC =
$$\sqrt{s(s-a)(s-b)(s-c)}$$
 [By heron's formula]
= $\sqrt{10.5 \times (10.5-7.5)(10.5-7)(10.5-6.5)}$
= $\sqrt{10.5 \times 3 \times 3.5 \times 4}$
= $\sqrt{441}$
= 21cm^2

Also, the area of parallelogram BCED will be = Base \times Height = $BC \times DF$ = $7 \times DF$

Now, according to the question,

Area of triangle ABC = Area of parallelogram BCED $21 = 7 \times DF$

$$DF = \frac{21}{4}$$


$$DF = 3$$
cm

Hence, the height of parallelogram BCED is 3 cm.

7. The dimensions of a rectangle ABCD are 51 cm \times 25 cm. A trapezium PQCD with its parallel sides QC and PD in the ratio 9 : 8, is cut off from the




rectangle as shown in the Fig. If the area of the trapezium PQCD is $\frac{5}{6}$ th part of the area of the rectangle, find the lengths QC and PD.



Solution:

Given: ABCD is a rectangle, where AB = 51 cm and BC = 25 cm.

The parallel sides QC and PD of the trapezium PQCD are in the ratio of 9:8. Let QC = 9x and PD = 8x.



Now, the area of trapezium PQCD:

$$= \frac{1}{2} \times (\text{Sum of parallel sides}) \times (\text{Distance between parallel sides})$$

$$= \frac{1}{2} \times (9x + 8x) \times 25 \text{cm}^2$$

$$= \frac{1}{2} \times 17x \times 25$$

Again, area of rectangle ABCD = $BC \times CD = 51 \times 25$

Now, according to the question,


Area of trapezium PQCD =
$$\frac{5}{6} \times$$
 Area of rectangle ABCD
$$\frac{1}{2} \times 17x \times 25 = \frac{5}{6} \times 51 \times 25$$
$$x = \frac{5}{6} \times 51 \times 25 \times 2 \times \frac{1}{17 \times 25}$$
$$x = \frac{5}{6} \times 51 \times 25 \times 2 \times \frac{1}{17 \times 25}$$

Therefore, the length of the trapezium PQCD, QC = $9x = 9 \times 5 = 45cm$ and, PD = $8x = 8 \times 5 = 40cm$.






8. A design is made on a rectangular tile of dimensions $50 \text{ cm} \times 70 \text{ cm}$ as shown in Fig. The design shows 8 triangles, each of sides 26 cm, 17 cm and 25 cm. Find the total area of the design and the remaining area of the tile.



Solution:

Given: the dimension of the rectangular tile are $50 \text{ cm} \times 70 \text{cm}$. So, area of the rectangular tile = $50 \text{ cm} \times 70 \text{ cm} = 3500 \text{ cm}^2$. See the given figure in the question, the sides of the triangle ABC be: a = 25cm, b = 17cm, and c = 26cm



Since, semi-parameter(s) of triangle be:

$$s = \frac{a+b+c}{2}$$

$$= \frac{25+17+26}{2}$$

$$= \frac{68}{2}$$

$$= 34$$


So, area of triangle ABC =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

[By heron's formula]

Since, Total area of eight triangle = $8 \times \text{Area}$ of triangle ABC = 204×8 = 1632cm^2

The area of the design will be equal to the area of eight triangle that is 1632cm².





Now, remaining area of the tile = Area of the rectangle – Area of the design = $3500 \text{cm}^2 - 1632 \text{cm}^2 = 1868 \text{cm}^2$

Therefore, total area of the design is 1632cm² and the remaining area of the tile is 1868cm².

