

## Chapter 9. Triangles [Congruency in Triangles]

### Exercise 9(A)

#### Solution 1:


(a)

In  $\triangle ABC$  and  $\triangle DEF$

$AB = DE$  [Given]

$\angle B = \angle E$  [Given]

$BC = EF$  [Given]



By Side-Angle-Side criterion of congruency, the triangles  $\triangle ABC$  and  $\triangle DEF$  are congruent to each other.

$\therefore \triangle ABC \cong \triangle DEF$


(b)

In  $\triangle ABC$  and  $\triangle DEF$

$\angle B = \angle E = 90^\circ$

Hyp.  $AC = \text{Hyp. } DF$


$BC = EF$



By Right Angle-Hypotenuse-Side criterion of congruency, the triangles  $\triangle ABC$  and  $\triangle DEF$  are congruent to each other.  
 $\therefore \triangle ABC \cong \triangle DEF$

(c)

In  $\triangle ABC$  and  $\triangle QRP$   
 $\angle B = \angle R$  [Given]  
 $\angle C = \angle P$  [Given]  
 $AB = QR$  [Given]



By Angle-Angle-Side criterion of congruency, the triangles  $\triangle ABC$  and  $\triangle QRP$  are congruent to each other.  
 $\therefore \triangle ABC \cong \triangle QRP$


(d)

In  $\triangle ABC$  and  $\triangle PQR$

$AB=PQ$  [Given]

$AC=PR$  [Given]

$BC=QR$  [Given]



By Side-Side-Side criterion of congruency, the triangles

$\triangle ABC$  and  $\triangle PQR$  are congruent to each other.

$\therefore \triangle ABC \cong \triangle PQR$

(e)

In  $\triangle PQR$

$\angle R=40^\circ, \angle Q=50^\circ$

$\angle P + \angle Q + \angle R = 180^\circ$  [Sum of all the angles  
in a triangle =  $180^\circ$ ]

$\Rightarrow \angle P + 50^\circ + 40^\circ = 180^\circ$

$\Rightarrow \angle P + 90^\circ = 180^\circ$

$\Rightarrow \angle P = 180^\circ - 90^\circ$



$\Rightarrow \angle P = 90^\circ$

In  $\triangle ABC$  and  $\triangle PQR$

$\angle A = \angle P$

$\angle C = \angle R$


$BC=QR$



By Angle-Angle-Side criterion of congruency, the triangles  $\triangle ABC$  and  $\triangle PQR$  are congruent to each other.  
 $\therefore \triangle ABC \cong \triangle PQR$

### Solution 2:

Given: In the figure, O is centre of the circle, and AB is chord. P is a point on AB such that  $AP = PB$ .  
 We need to prove that,  $OP \perp AB$



Construction: Join OA and OB

Proof:

In  $\triangle OAP$  and  $\triangle OBP$

$OA = OB$  [radii of the same circle]

$OP = OP$  [common]

$AP = PB$  [given]

$\therefore$  By Side-Side-Side criterion of congruency,  
 $\triangle OAP \cong \triangle OBP$

The corresponding parts of the congruent triangles are congruent.

$\therefore \angle OPA = \angle OPB$  [by c.p.c.t]


But  $\angle OPA + \angle OPB = 180^\circ$  [linear pair]

$\therefore \angle OPA = \angle OPB = 90^\circ$

Hence  $OP \perp AB$ .

### Solution 3:

Given: In the figure, O is centre of the circle,  
and AB is chord. P is a point on AB such that  $AP = PB$ .  
We need to prove that,  $AP = BP$



Construction: Join OA and OB

Proof:

In right triangles  $\triangle OAP$  and  $\triangle OBP$

Hypotenuse  $OA = OB$  [radii of the same circle]

Side  $OP = OP$  [common]

$\therefore$  By Right angle-Hypotenuse-Side criterion of congruency,  
 $\triangle OAP \cong \triangle OBP$

The corresponding parts of the congruent  
triangles are congruent.

$\therefore AP = BP$  [by c.p.c.t.]

Hence proved.

**Solution 4:**

Given: A  $\triangle ABC$  in which D is the mid-point of BC.


AD is produced to E so that  $DE = AD$

We need to prove that

(i)  $\triangle ABD \cong \triangle ECD$

(ii)  $AB = EC$

(iii)  $AB \parallel EC$



(i) In  $\triangle ABD$  and  $\triangle ECD$

$BD = DC$  [D is the midpoint of BC]

$\angle ADB = \angle CDE$  [vertically opposite angles]

$AD = DE$  [Given]

$\therefore$  By Side-Angle-Side criterion of congruence, we have,

$\triangle ABD \cong \triangle ECD$

(ii) The corresponding parts of the congruent triangles are congruent.

$\therefore AB = EC$  [c.p.c.t.]

(iii) Also,  $\angle DAB = \angle DEC$  [c.p.c.t.]


$AB \parallel EC$  [ $\angle DAB$  and  $\angle DEC$  are alternate angles]

### Solution 5:

(i) Given: A  $\triangle ABC$  in which  $\angle B = \angle C$ .

DL is the perpendicular from D to AB

DM is the perpendicular from D to AC



We need to prove that

$$DL = DM$$

Proof:

In  $\triangle DLB$  and  $\triangle DMC$

$$\angle DLB = \angle DMC = 90^\circ \quad [DL \perp AB \text{ and } DM \perp AC]$$

$$\angle B = \angle C \quad [\text{Given}]$$

$$BD = DC \quad [D \text{ is the midpoint of } BC]$$

$\therefore$  By Angle-Angle-Side criterion of congruence,  
 $\triangle DLB \cong \triangle DMC$


The corresponding parts of the congruent triangles are congruent.

$$\therefore DL = DM \quad [c.p.c.t.]$$

(ii) Given: A  $\triangle ABC$  in which  $\angle B = \angle C$ .

BP is the perpendicular from D to AC

CQ is the perpendicular from C to AB



We need to prove that

$$BP = CQ$$

Proof:

In  $\triangle BPC$  and  $\triangle CQB$

$$\angle B = \angle C \quad [\text{Given}]$$

$$\angle BPC = \angle CQB = 90^\circ \quad [BP \perp AC \text{ and } CQ \perp AB]$$

$$BC = BC \quad [\text{Common}]$$

$\therefore$  By Angle-Angle-Side criterion of congruence,  
 $\triangle BPC \cong \triangle CQB$

The corresponding parts of the congruent  
triangles are congruent.

$$\therefore BP = CQ \quad [\text{c.p.c.t}]$$




### Solution 6:

Given: A  $\triangle ABC$  in which AD is the perpendicular bisector of BC

BE is the perpendicular bisector of CA

CF is the perpendicular bisector of AB

AD, BE and CF meet at I



We need to prove that

$$IA = IB = IC$$

Proof:

In  $\triangle BID$  and  $\triangle CID$

$$BD = DC \quad [\text{Given}]$$

$$\angle BDI = \angle CDI = 90^\circ \quad [AD \text{ is the perpendicular bisector of } BC]$$

$$BC = BC \quad [\text{Common}]$$

$\therefore$  By Side-Angle-Side criterion of congruence,

$$\triangle BID \cong \triangle CID$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore IB = IC \quad [\text{c.p.c.t}]$$

Similarly, in  $\triangle CIE$  and  $\triangle AIE$

$$CE = AE \quad [\text{Given}]$$

$$\angle CEI = \angle AEI = 90^\circ \quad [AD \text{ is the perpendicular bisector of } BC]$$

$$IE = IE \quad [\text{Common}]$$

$\therefore$  By Side-Angle-Side criterion of congruence,

$$\triangle CIE \cong \triangle AIE$$

The corresponding parts of the congruent triangles are congruent.


$$\therefore IC = IA \quad [\text{c.p.c.t}]$$

Thus,  $IA = IB = IC$

**Solution 7:**

Given: A  $\triangle ABC$  in which AB is bisected at P

PQ is perpendicular to AB



We need to prove that

$$QA = QB$$

Proof:

In  $\triangle APQ$  and  $\triangle BPQ$

$$AP = PB \quad [P \text{ is the mid-point of } AB]$$

$$\angle APQ = \angle BPQ = 90^\circ \quad [PQ \text{ is perpendicular to } AB]$$

$$PQ = PQ \quad [\text{Common}]$$

$\therefore$  By Side-Angle-Side criterion of congruence,


$$\triangle APQ \cong \triangle BPQ$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore QA = QB \quad [c.p.c.t.]$$

**Solution 8:**

From M, draw ML such that ML is perpendicular to AB and MN is perpendicular to AC



In  $\triangle ALM$  and  $\triangle ANM$

$$\angle LAM = \angle MAN \quad [\because AP \text{ is the bisector of } \angle BAC]$$

$$\angle ALM = \angle ANM = 90^\circ \quad [\because ML \perp AB, MN \perp AC]$$

$$AM = AM \quad [\text{Common}]$$

$\therefore$  By Angle-Angle-Side criterion of congruence,  
 $\triangle ALM \cong \triangle ANM$

The corresponding parts of the congruent triangles are congruent.

$$\therefore ML = MN \quad [\text{c.p.c.t}]$$

Hence proved.

### Solution 9:


Given: ABCD is a parallelogram in which E is the mid-point of BC.

We need to prove that

(i)  $\triangle DCE \cong \triangle LBE$

(ii)  $AB = BL$

(iii)  $AL = 2DC$



(i) In  $\triangle DCE$  and  $\triangle LBE$

$\angle DCE = \angle EBL$  [DC  $\parallel$  AB, alternate angles]

$CE = EB$  [E is the midpoint of BC]

$\angle DEC = \angle LEB$  [vertically opposite angles]

$\therefore$  By Angle-Side-Angle criterion of congruence, we have,

$\triangle DCE \cong \triangle LBE$

The corresponding parts of the congruent triangles are congruent.

$\therefore DC = LB$  [c.p.c.t] ... (1)

(ii)  $DC = AB$  [opposite sides of a parallelogram] ... (2)

From (1) and (2),  $AB = BL$  ... (3)

(iii)  $AL = AB + BL$  ... (4)

From (3) and (4),  $AL = AB + AB$

$\Rightarrow AL = 2AB$

$\Rightarrow AL = 2DC$  [from (2)]

**Solution 10:**

Given: In the figure  $AB = DB$ ,  $AC = DC$ ,  $\angle ABD = 58^\circ$ ,  
 $\angle DBC = (2x - 4)^\circ$ ,  $\angle ACB = (y + 15)^\circ$  and  $\angle DCB = 63^\circ$   
We need to find the values of  $x$  and  $y$ .

In  $\triangle ABC$  and  $\triangle DBC$

$$AB = DB \quad [\text{given}]$$

$$AC = DC \quad [\text{given}]$$

$$BC = BC \quad [\text{common}]$$

$\therefore$  By Side-Side-Side criterion of congruence, we have,

$$\triangle ABC \cong \triangle DBC$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore \angle ACB = \angle DCB \quad [\text{c.p.c.t}]$$

$$\Rightarrow y^\circ + 15^\circ = 63^\circ$$

$$\Rightarrow y^\circ = 63^\circ - 15^\circ$$

$$\Rightarrow y^\circ = 48^\circ$$

$$\text{and } \angle ABC = \angle DBC \quad [\text{c.p.c.t}]$$

$$\text{But, } \angle DBC = (2x - 4)^\circ$$

$$\text{We have } \angle ABC + \angle DBC = \angle ABD$$

$$\Rightarrow (2x - 4)^\circ + (2x - 4)^\circ = 58^\circ$$

$$\Rightarrow 4x - 8^\circ = 58^\circ$$

$$\Rightarrow 4x = 58^\circ + 8^\circ$$

$$\Rightarrow 4x = 66^\circ$$

$$\Rightarrow x = \frac{66^\circ}{4}$$

$$\Rightarrow x = 16.5^\circ$$

Thus the values of  $x$  and  $y$  are:

$$x = 16.5^\circ \text{ and } y = 48^\circ$$

**Solution 11:**

In the given figure  $AB \parallel FD$ ,

$$\Rightarrow \angle ABC = \angle FDC$$

Also  $AC \parallel GE$ ,

$$\Rightarrow \angle ACB = \angle GEB$$

Consider the two triangles  $\triangle GBE$  and  $\triangle FDC$

$$\angle B = \angle D$$

$$\angle C = \angle E$$

Also given that

$$BD = CE$$

$$\Rightarrow BD + DE = CE + DE$$

$$\Rightarrow BE = DC$$

$\therefore$  By Angle – Side – Angle criterion of congruence

$$\triangle GBE \cong \triangle FDC$$

$$\therefore \frac{GB}{FD} = \frac{BE}{DC} = \frac{GE}{FC}$$

But  $BE = DC$


$$\Rightarrow \frac{BE}{DC} = \frac{BE}{BE} = 1$$

$$\therefore \frac{GB}{FD} = \frac{BE}{DC} = 1$$

$$\Rightarrow GB = FD$$

$$\therefore \frac{GE}{FC} = \frac{BE}{DC} = 1$$

$$\Rightarrow GE = FC$$

**Solution 12:**

In  $\triangle ADB$  and  $\triangle ADC$ ,

$AB = AC$  (Since  $\triangle ABC$  is an isosceles triangle)

$AD = AD$  (common side)

$\angle ADB = \angle ADC$  (Since  $AD$  is the altitude so each is  $90^\circ$ )

$\Rightarrow \triangle ADB \cong \triangle ADC$  (RHS congruence criterion)

$BD = DC$  (cpct)

$\Rightarrow AD$  is the median.

**Solution 13:**

In  $\triangle DLB$  and  $\triangle DMC$ ,

$BL = CM$  (given)

$\angle DLB = \angle DMC$  (Both are  $90^\circ$ )

$\angle BDL = \angle CDM$  (vertically opposite angles)

$\therefore \triangle DLB \cong \triangle DMC$  (AAS congruence criterion)

$BD = CD$  (cpct)

Hence,  $AD$  is the median of  $\triangle ABC$ .

**Solution 14:**

(i) In  $\triangle ADB$  and  $\triangle ADC$ ,

$\angle ADB = \angle ADC$  (Since  $AD$  is perpendicular to  $BC$ )

$AB = AC$  (given)

$AD = AD$  (common side)

$\therefore \triangle ADB \cong \triangle ADC$  (RHS congruence criterion)

$\Rightarrow BD = CD$  (cpct)

(ii) In  $\triangle EFB$  and  $\triangle EDB$ ,

$\angle EFB = \angle EDB$  (both are  $90^\circ$ )

$EB = EB$  (common side)

$\angle FBE = \angle DBE$  (given)

$\therefore \triangle EFB \cong \triangle EDB$  (AAS congruence criterion)

$\Rightarrow EF = ED$  (cpct)

that is,  $ED = EF$ .

**Solution 15:**

In  $\triangle ABC$  and  $\triangle EFD$ ,

$AB \parallel EF \Rightarrow \angle ABC = \angle EFD$  (alternate angles)

$AC = ED$  (given)

$\angle ACB = \angle EDF$  (given)

$\therefore \triangle ABC \cong \triangle EFD$  (AAS congruence criterion)

$\Rightarrow AB = FE$  (cpct)

and  $BC = DF$  (cpct)

$\Rightarrow BD + DC = CF + DC$  (B - D - C - F)

$\Rightarrow BD = CF$

**Exercise 9(B)**

**Solution 1:**


Given:  $\triangle ABD$  is an equilateral triangle

$\triangle ACE$  is an equilateral triangle

We need to prove that

(i)  $\angle CAD = \angle BAE$

(ii)  $CD = BE$



Proof:

(i)

$\triangle ABD$  is equilateral

$\therefore$  Each angle =  $60^\circ$

$\Rightarrow \angle BAD = 60^\circ$  ... (1)

Similarly,

$\triangle ACE$  is equilateral

$\therefore$  Each angle =  $60^\circ$

$\Rightarrow \angle CAE = 60^\circ$  ... (2)

$\Rightarrow \angle BAD = \angle CAE$  [from (1) and (2)] ... (3)



Adding  $\angle BAC$  to both sides, we have

$$\angle BAD + \angle BAC = \angle CAE + \angle BAC$$

$$\Rightarrow \angle CAD = \angle BAE \quad \dots(4)$$

(ii)

In  $\triangle CAD$  and  $\triangle BAE$

$$AC = AE \quad [\triangle ACE \text{ is equilateral}]$$

$$\angle CAD = \angle BAE \quad [\text{from (4)}]$$

$$AD = AB \quad [\triangle ABD \text{ is equilateral}]$$

$\therefore$  By Side-Angle-Side criterion of congruency,

$$\triangle CAD \cong \triangle BAE$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore CD = BE \quad [\text{by c.p.c.t}]$$

Hence proved.


### Solution 2:

Given: ABCD is a square and  $\triangle APB$  is an equilateral triangle.

We need to

(i) Prove that,  $\triangle APD \cong \triangle BPC$

(ii) To find angles of  $\triangle DPC$



(a)

(i) Proof:

$AP = PB = AB$  [ $\triangle APB$  is an equilateral triangle]

Also, we have,

$$\angle PBA = \angle PAB = \angle APB = 60^\circ \quad \dots(1)$$

Since ABCD is a square, we have

$$\angle A = \angle B = \angle C = \angle D = 90^\circ \quad \dots(2)$$

$$\text{Since } \angle DAP = \angle A - \angle PAB \quad \dots(3)$$

$$\Rightarrow \angle DAP = 90^\circ - 60^\circ$$

$$\Rightarrow \angle DAP = 30^\circ \quad [\text{from (1) and (2)}] \quad \dots(4)$$

$$\text{Similarly } \angle CBP = \angle B - \angle PBA$$

$$\Rightarrow \angle CBP = 90^\circ - 60^\circ$$

$$\Rightarrow \angle CBP = 30^\circ \quad [\text{from (1) and (2)}] \quad \dots(5)$$

$$\Rightarrow \angle DAP = \angle CBP \quad [\text{from (4) and (5)}] \quad \dots(6)$$

In  $\triangle APD$  and  $\triangle BPC$

$$AD = BC \quad [\text{Sides of square } ABCD]$$

$$\angle DAP = \angle CBP \quad [\text{from (6)}]$$

$$AP = BP \quad [\text{Sides of equilateral } \triangle APB]$$

$\therefore$  By Side-Angle-Side criterion of congruence, we have,

$$\triangle APD \cong \triangle BPC$$

(ii)

$$AP = PB = AB \quad [\triangle APB \text{ is an equilateral triangle}] \quad \dots(7)$$

$$AB = BC = CD = DA \quad [\text{Sides of square } ABCD] \quad \dots(8)$$

From (7) and (8), we have

$$AP = DA \text{ and } PB = BC \quad \dots(9)$$

In  $\triangle APD$ ,

$$AP = DA \quad [\text{from (9)}]$$

$$\therefore \angle ADP = \angle APD \quad \left[ \begin{array}{l} \text{Angles opposite to} \\ \text{equal sides are equal} \end{array} \right] \quad \dots(10)$$

$$\angle ADP + \angle APD + \angle DAP = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow \angle ADP + \angle ADP + 30^\circ = 180^\circ \quad \left[ \begin{array}{l} \text{from (3), } \angle DAP = 30^\circ \\ \text{from (10), } \angle ADP = \angle APD \end{array} \right]$$

$$\Rightarrow \angle ADP + \angle ADP = 180^\circ - 30^\circ$$

$$\Rightarrow 2\angle ADP = 150^\circ$$

$$\Rightarrow \angle ADP = \frac{150^\circ}{2}$$

$$\Rightarrow \angle ADP = 75^\circ$$

$$\text{We have } \angle PDC = \angle D - \angle ADP$$

$$\Rightarrow \angle PDC = 90^\circ - 75^\circ$$

$$\Rightarrow \angle PDC = 15^\circ \quad \dots(11)$$

In  $\triangle BPC$ ,

$$PB=BC \quad [\text{from (9)}]$$

$$\therefore \angle PCB = \angle BPC \quad \left[ \begin{array}{l} \text{Angles opposite to} \\ \text{equal sides are equal} \end{array} \right] \quad \dots(12)$$

$$\angle PCB + \angle BPC + \angle CBP = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow \angle PCB + \angle PCB + 30^\circ = 180^\circ \quad \left[ \begin{array}{l} \text{from (5), } \angle CBP = 30^\circ \\ \text{from (12), } \angle PCB = \angle BPC \end{array} \right]$$

$$\Rightarrow 2\angle PCB = 180^\circ - 30^\circ$$

$$\Rightarrow \angle PCB = \frac{150^\circ}{2}$$

$$\Rightarrow \angle PCB = 75^\circ$$

$$\text{We have } \angle PCD = \angle C - \angle PCB$$

$$\Rightarrow \angle PCD = 90^\circ - 75^\circ$$

$$\Rightarrow \angle PCD = 15^\circ \quad \dots(13)$$

In  $\triangle DPC$ ,

$$\angle PDC = 15^\circ$$

$$\angle PCD = 15^\circ$$

$$\angle PCD + \angle PDC + \angle DPC = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow 15^\circ + 15^\circ + \angle DPC = 180^\circ$$

$$\Rightarrow \angle DPC = 180^\circ - 30^\circ$$

$$\Rightarrow \angle DPC = 150^\circ$$

$$\therefore \text{Angles of } \triangle DPC, \text{ are: } 15^\circ, 150^\circ, 15^\circ$$

(b)

(i) Proof: In  $\triangle APB$

$$AP=PB=AB \quad [\triangle APB \text{ is an equilateral triangle}]$$

Also, we have,

$$\angle PBA = \angle PAB = \angle APB = 60^\circ \quad \dots(1)$$


Since ABCD is a square, we have

$$\angle A = \angle B = \angle C = \angle D = 90^\circ \quad \dots(2)$$

$$\text{Since } \angle DAP = \angle A + \angle PAB \quad \dots(3)$$

$$\Rightarrow \angle DAP = 90^\circ + 60^\circ$$

$$\Rightarrow \angle DAP = 150^\circ \quad [\text{from (1) and (2)}] \quad \dots(4)$$



Similarly  $\angle CBP = \angle B + \angle PBA$

$$\Rightarrow \angle CBP = 90^\circ + 60^\circ$$

$$\Rightarrow \angle CBP = 150^\circ \quad [\text{from (1) and (2)}] \quad \dots(5)$$

$$\Rightarrow \angle DAP = \angle CBP \quad [\text{from (4) and (5)}] \quad \dots(6)$$

In  $\triangle APD$  and  $\triangle BPC$

$$AD = BC \quad [\text{Sides of square } ABCD]$$

$$\angle DAP = \angle CBP \quad [\text{from (6)}]$$

$$AP = BP \quad [\text{Sides of equilateral } \triangle APB]$$

$\therefore$  By Side-Angle-Side criterion of congruence, we have,

$$\triangle APD \cong \triangle BPC$$

(ii)

$$AP = PB = AB \quad [\triangle APB \text{ is an equilateral triangle}] \quad \dots(7)$$

$$AB = BC = CD = DA \quad [\text{Sides of square } ABCD] \quad \dots(8)$$

From (7) and (8), we have

$$AP=DA \text{ and } PB=BC \quad \dots(9)$$

In  $\triangle APD$ ,

$$AP=DA \quad [\text{from (9)}]$$

$$\therefore \angle ADP = \angle APD \quad \left[ \begin{array}{l} \text{Angles opposite to} \\ \text{equal sides are equal} \end{array} \right] \quad \dots(10)$$

$$\angle ADP + \angle APD + \angle DAP = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow \angle ADP + \angle ADP + 150^\circ = 180^\circ \quad \left[ \begin{array}{l} \text{from (3), } \angle DAP = 150^\circ \\ \text{from (10), } \angle ADP = \angle APD \end{array} \right]$$

$$\Rightarrow \angle ADP + \angle ADP = 180^\circ - 150^\circ$$

$$\Rightarrow 2\angle ADP = 30^\circ$$

$$\Rightarrow \angle ADP = \frac{30^\circ}{2}$$

$$\Rightarrow \angle ADP = 15^\circ$$

We have  $\angle PDC = \angle D - \angle ADP$

$$\Rightarrow \angle PDC = 90^\circ - 15^\circ$$

$$\Rightarrow \angle PDC = 75^\circ \quad \dots(11)$$

In  $\triangle BPC$ ,

$$PB=BC \quad [\text{from (9)}]$$

$$\therefore \angle PCB = \angle BPC \quad \left[ \begin{array}{l} \text{Angles opposite to} \\ \text{equal sides are equal} \end{array} \right] \quad \dots(12)$$

$$\angle PCB + \angle BPC + \angle CBP = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow \angle PCB + \angle PCB + 150^\circ = 180^\circ \quad \left[ \begin{array}{l} \text{from (5), } \angle CBP = 150^\circ \\ \text{from (12), } \angle PCB = \angle BPC \end{array} \right]$$

$$\Rightarrow 2\angle PCB = 180^\circ - 150^\circ$$

$$\Rightarrow \angle PCB = \frac{30^\circ}{2}$$

$$\Rightarrow \angle PCB = 15^\circ$$

We have  $\angle PCD = \angle C - \angle PCB$

$$\Rightarrow \angle PCD = 90^\circ - 15^\circ$$

$$\Rightarrow \angle PCD = 75^\circ \quad \dots(13)$$

In  $\triangle DPC$ ,

$$\angle PDC = 75^\circ$$

$$\angle PCD = 75^\circ$$

$$\angle PCD + \angle PDC + \angle DPC = 180^\circ \quad \left[ \begin{array}{l} \text{Sum of angles of} \\ \text{a triangle} = 180^\circ \end{array} \right]$$

$$\Rightarrow 75^\circ + 75^\circ + \angle DPC = 180^\circ$$

$$\Rightarrow \angle DPC = 180^\circ - 150^\circ$$

$$\Rightarrow \angle DPC = 30^\circ$$

$\therefore$  Angles of  $\triangle DPC$ , are:  $75^\circ, 30^\circ, 75^\circ$

### Solution 3:

Given: A  $\triangle ABC$  is right angled at  $B$ .

$ABPQ$  and  $ACRS$  are squares

We need to prove that

$$(i) \triangle ACQ \cong \triangle ASB$$

$$(ii) CQ = BS$$

Proof:

(i)

$$\angle QAB = 90^\circ \quad [ABPQ \text{ is a square}] \quad \dots(1)$$

$$\angle SAC = 90^\circ \quad [ACRS \text{ is a square}] \quad \dots(2)$$

From (1) and (2), we have

$$\angle QAB = \angle SAC \quad \dots(3)$$

Adding  $\angle BAC$  to both sides of (3), we have

$$\angle QAB + \angle BAC = \angle SAC + \angle BAC$$

$$\Rightarrow \angle QAC = \angle SAB \quad \dots(4)$$

In  $\triangle ACQ$  and  $\triangle ASB$ ,

$$QA = QB \quad [\text{sides of a square } ABPQ]$$

$$\angle QAC = \angle SAB \quad [\text{from (4)}]$$

$$AC = AS \quad [\text{sides of a square } ACRS]$$

$\therefore$  By Angle-Angle-Side criterion of congruence,

$$\triangle ACQ \cong \triangle ASB$$

(ii)

The corresponding parts of the congruent triangles are congruent.

$$\therefore CQ = BS \quad [c.p.c.t.]$$


#### Solution 4:

Given: A  $\triangle ABC$  in which  $BD$  is the median to  $AC$ .

$BD$  is produced to  $E$  such that  $BD=DE$ .

We need to prove that  $AE \parallel BC$ .

Construction: Join  $AE$



Proof:

$$AD = DC \quad [BD \text{ is median to } AC] \quad \dots(1)$$

In  $\triangle BDC$  and  $\triangle ADE$

$$BD = DE \quad [\text{Given}]$$

$$\angle BDC = \angle ADE = 90^\circ \quad [\text{vertically opposite angles}]$$

$$AD = DC \quad [\text{from (1)}]$$

$\therefore$  By Side-Angle-Side criterion of congruence,

$$\triangle BDC \cong \triangle ADE$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore \angle EAD = \angle BCD \quad [\text{c.p.c.t}]$$

But these are alternate angles and  $AC$  is the transversal

Thus,  $AE \parallel BC$



### Solution 5:

Given: A  $\triangle PQR$  in which  $QX$  is the bisector of  $\angle Q$  and  $RX$  is the bisector of  $\angle R$ .


$XS \perp QR$  and  $XT \perp PQ$ .

We need to prove that

(i)  $\triangle XTQ \cong \triangle XSQ$

(ii)  $PX$  bisects  $\angle P$

Construction: Draw  $XZ \perp PR$  and join  $PX$ .



Proof:

(i)

In  $\triangle XTQ$  and  $\triangle XSQ$

$\angle QTX = \angle QSX = 90^\circ$  [ $XS \perp QR$  and  $XT \perp PQ$ ]

$\angle TQX = \angle SQX$  [ $QX$  is bisector of  $\angle Q$ ]

$QX = QX$  [Common]

$\therefore$  By Angle-Angle-Side criterion of congruence,

$\triangle XTQ \cong \triangle XSQ$  ... (1)

(ii)

The corresponding parts of the congruent triangles are congruent.

$\therefore XT = XS$  [c.p.c.t.]

In  $\triangle XSR$  and  $\triangle XZR$

$\angle XSR = \angle XZR = 90^\circ$  [ $XS \perp QR$  and  $\angle XSR = 90^\circ$ ]

$\angle SRX = \angle ZRX$  [ $RX$  is bisector of  $\angle R$ ]

$$RX = RX \quad [\text{Common}]$$

$\therefore$  By Angle-Angle-Side criterion of congruence,

$$\Delta XSR \cong \Delta XZR$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore XS = XZ \quad [\text{c.p.c.t}] \quad \dots(2)$$

From (1) and (2)

$$XT = XZ \quad \dots(3)$$

In  $\Delta XTP$  and  $\Delta XZP$

$$\angle XTP = \angle XZP = 90^\circ \quad [\text{Given}]$$

$$\text{Hyp. } XP = \text{Hyp. } XP \quad [\text{Common}]$$

$$XT = XZ \quad [\text{from (3)}]$$

$\therefore$  By Right angle-Hypotenuse-Side criterion of congruence,

$$\Delta XTP \cong \Delta XZP$$


The corresponding parts of the congruent triangles are congruent.

$$\therefore \angle XPT = \angle XPZ \quad [\text{c.p.c.t}]$$

$\therefore PX$  bisects  $\angle P$

### Solution 6:

ABCD is a parallelogram in which  $\angle A$  and  $\angle C$  are obtuse.



Points X and Y are taken on the diagonal BD such that  $\angle XAD = \angle YCB = 90^\circ$ .

We need to prove that  $XA = YC$

Proof:

In  $\triangle XAD$  and  $\triangle YCB$

$$\angle XAD = \angle YCB = 90^\circ \quad [\text{Given}]$$

$$AD = BC \quad [\text{Opposite sides of a parallelogram}]$$

$$\angle ADX = \angle CBY \quad [\text{Alternate angles}]$$

$\therefore$  By Angle-Side-Angle criterion of congruence,

$$\triangle XAD \cong \triangle YCB$$


The corresponding parts of the congruent triangles are congruent.

$$\therefore XA = YC \quad [\text{c.p.c.t}]$$

Hence proved.

**Solution 7:**

ABCD is a parallelogram. The sides AB and AD are produced to E and F respectively, such that  $AB = BE$  and  $AD = DF$ . We need to prove that  $\triangle BEC \cong \triangle DCF$



Proof:

$$AB = DC \quad \left[ \begin{array}{l} \text{Opposite sides of a} \\ \text{parallelogram} \end{array} \right] \quad \dots(1)$$

$$AB = BE \quad [\text{Given}] \quad \dots(2)$$

From (1) and (2), we have

$$BE = DC \quad \dots(3)$$

$$AD = BC \quad \left[ \begin{array}{l} \text{Opposite sides of a} \\ \text{parallelogram} \end{array} \right] \quad \dots(4)$$

$$AD = DF \quad [\text{Given}] \quad \dots(5)$$

From (4) and (5), we have

$$BC = DF \quad \dots(6)$$

Since  $AD \parallel BC$ , the corresponding angles are equal.

$$\therefore \angle DAB = \angle CBE \quad \dots(7)$$

Since  $AB \parallel DC$ , the corresponding angles are equal.

$$\therefore \angle DAB = \angle FDC \quad \dots(8)$$

From (7) and (8), we have

$$\angle CBE = \angle FDC \quad \dots(9)$$

In  $\triangle BEC$  and  $\triangle DCF$

In  $\triangle BEC$  and  $\triangle DCF$

$$BE = DC \quad [\text{from (3)}]$$

$$\angle CBE = \angle FDC \quad [\text{from (9)}]$$

$$BC = DF \quad [\text{from (6)}]$$

$\therefore$  By Side-Angle-Side criterion of congruence,

$$\triangle BEC \cong \triangle DCF$$

Hence proved.

### Solution 8:

Since,  $BC = QR$ , we have

$$BD = QS \text{ and } DC = SR \quad \left[ \begin{array}{l} \text{D is the midpoint of BC and} \\ \text{S is the midpoint of QR} \end{array} \right]$$

In  $\triangle ABD$  and  $\triangle PQS$

$$AB = PQ \quad \dots(1)$$

$$AD = PS \quad \dots(2)$$

$$BD = QS \quad \dots(3)$$

Thus, by Side-Side-Side criterion of congruence,  
we have  $\triangle ABD \cong \triangle PQS$

Similarly, in  $\triangle ADC$  and  $\triangle PSR$

$$AD = PS \quad \dots(4)$$

$$AC = PR \quad \dots(5)$$

$$DC = SR \quad \dots(6)$$

Thus, by Side-Side-Side criterion of congruence,  
we have  $\triangle ADC \cong \triangle PSR$

We have

$$\begin{aligned} BC &= BD + DC \quad [\text{D is the midpoint of BC}] \\ &= QS + SR \quad [\text{from (3) and (6)}] \\ &= QR \quad [\text{S is the midpoint of QR}] \quad \dots(7) \end{aligned}$$

Now consider the triangles  $\triangle ABC$  and  $\triangle PQR$

$$AB = PQ \quad [\text{from (1)}]$$

$$BC = QR \quad [\text{from (7)}]$$

$$AC = PR \quad [\text{from (5)}]$$

$\therefore$  By Side-Side-Side criterion of congruence, we  
have  $\triangle ABC \cong \triangle PQR$

Hence proved.

**Solution 9:**

In the figure, AP and BQ are equal and parallel to each other.  $\therefore AP=BQ$  and  $AP \parallel BQ$ .

We need to prove that

(i)  $\triangle AOP \cong \triangle BOQ$

(ii) AB and PQ bisect each other

(i)  $\because AP \parallel BQ$

$\therefore \angle APO = \angle BQO$  [Alternate angles] ... (1)

and  $\angle PAO = \angle QBO$  [Alternate angles] ... (2)

Now in  $\triangle AOP$  and  $\triangle BOQ$ ,

$\angle APO = \angle BQO$  [from (1)]

$AP = BQ$  [given]

$\angle PAO = \angle QBO$  [from (2)]

$\therefore$  By Angle-Side-Angle criterion of congruence, we have

$\triangle AOP \cong \triangle BOQ$

(ii)

The corresponding parts of the congruent triangles are congruent.

$\therefore OP = OQ$  [c.p.c.t.]

$OA = OB$  [c.p.c.t.]

Hence AB and PQ bisect each other.

### Solution 10:

Given:

In the figure,  $OA=OC$ ,  $AB=BC$

We need to prove that,

(i)  $\angle AOB = 90^\circ$

(ii)  $\triangle AOD \cong \triangle COD$

(iii)  $AD = CD$

(i) In  $\triangle ABO$  and  $\triangle CBO$ ,

$$AB=BC \quad [\text{given}]$$

$$AO=CO \quad [\text{given}]$$

$$OB=OB \quad [\text{common}]$$

$\therefore$  By Side-Side-Side criterion of congruence, we have

$$\triangle ABO \cong \triangle CBO$$

The corresponding parts of the congruent triangles are congruent.

$$\therefore \angle ABO = \angle CBO \quad [\text{c.p.c.t}]$$

$$\Rightarrow \angle ABD = \angle CBD$$

$$\text{and } \angle AOB = \angle COB \quad [\text{c.p.c.t}]$$

We have

$$\angle AOB + \angle COB = 180^\circ \quad [\text{Linear pair}]$$

$$\Rightarrow \angle AOB = \angle COB = 90^\circ \text{ and } AC \perp BD$$

(ii) In  $\triangle AOD$  and  $\triangle COD$ ,

$$OD=OD \quad [\text{common}]$$

$$\angle AOD = \angle COD \quad [\text{each} = 90^\circ]$$

$$AO=CO \quad [\text{given}]$$

$\therefore$  By Side-Angle-Side criterion of congruence, we have

$$\triangle AOD \cong \triangle COD$$

(iii)


The corresponding parts of the congruent triangles are congruent.

$$\therefore AD=CD \quad [\text{c.p.c.t}]$$

Hence proved.

**Solution 11:**

In  $\triangle ABC$ ,  $AB = AC$ . M and N are points on AB and AC such that  $BM = CN$ . BN and CM are joined.



(i) In  $\triangle BMC$  and  $\triangle CNB$

$$AB = AC \quad [\text{Given}] \quad \dots(1)$$

$$BM = CN \quad [\text{Given}] \quad \dots(2)$$

Subtracting (2) from (1), we have

$$AB - BM = AC - CN$$
$$\Rightarrow AM = AN \quad \dots(3)$$

(ii) Consider the triangles  $\triangle BMC$  and  $\triangle CNB$

$$AC = AB \quad [\text{given}]$$

$$\angle A = \angle A \quad [\text{common}]$$

$$AM = AN \quad [\text{from (3)}]$$

$\therefore$  By Side-Angle-Side criterion of congruence, we have  $\triangle BMC \cong \triangle CNB$

(iii)



The corresponding parts of the congruent triangles are congruent.

$$\therefore CM = BN \quad [\text{c.p.c.t}] \quad \dots(4)$$

(iv) Consider the triangles  $\triangle BMC$  and  $\triangle CNB$


$$BM = CN \quad [\text{given}]$$

$$BC = BC \quad [\text{common}]$$

$$CM = BN \quad [\text{from (4)}]$$

$\therefore$  By Side-Side-Side criterion of congruence, we have  $\triangle BMC \cong \triangle CNB$

### Solution 12:



In  $\triangle ABD$  and  $\triangle CBE$ ,

$$AB = BC \quad (\text{given})$$


$$\angle ADB = \angle CEB = 90^\circ$$

$$\angle B = \angle B \quad (\text{common angle})$$

$$\therefore \triangle ABD \cong \triangle CBE \quad (\text{by SAS congruence})$$

$$\Rightarrow AD = CE \quad (\text{cpct})$$

**Solution 13:**



Given :  $PL = RM$

To prove:  $SP = PQ$  and  $MP = PL$

Pr oof :

Since SR and PQ are opposite sides of a parallelogram,

$$PQ = SR \quad \dots(1)$$

$$\text{Also, } PL = RM \quad \dots(2)$$

Subtracting (2) from (1),

$$PQ - PL = SR - RM$$

$$\Rightarrow LQ = SM \quad \dots(3)$$

Now, in  $\triangle SMP$  and  $\triangle QLP$ ,

$$\angle MSP = \angle PQL \quad (\text{alternate interior angles})$$

$$\angle SMP = \angle PLQ \quad (\text{alternate interior angles})$$

$$SM = LQ \quad [\text{From (3)}]$$

$$\therefore \triangle SMP \cong \triangle QLP \quad (\text{by ASA congruence})$$

$$\Rightarrow SP = PQ \text{ and } MP = PL \quad (\text{cpct})$$

$$\Rightarrow LM \text{ and } QS \text{ bisect each other.}$$

**Solution 14:**

$\triangle ABC$  is an equilateral triangle.

So, each of its angles equals  $60^\circ$ .

$QP$  is parallel to  $AC$ ,

$$\Rightarrow \angle PQB = \angle RAQ = 60^\circ$$

In  $\triangle QBP$ ,

$$\angle PBQ = \angle BQP = 60^\circ$$

So,  $\angle PBQ + \angle BQP + \angle BPQ = 180^\circ$  (angle sum property)

$$\Rightarrow 60^\circ + 60^\circ + \angle BPQ = 180^\circ$$

$$\Rightarrow \angle BPQ = 60^\circ$$

So,  $\triangle BPQ$  is an equilateral triangle.

$$\Rightarrow QP = BP$$

$$\Rightarrow QP = CR \dots (i)$$

Now,  $\angle QPM + \angle BPQ = 180^\circ$  (linear pair)

$$\Rightarrow \angle QPM + 60^\circ = 180^\circ$$

$$\Rightarrow \angle QPM = 120^\circ$$

Also,  $\angle RCM + \angle ACB = 180^\circ$  (linear pair)

$$\Rightarrow \angle RCM + 60^\circ = 180^\circ$$

$$\Rightarrow \angle RCM = 120^\circ$$

In  $\triangle RCM$  and  $\triangle QMP$ ,

$$\angle RCM = \angle QPM \quad (\text{each is } 120^\circ)$$

$$\angle RMC = \angle QMP \quad (\text{vertically opposite angles})$$

$$QP = CR \quad (\text{from (i)})$$

$$\Rightarrow \triangle RCM \cong \triangle QMP \quad (\text{AAS congruence criterion})$$

$$\text{So, } CM = PM$$

$$\Rightarrow QR \text{ bisects } PC.$$