


Chapter 14. Constructions of Triangles

Ex 14.1

Answer 1.

(i) $AB = 6.5\text{ cm}$, $BC = 8.4\text{ cm}$ and $AC = 7.2\text{ cm}$




Steps of Construction:

1. Draw $AB = 6.5\text{ cm}$
2. With A as centre and radius 7.2 cm , draw an arc.
3. With B as centre and radius 8.4 cm , draw another arc to cut the first arc at C.
4. Join AC and BC.

Thus, ABC is the required triangle.

(ii) $PQ = 4.8\text{ cm}$, $QR = 6.3\text{ cm}$ and $PR = 5.5\text{ cm}$




Steps of Construction:

1. Draw $PQ = 4.8\text{ cm}$
2. With P as centre and radius 5.5 cm , draw an arc.
3. With Q as centre and radius 6.3 cm , draw another arc to cut the first arc at R.
4. Join PR and QR.

Thus, PQR is the required triangle.

(iii) $DE = 6.5\text{ cm}$, $EF = 5.8\text{ cm}$ and $DF = 4.2\text{ cm}$




Steps of Construction:

1. Draw $DE = 6.5\text{ cm}$
2. With D as centre and radius 4.2 cm , draw an arc.
3. With E as centre and radius 5.8 cm , draw another arc to cut the first arc at F.
4. Join DF and EF.

Thus, DEF is the required triangle.

Answer 2.

(i) $BC = 6\text{ cm}$, $AC = 5.0\text{ cm}$ and $\angle C = 60^\circ$




Steps of Construction:

1. Draw a line segment $BC = 6\text{ cm}$.
2. With C as centre, draw an arc to cut BC at P.
3. With P as centre and the same radius, cut the arc at Q.
4. Draw a ray CX passing Q. CX makes an angle of 60° with BC.
5. With C as centre and radius 5 cm cut an arc on CX and mark the point as A.
6. Join AB.

Thus, ABC is the required triangle.

(ii) $XY = 5.2$ cm, $XZ = 6.5$ cm and $\angle X = 75^\circ$




Steps of Construction:

1. Draw a line segment $XY = 5.2$ cm
2. With X as centre, draw an arc cutting XY at L.
3. With L as centre and same radius, cut the arc at M and then from M, with same radius, cut the arc at N.
4. With M and N as centre bisect $\angle MXN$ thus formed to draw a ray XP .
5. Again bisect the $\angle MXP$. Let XR be the bisector. XR makes an angle of 75° with XY .
6. With X as centre and radius 6.5 cm cut an arc on XR and mark the point as Z.
7. Join YZ

Thus, XYZ is the required triangle.

(iii) $PQ = 6.2$ cm, $QR = 9.0$ cm and $\angle Q = 30^\circ$



Steps of Construction:

1. Draw a line segment $PQ = 6.2$ cm
2. With Q as centre, draw an arc cutting PQ at M.
3. With M as centre and same radius, cut the arc at N. Join QN .
4. Bisect $\angle NQP$. Let QY be the bisector. QY makes an angle of 30° with PQ .


5. With Q as centre and radius 9 cm cut an arc on QY. Mark the point as R.

6. Join PR.

Thus, PQR is the required triangle.

Answer 3.

(i) $BC = 6.0$ cm, $\angle B = 60^\circ$ and $\angle C = 45^\circ$




Steps of Construction:

1. Draw a line segment $BC = 6$ cm.
2. With B as centre, draw an arc meeting BC at M.
3. With M as centre and same radius, cut the arc at N.
4. Produce BN to BX. BX makes an angle of 60° with BC.
5. With C as centre, draw an arc meeting BC at P.
6. With P as centre and same radius, cut the arc at Q and with Q as centre and same radius, cut the arc at R.
7. With Q and R as centre, cut arcs and draw CY perpendicular to BC.
8. Bisect $\angle YCB$. Let CZ be the bisector. CZ makes an angle of 45° with BC.
9. Mark the point as A, where CZ and BX cut each other.

Thus, ABC is the required triangle.

(ii) $PQ = 6.2$ cm, $\angle P = 105^\circ$ and $\angle Q = 45^\circ$




Steps of Construction:

1. Draw a line segment $PQ = 6.2$ cm.
2. With P as centre, draw an arc meeting PQ at A.
3. With A as centre and same radius, cut the arc at B and with BQ as centre and same radius, cut the arc at C.

4. With B and C as centre, cut arcs and draw PM perpendicular to PQ.
 5. Bisect $\angle MPC$. Let PX be the bisector. PX makes an angle of 105° with PQ.
 6. With Q as centre, draw an arc meeting PQ at S.
 7. With S as centre and same radius, cut the arc at T and with T as centre and same radius, cut the arc at U.
 8. With T and U as centre, cut arcs and draw QN perpendicular to PQ.
 9. Bisect $\angle NQP$. Let QY be the bisector. QY makes an angle of 45° with PQ.
 10. Mark the point as R, where PX and QY cut each other.
- Thus, PQR is the required triangle.

(iii) $DE = 5$ cm, $\angle D = 75^\circ$ and $\angle E = 60^\circ$



Steps of Construction:

1. Draw a line segment $DE = 5$ cm
2. With D as centre, draw an arc cutting DE at P.
3. With P as centre and same radius, cut the arc at Q and then from Q, with same radius, cut the arc at R.
4. With Q and R as centre bisect $\angle RDQ$ thus formed to draw a ray XD.
5. Again bisect the $\angle XDQ$. Let DY be the bisector. DY makes an angle of 75° with DE.
6. With E as centre, draw an arc meeting DE at S.
7. With S as centre and same radius, cut the arc at T.
8. Produce ET to EZ. EZ makes an angle of 60° with DE.
9. Mark the point as F, where DY and EZ cut each other.


Thus, DEF is the required triangle.

Answer 4A.

Steps :

1. Draw $AB = 4.5$ cm
2. At B construct a ray BP such as $\angle ABP = 90^\circ$
3. With A as a centre and radius 7 cm, draw an arc to cut BP at C.
4. Join AC.

Thus, ABC is the required triangle.




Answer 4B.

Steps :

1. Draw $DE = 6$ cm.
2. At D, construct $\angle PDE = 90^\circ$
3. With E as centre, draw $\angle DEM = 30^\circ$
4. Ray DP and ray EM intersect at F.

Thus, DEF is the required triangle.



Answer 4C.

In $\triangle PQR$,

$QP = QR$ (given)

$\Rightarrow \angle QPR = \angle QRP$

Since hypotenuse $PR = 7$ cm, $\angle PQR = 90^\circ$

$\therefore \angle QPR + \angle QRP = 90^\circ$

$\Rightarrow \angle QPR = \angle QRP = 45^\circ$


Steps :

1. Draw $PR = 7$ cm.

2. Draw a ray PT such as $\angle RPT = 45^\circ$ and ray RS such as $\angle PRS = 45^\circ$

3. Ray RS and ray PT meets at Q .

Thus, PQR is the required triangle.



Answer 5A.

In $\triangle ABC$,

$AB = AC$ (given)

$\Rightarrow \angle ACB = \angle ABC = 75^\circ$


Steps :

1. Draw $BC = 6$ cm.

2. Construct angle $\angle BCM = 75^\circ$ and $\angle CBN = 75^\circ$

3. Ray CM and ray BN meets at A .

Thus, ABC is required angle.



Answer 5B.

In $\triangle XYZ$,

$$XY = XZ \quad \dots(\text{given})$$

$$\Rightarrow \angle XZY = \angle XYZ \quad \dots(i)$$

$$\angle X = 60^\circ \quad \dots(\text{given})$$

$$\text{Now, } \angle X + \angle Y + \angle Z = 180^\circ$$

$$60^\circ + \angle Y + \angle Y = 180^\circ \quad \dots[\text{From (i)}]$$

$$2\angle Y = 120^\circ$$

$$\Rightarrow \angle Y = 60^\circ = \angle Z$$


Steps :

1. Draw $YZ = 5.5$ cm.

2. Construct $\angle YZP = 60^\circ$ and $\angle ZYQ = 60^\circ$

3. Ray ZP and YQ meet at X .

Thus, XYZ is the required triangle.



Answer 5C.

In $\triangle PQR$,

$$PQ = QR \quad \dots(\text{given})$$

$$\Rightarrow \angle PRQ = \angle RPQ = 60^\circ$$


Steps :

1. Draw $PR = 4.5$ cm.

2. Construct $\angle PRU = 60^\circ$ and $\angle RPV = 60^\circ$

3. Ray RU and PV meet at Q .

Thus, PQR is the required triangle.




Answer 6A.

In the given isosceles $\triangle ABC$,
Base $BC = 6.4$ cm, Side $AB = 7.2$ cm
 $\Rightarrow AB = AC = 7.2$ cm

Steps :

1. Draw $BC = 6.4$ cm.
 2. With B as centre and radius 7.2 cm, draw an arc.
 3. With C as centre and radius 7.2 cm, draw another arc to cut the first arc at A.
 3. Join AB and AC
- Thus, ABC is required triangle.




Answer 6B.

Steps :

1. Draw $QR = 5.2$ cm.
2. Draw AMB, a perpendicular bisector of QR.
3. With M as centre and radius 4.8 cm, draw an arc to cut MN at P.
4. Join PQ and PR.

Thus, PQR is required triangle.



Answer 6C.

In isosceles $\triangle DEF$,

Base $DE = 6$ cm

$\angle F = 45^\circ$ (given)

$\Rightarrow \angle D = \angle E$ (DEF is isosceles triangle)

Now, $\angle D + \angle E + \angle F = 180^\circ$


$2\angle D + 45^\circ = 180^\circ$

$2\angle D = 135^\circ$

$\Rightarrow \angle D = \angle E = 67.5^\circ$


Steps :

1. Draw $DE = 6$ cm.
 2. Construct $\angle DEP = 67.5^\circ$ and $\angle EDQ = 67.5^\circ$
 3. Ray EP and ray DQ meets at F.
- Thus, DEF is the required triangle.



Answer 7.


(i) Altitude $RM = 5$ cm and vertex $\angle R = 120^\circ$



Steps of construction:


1. Draw a line SU of any length.
2. Take a point M on SU .
3. Through the point M on SU draw NM perpendicular to SU .
4. With M as centre and radius 5 cm, draw an arc to cut NM at R .
5. Construct $\angle MRP = \angle MRQ = \frac{1}{2} \times 120^\circ = 60^\circ$.
 - (a) With R as centre, draw an arc cutting RM at L .
 - (b) With L as centre and same radius, cut the arc at X and Y .
 - (c) Join RX and RY and produce them to T and V respectively. RT and RV make an angle of 60° with RM .
 - (d) Mark the points as P and Q where RT and RV meet SU .Thus, PQR is the required triangle.

(ii) Altitude $AD = 4$ cm and vertex $\angle A = 90^\circ$



Steps of construction:

1. Draw a line SU of any length.
 2. Take a point D on SU.
 3. Through the point D on SU draw ND perpendicular to SU.
 4. With D as centre and radius 4 cm, draw an arc to cut ND at A.
 5. Construct $\angle DAB = \angle DAC = \frac{1}{2} \times 90^\circ = 45^\circ$.
- (a) With A as centre, draw an arc cutting AD at L.
 - (b) With L as centre and same radius, cut the arc at X and Y.
 - (c) Using X and Y, draw PQ perpendicular to AD.
 - (d) Bisect $\angle PAD$ and $\angle QAD$. Let AT and AV are the bisectors. AT and AV make an angle of 45° with AD.
 - (e) Mark the points as B and C where AT and AV meet SU.
- Thus, ABC is the required triangle.
- (iii) Altitude XT = 6.8 cm and vertex $\angle X = 30^\circ$



Steps of construction:

1. Draw a line SU of any length.
 2. Take a point T on SU.
 3. Through the point T on SU draw NT perpendicular to SU.
 4. With T as centre and radius 6.8 cm, draw an arc to cut NT at X.
 5. Construct $\angle TXY = \angle TXZ = \frac{1}{2} \times 30^\circ = 15^\circ$.
- (a) With X as centre, draw an arc cutting XT at L.
 - (b) With L as centre and same radius, cut the arc at P and Q.
 - (c) Join PX and QX.
 - (d) Bisect $\angle PXT$ and $\angle QXT$. Let XA and XB be the bisectors.
 - (e) Again bisect $\angle AXT$ and $\angle BXT$. Let XR and XV be the bisectors. XR and XV make an angle of 15° with XT.
 - (f) Mark the points as Y and Z where XR and XV meet SU.

Thus, XYZ is the required triangle.

Answer 8.

Let, $\triangle UVW$ be the isosceles right-angled triangle,
right-angled at U.

Hypotenuse $VW = 6$ cm

$UV = UW$

$\Rightarrow \angle UWV = \angle UVW$

$\angle U = 90^\circ$


$\Rightarrow \angle UWV + \angle UVW = 90^\circ$

$\Rightarrow 2\angle UWV = 90^\circ$

$\Rightarrow \angle UWV = \angle UVW = 45^\circ$


Steps :

1. Draw $VW = 6$ cm.
 2. Construct $\angle WVY = 45^\circ$ and $\angle VWX = 45^\circ$
 3. Ray VY and ray WX meet at U.
- Thus, UVW is the required triangle.



Answer 9.

(i) Altitude $AD = 5$ cm




Steps of construction:

1. Draw a line segment PQ of any length.
2. Through a point D on PQ , draw AD perpendicular to PQ such that $AD = 5$ cm.
3. Through A , draw AB and AC making angles equal to 30° with AD and meeting PQ at B and C respectively.

Thus, ABC is the required triangle.


(ii) Altitude $PM = 3.6$ cm



Steps of construction:

1. Draw a line segment ST of any length.
 2. Through a point M on ST, draw PM perpendicular to ST such that $PM = 3.6$ cm.
 3. Through P, draw PQ and PR making angles equal to 30° with PM and meeting ST at Q and R respectively.
- Thus, PQR is the required triangle.

(iii) Altitude $OM = 5.8$ cm




Steps of construction:

1. Draw a line segment ST of any length.
2. Through a point M on ST, draw PM perpendicular to ST such that $OM = 5.8$ cm.
3. Through O, draw OQ and OR making angles equal to 30° with OM and meeting ST at Q and R respectively.

Thus, OQR is the required triangle.

Answer 10.

(i) $XY + YZ = 5.6$ cm, $XZ = 4.5$ cm and $\angle X = 45^\circ$




Steps of construction:

1. Draw a line segment $XZ = 4.5$ cm
2. With X as centre, construct $\angle SXZ = 45^\circ$
3. Cut $XT = 5.6$ cm on XS.
4. Join TZ.
5. Draw perpendicular bisector of TZ which cuts XT at Y.
6. Join YZ.

Thus XYZ is the required triangle.

(ii) $PQ + PR = 10.6$ cm, $QR = 4.8$ cm and $\angle R = 45^\circ$




Steps of construction:

1. Draw a line segment $QR = 4.8$ cm
2. With Q as centre, construct $\angle SQR = 45^\circ$
3. Cut $QT = 10.6$ cm on QS .
4. Join TR .
5. Draw perpendicular bisector of TR which cuts QT at P .
6. Join PR .

Thus PQR is the required triangle

(iii) $DE + DF = 10.3$ cm, $EF = 6.4$ cm and $\angle E = 75^\circ$




Steps of construction:

1. Draw a line segment $EF = 6.4$ cm
2. With E as centre, construct $\angle SEF = 75^\circ$
3. Cut $ET = 10.3$ cm on ES .
4. Join TF .
5. Draw perpendicular bisector of TF which cuts ET at D .
6. Join DF .

Thus DEF is the required triangle.

Answer 11.

- (i) $PQ - PR = 1.5$ cm, $QR = 6.0$ cm and $\angle Q = 45^\circ$




Steps of Construction:

1. Draw a line segment $QR = 6$ cm.
2. With Q as centre, draw $\angle TQR = 45^\circ$
3. From QT , cut $QS = 1.5$ cm
4. Join S and R
5. Draw perpendicular bisector of SR which cuts QT at P
6. Join PR .

Thus, PQR is the required triangle.

- (ii) $AB - AC = 1.2$ cm, $BC = 6.0$ cm and $\angle B = 60^\circ$




Steps of Construction:

1. Draw a line segment $BC = 6$ cm.
2. With B as centre, draw $\angle TBC = 60^\circ$
3. From BT , cut $BS = 1.2$ cm
4. Join S and C
5. Draw perpendicular bisector of SC which cuts BT at A
6. Join AC .

Thus, ABC is the required triangle.

(iii) $XY - XZ = 1.5$ cm, $YZ = 3.4$ cm and $\angle X = 45^\circ$




Steps of Construction:

1. Draw a line segment $YZ = 3.4$ cm.
2. With Y as centre, draw $\angle TYZ = 45^\circ$
3. From YT, cut $YS = 1.5$ cm
4. Join S and Z
5. Draw perpendicular bisector of SZ which cuts YT at X
6. Join XZ.

Thus, XYZ is the required triangle.

Answer 12.

(i) Perimeter of triangle is 6.4 cm, and the base angles are 60° and 45°




Steps of construction:

1. Draw $DE = 6.4$ cm.
2. Draw DP and EQ such that $\angle PDE = 45^\circ$ and $\angle QED = 60^\circ$
3. Draw AD and AE , the bisectors of angles PDE and QED respectively, intersecting each other at A .
4. Draw perpendicular bisectors of AD and AE , intersecting DE at points B and C respectively.
- 5 Join AB and AC .

Thus, ABC is the required triangle.

(ii) Perimeter of triangle is 9 cm, and the base angles are 60° and 45°




Steps of construction:

1. Draw $DE = 9$ cm.
2. Draw DP and EQ such that $\angle PDE = 45^\circ$ and $\angle QED = 60^\circ$
3. Draw AD and AE , the bisectors of angles PDE and QED respectively, intersecting each other at A .
4. Draw perpendicular bisectors of AD and AE , intersecting DE at points B and C respectively.
- 5 Join AB and AC .

Thus, ABC is the required triangle.

(iii) Perimeter of triangle is 10.6 cm, and the base angles are 60° and 90°




Steps of construction:

1. Draw $DE = 10.6$ cm.
2. Draw DP and EQ such that $\angle PDE = 90^\circ$ and $\angle QED = 60^\circ$
3. Draw AD and AE , the bisectors of angles PDE and QED respectively, intersecting each other at A .
4. Draw perpendicular bisectors of AD and AE , intersecting DE at points B and C respectively.
5. Join AB and AC .

Thus, ABC is the required triangle.

Answer 13.



Steps of construction:

1. Draw a line segment $YZ = 7.5$ cm
2. With Y as centre, draw an arc cutting YZ at L.
3. With L as centre and same radius, cut the arc at M.
4. Join Y and M. Produce YM to S. YS makes an angle of 60° with YZ.
5. With Z as centre, draw an arc cutting YZ at P.
6. With P as centre and same radius, cut the arc at Q, and with Q as centre and same radius cut the arc at R. Using Q and R, draw UZ perpendicular to YZ.
7. Bisect $\angle UZY$. Let TZ be the bisector. TZ makes an angle of 45° with YZ.
8. Bisect $\angle SYZ$ and $\angle TZY$.
9. Mark the point as O where the bisectors of $\angle SYZ$ and $\angle TZY$ meet.
10. On measuring $\angle YOZ = 127.5^\circ$

Answer 14.

Steps :


1. Draw $PQ = 5.4$ cm.
2. At P , construct $\angle PQT = 60^\circ$.
3. With Q as centre and radius 4.6 cm, draw an arc intersecting ray QT at R .
4. Join PR .

Thus, PQR is the required triangle.


Draw PU , the perpendicular bisector of QR intersecting QR at S .

Then, we have

$SQ = 2.3$ cm and $SP = 4.8$ cm



Answer 15.




Steps of construction:

1. Draw a line segment $ST = 5.4\text{ cm}$
2. With S as centre, draw SX making an angle of 60° with ST i.e. $\angle XST = 60^\circ$
3. Draw a straight line PQ parallel to ST at a distance of 3 cm from ST .
4. PQ meets SX at R .
5. Join RT .

Thus, RST is the required triangle with angle $RST = 60^\circ$.


Answer 16.



Steps of construction:

1. Draw a line segment ST of any length.
2. From any point Y on ST, draw XY perpendicular to ST.
3. With Y as centre and radius 3.5 cm mark a point P on XY.
4. With P as centre, draw an arc cutting XY at L.
5. With L as centre and same radius, cut the arc at O and M. With M as centre and same radius cut the arc at N.
6. Draw PZ perpendicular to XY using M and N.
7. Bisect angles OPY and ZPY making 30° and 45° angles with PY respectively.
(In triangle PQY, $\angle PQY = 60^\circ$, $\angle QYP = 90^\circ$; therefore $\angle QPY = 30^\circ$ and in triangle PYR, $\angle YRP = 45^\circ$, $\angle RYP = 90^\circ$; therefore $\angle YPR = 45^\circ$)
8. Join PQ and PR. PQR is the required triangle.
9. On measuring, $PQ = 4.1$ cm.

Answer 17.



Steps of construction:

1. Draw $DE = 10$ cm.
2. Draw DP and EQ such that $\angle PDE = 90^\circ$ and $\angle QED = 60^\circ$
3. Draw AD and AE , the bisectors of angles PDE and QED respectively, intersecting each other at A .
4. Draw perpendicular bisectors of AD and AE , intersecting DE at points B and C respectively.
- 5 Join AB and AC .

Thus, ABC is the required triangle.