

The following table shows how many minutes Asmita took to cycle to school every morning, from Monday to Saturday.

Day	Mon	Tue	Wed	Thu	Fri	Sat
Minutes	20	20	22	18	18	20

We see from the table that she takes 18 minute on some days, 20 on others and even 22 minutes on one day. If we consider these six school days, what would you say is the approximate time she takes to cycle to school?

In mathematics, to make such an estimate, we find the 'average'. If we add together the number of minutes required on each day and divide the sum by six, the number we get is, approximately, the time required every day. It is the 'average' of all six numbers.

Average = $\frac{\text{Sum of the number of minutes taken to cycle to school on each of six days}}{\text{Total days}}$ $= \frac{20 + 20 + 22 + 18 + 18 + 20}{6} = \frac{118}{6} = 19 \frac{2}{3}$

On an average, Asmita takes 19 $\frac{2}{3}$ minutes to cycle to school every day.

Example A school conducted a survey to find out how far their students live from the school. Given below is the distance of the houses of six of the students from the school. Let us find their average distance from the school.

950 m, 800 m, 700 m, 1.5 km, 1 km, 750 m

Solution: To find the average, we must first express all the distances in the same units.

Sum of the distance between home and school for six students



The average distance at which the students live from the school is 950 m.

Get More Learning Materials Here : 💶





Example Rutuja practised skipping with a rope all seven days of a week. The number of times she jumped the rope in one minute every day is given below.



The samples that we have of the quantity we are measuring are called 'readings' or 'scores'.

We know that the number of jumps will be counted in natural numbers. Never will there be a fractional number of jumps. However, their average can be a fractional number.



- The daily rainfall for each day of a week in a certain city is given in millimetres. Find the average rainfall during the week.
 9, 11, 8, 20, 10, 16, 12
- During the annual function of a school, a Women's Self-helf Group had set up a snacks stall. Their sales every hour were worth ₹ 960, ₹ 830, ₹ 945, ₹ 800, ₹ 847, ₹ 970 respectively. What was the average of the hourly sales?
- The annual rainfall in Vidarbha in five years is given below. What is the average rainfall for those 5 years ?
 900 mm, 650 mm, 450 mm, 733 mm, 400 mm
- 4. A farmer bought some sacks of animal feed. The weights of the sacks are given below in kilograms. What is the average weight of the sacks ?
 49.8, 49.7, 49.5, 49.3, 50, 48.9, 49.2, 48.8





Sometimes, in collected data, some scores appear again and again. The number of times a particular score occurs in a data is called the frequency of that score. In such cases a frequency table is made with three columns, one each for the score, the tally marks and the frequency.

- 1. In the first column, scores are entered in ascending order. For example, enter 1, 2, 3, 4, 5, 6 in order one below the other.
- 2. Read the scores in the data in serial order and enter a tally mark '1' for each in the second column of the table in front of that score, e.g. if you read the score '3', make a tally mark in front of 3 in the second column. Place four tally marks like this 1111, but make the fifth one like this THN. It makes it easier to count the total number of tally marks.
- 3. Count the total number of tally marks in front of each score and enter the number in the next, i.e. third, column. This number is the frequency of the score.
- 4. Lastly, add all the frequencies. Their sum is denoted by the letter N. This sum is equal to the total number of scores.

Making a Frequency Table of the Given Information/ Data

Example The distance at which some children live from their school is given below in kilometres.

1, 3, 2, 4, 5, 4, 1, 3, 4, 5, 6, 4, 6, 4, 6

Let us see how to make a frequency table of this data.

Scores	Tally marks	Frequency
1	11	2
2	l	1
3	11	2
4	1111	5
5	11	2
6	111	3
	Total frequency	N = 15

We strike off a score to indicate that it has been counted. The list of scores below shows that the first three scores have already been counted.

(**X**, **X**, **X**, 4, 5, 4, 1, 3, 4, 5, 6, 4, 6, 4, 6)

97

Get More Learning Materials Here : 📕







Priya's mother bought some peas and began to shell them. Priya was sitting nearby studying her maths lesson and she observed that some of the peapods had just 4 peas while some had 7. So, she took 50 of the pods and, as she shelled them, she noted down the number of peas in each of the pods.

Number of peas in a pod	Tally marks	Frequency
2	111 III	8
3	1111 1111 1111	15
4	1111 111	12
5	11	2
6	1111 11	7
7	111	3
8	111	3
	Total frequency	N = 50

She also made a frequency table of the peas in the pods.

Mother :	Can	you	find	out	the	average	•
	numl	ber o	f peas	s in	a po	d?	

- **Priya** : I will have to add 50 numbers and then divide their sum by 50. It will be tedious work.
- Mother : Let's make it easier. You can tell from the frequency table how many pods had 2 peas, how many had 3 and so on, right?
- Priya : Yes! 8 pods had 2 peas each, 15 had 3, 12 had 4.... Oh, now I see. If I multiply and find the products like 2 × 8, 3 ×15, 4 × 12 and then add all the

 4×12 and then add all the products I will get the sum of all those 50 numbers.



4,	3,	2,	4,	3,	4,	3,	3,	2,	8
2,	3,	3,	4,	3,	4,	4,	5,	2,	8
8,	2,	5,	3,	4,	4,	3,	6,	2,	3
4,	4,	3,	3,	2,	6,	4,	4,	7,	2
3,	6,	3,	6,	6,	6,	7,	6,	7,	3

- Mother : It is easier to do seven simple multiplications and add them up, isn't it? This is how the frequency table proves useful when we have a huge amount of data.
- **Priya** : The sum of all scores was 206. So, their average = $\frac{206}{50} = 4.12$.
- Mother : Peas in a pod are always found in whole numbers, but the average can be a fraction. In this case, we can say that there were about 4 peas in every pod.

🚓 www.studentbro.in

CLICK HERE

Now I know!

- A simple way to tabulate scores is by using tally marks.
- A table in which the number of tally marks indicates the frequency is called a frequency table.
- When the number of scores is very large, a frequency table is used to find their average.

Practice Set 55

 The height of 30 children in a class is given in centimetres. Draw up a freqency table of this data.
 131, 135, 140, 138, 132, 133, 135, 133, 134, 135, 132, 133, 140, 139, 132, 131, 134,

133, 140, 139, 136, 137, 136, 139, 137, 133, 134, 131, 140

- In a certain colony, there are 50 families. The number of people in every family is given below. Draw up the frequency table.
 5, 4, 5, 4, 5, 3, 3, 3, 4, 3, 4, 2, 3, 4, 2, 2, 2, 2, 4, 5, 1, 3, 2, 4, 5, 3, 3, 2, 4, 4, 2, 3, 4, 3, 4, 2, 3, 4, 5, 3, 2, 3, 4, 5, 3, 2, 3, 2
- 3. A dice was cast 40 times and each score noted is given below. Draw up a frequency table for this data.
 3, 2, 5, 6, 4, 2, 3, 1, 6, 6, 2, 3, 5, 3, 5, 3, 4, 2, 4, 5, 4, 2, 6, 3, 3, 2
 4, 3, 3, 4, 1, 4, 3, 3, 2, 2, 5, 3, 3, 4
- 4. The number of chapatis that 30 children in a hostel need at every meal is given below. Make a frequency table for these scores.
 3, 2, 2, 3, 4, 5, 4, 3, 4, 5, 2, 3, 4, 3, 2, 5, 4, 4, 4, 3, 3, 2, 2, 2, 3, 4, 3, 2, 3, 2

The 'average' is a useful figure in the study of all branches of science including medicine, geography, economics, social science, etc.

Get More Learning Materials Here :





Miscellaneous Problems : Set 2

- 1. Angela deposited 15000 rupees in a bank at a rate of 9 p.c.p.a. She got simple interest amounting to 5400 rupees. For how many years had she deposited the amount?
- 2. Ten men take 4 days to complete the task of tarring a road. How many days would 8 men take?
- 3. Nasruddin and Mahesh invested ₹ 40,000 and ₹ 60,000 respectively to start a business. They made a profit of 30%. How much profit did each of them make?
- 4. The diameter of a circle is 5.6 cm. Find its circumference.
- 5. Expand.

6.	(i) $(2a - 3b)^2$ (ii) $(10 + y)^2$ Use a formula to multiply.	(iii) $\left(\frac{p}{3} + \frac{q}{4}\right)^2$ (iv) $\left(y - \frac{3}{y}\right)^2$
	(i) $(x - 5) (x + 5)$ (iii) $(4z - 5y) (4z + 5y)$	(ii) $(2a - 13) (2a + 13)$ (iv) $(2t - 5) (2t + 5)$

- 7. The diameter of the wheel of a cart is 1.05 m. How much distance will the cart cover in 1000 rotations of the wheel?
- 8. The area of a rectangular garden of length 40 m, is 1000 sqm. Find the breadth of the garden and its perimeter. The garden is to be enclosed by 3 rounds of fencing, leaving an entrance of 4 m. Find the cost of fencing the garden at a rate of 250 rupees per metre.



From the given figure, find the length of hypotenuse AC and the perimeter of $\triangle ABC$.

- 10. If the edge of a cube is 8 cm long, find its total surface area.
- 11. Factorise. $365y^4z^3 146y^2z^4$

Multiple Choice Questions

Choose the right answers from the options given for each of the following questions.

- If the average of the numbers 33, 34, 35, x, 37, 38, 39 is 36, what is the value of x ?
 (i) 40
 (ii) 32
 (iii) 42
 (iv) 36
- 2. The difference of the squares, $(61^2 51^2)$ is equal to

(i) 1120	(ii) 1230	(iii) 1240	(iv) 1250
----------	-----------	------------	-----------

3. If 2600 rupees are divided between Sameer and Smita in the proportion 8 : 5, the share of each is and respectively.

CLICK HERE

🕀 www.studentbro.in

(i) ₹ 1500, ₹ 1100 (ii) ₹ 1300, ₹ 900

(iii) ₹ 800, ₹ 500 (iv) ₹ 1600, ₹ 1000

Get More Learning Materials Here : 📕

ANSWERS

Practice Set 1 1. --- 2. --- 3. In the interior of the triangle 4. On the hypotenuse of right-angled triangle 5. To draw circumcentre of the triangle.

Practice Set 2 --- Practice Set 3 ---Practice Set 4 --- Practice Set 5 ---

Practice Set 6 : 1.(i) Seg MG \cong Seg GR

(ii) Seg MG \cong Seg NG

(iii) Seg $GC \cong Seg GB$

(iv) Seg GE \cong Seg GR

2. (i) Seg AB \cong Seg WA

(ii) $\operatorname{Seg} \operatorname{AP} \cong \operatorname{Seg} \operatorname{YC}$

(iii) $\operatorname{Seg} AC \cong \operatorname{Seg} PY$

(iv) Seg PW \cong Seg BY

(v) Seg YA \cong Seg YQ

(vi) Seg BW \cong Seg ZX

(There may be many correct answers for each of the above questions.)

Practice Set 7 : • \checkmark \checkmark AOB $\cong \angle$ BOC \angle AOB $\cong \angle$ RST \angle AOC $\cong \angle$ PQR \angle DOC $\cong \angle$ LMN \angle BOC $\cong \angle$ RST Practice Set 8 : • (i) 35 (ii) -54 (iii) -36 (iv) -56 (v) 124 (vi) 84 (vii) 441 (viii) -105 Practice Set 9 : **1.** (i) -6 (ii) $\frac{-7}{2}$ (iii) $\frac{-3}{4}$ (iv) $\frac{-2}{3}$ (v) $\frac{-17}{4}$ (vi) 6 (vii) $\frac{5}{3}$ (viii) $\frac{-1}{6}$ (ix) $\frac{6}{5}$ (x) $\frac{1}{63}$ **2.** 24 ÷ 5, 72 ÷ 15, - 48 ÷ (-10) etc. **3.** -5 ÷ 7, -15 ÷ 21, 20 ÷ (-28) etc. Practice Set 10 : **1.** 1 **2.** 4,5 and 17,19

3. 29, 31, 37, 41, 43, 47, 53, 59, 61, 67, 71, 73, 79, 83, 89, 97 Total prime numbers 16

4. 59 and 61, 71 and 73 **5.** (2,3), (5,7), (11,12), (17,19), (29,30) etc. 6. 2 Practice Set 11 : $\mathbf{O}(i)$ 2 × 2 × 2 × 2 × 2 (ii) 3×19 (iii) 23 (iv) $2 \times 3 \times 5 \times 5$ (v) $2 \times 2 \times 2 \times 3 \times 3 \times 3$ (vi) $2 \times 2 \times 2 \times 2 \times 13$ (vii) $3 \times 3 \times 5 \times 17$ (viii) $2 \times 3 \times 3 \times 19$ (ix) 13×29 (x) 13×43 Practice Set 12 : **1.** (i) 5 (ii) 8 (iii) 5 (iv) 1 (v) 2 (vi) 7 (vii) 3 (viii) 3 (ix) 1 (x) 21 **2.** (i) HCF 25, Simplest form $\frac{11}{21}$ (ii) HCF 19, Simplest form $\frac{4}{7}$ (iii) HCF 23, Simplest form $\frac{7}{2}$ Practice Set 13 : 1. (i) 60 (ii) 120 (iii) 288 (iv) 60 (v) 3870 (vi) 90 (vii) 1365 (viii) 180 (ix) 567 (x) 108 **2.** (i) 1; 1184 (ii) 1; 2346 (iii) 15; 60 (iv) 9; 126 (v) 26; 312 Practice Set 14 : 1. (i) 30 (ii) 40, 20 **2.** (i) 14; 28 (ii) 16; 32 (iii) 17; 510 (iv) 23; 69 (v) 7; 588 **3.** (i) 252 (ii) 150 (iii) 1008 (iv) 60 (v)240 **4.** 365 **5.** (i) $\frac{12}{11}$ (ii) $\frac{17}{19}$ (iii) $\frac{23}{29}$ **6.** 144 7.255 **8.** 14m **9.** 18 and 20 Practice Set 15 : 1. Points in the interior : R, C, N, X Points in the exterior : T, U, Q, V, Y Points on the arms of the angles : A, W, G, B **2.** \angle ANB and \angle BNC, \angle BNC and \angle ANC, \angle ANC and \angle ANB, \angle PQR and \angle PQT

3. (i) The pairs are adjacent. (ii) and (iii) are not adjacent because the interiors are not separate. (iv) The pairs are adjacent. Practice Set 16 : **1.** (i) 50°(ii) 27° (iii) 45°

CLICK HERE



(iv) 35° (v) 70° (vi) 0° (vii) (90-*x*)° **2.** 20° and 70°

Practice Set 17 : 1. (i) 165° (ii) 95° (iii) 60° (iv) 143° (v) 72° (vi) 180° (vii) (180–*a*)° 2. Pairs of complementary angles : (i) ∠B and ∠N (ii) ∠D and ∠F (iii) ∠Y and ∠E Pairs of supplementary angles : (i) ∠B and ∠G (ii) ∠N and ∠J. 3. ∠X and ∠Z are complementary angles. 4. 65° and 25° 5. (i) ∠P and ∠M (ii) ∠T and ∠N (iii) ∠P and ∠T (iv) ∠M and ∠N(v) ∠P and ∠N (vi) ∠M and ∠T 6. 160° 7. $m \angle A = (160-x)^{\circ}$

Practice Set 18 : 1. Ray PL and Ray PM;

Ray PN and Ray PT. **2.** No. Because the rays do not form a straight line.

Practice Set 19 : ---

Practice Set 20 : 1. $m \angle APB = 133^{\circ}$, $m \angle BPC = 47^\circ, m \angle CPD = 133^\circ,$ **2.** $m \angle PMS = (180 - x)^\circ$, $m \angle SMO = x^\circ$, $m \angle QMR = (180 - x)^{\circ}$ Practice Set 21 : 1. $m \angle A = m \angle B = 70^{\circ}$ **2.** 40°, 60°, 80° **3.** $m \angle ACB = 34^{\circ}$, $m \angle \text{ACD} = 146^\circ, m \angle \text{A} = m \angle \text{B} = 73^\circ$ Practice Set 22 : **1.** (i) $\frac{71}{252}$ (ii) $\frac{67}{15}$ (iii) $\frac{430}{323}$ (iv) $\frac{255}{77}$ **2.** (i) $\frac{16}{77}$ (ii) $\frac{14}{45}$ (iii) $\frac{-13}{6}$ (iv) $\frac{7}{6}$ **3.** (i) $\frac{6}{55}$ (ii) $\frac{16}{25}$ (iii) $-\frac{2}{3}$ (iv) 0 **4.** (i) $\frac{5}{2}$ (ii) $-\frac{8}{3}$ (iii) $-\frac{39}{17}$ (iv) $\frac{1}{7}$ (v) $-\frac{3}{22}$ **5.** (i) $\frac{4}{3}$ (ii) $\frac{100}{121}$ (iii) $\frac{7}{4}$ (iv) $-\frac{1}{6}$ (v) $\frac{2}{5}$ (vi) $-\frac{10}{7}$ (vii) $-\frac{9}{88}$ (viii) $\frac{25}{2}$ (iii) $-\frac{9}{15}, -\frac{7}{15}, \frac{4}{15}$ (iv) $\frac{6}{9}, 0, -\frac{4}{9}$ (v) $-\frac{2}{4}, -\frac{1}{4}, \frac{3}{4}$ 102

(vi) $\frac{17}{24}, \frac{11}{24}, \frac{-13}{24}$ (vii) $\frac{6}{7}, \frac{8}{7}, \frac{9}{7}$ (viii) $-\frac{1}{8}, -\frac{2}{8}, -\frac{5}{8}$ etc. Practice Set 24 : $\odot 1.3.25 2.-0.875 3.7.6$ **4.** 0.416 **5.** 3.142857 **6.** 1.3 **7.** 0.7 Practice Set 25 : 1. 149 2. 0 3. 4 4. 60 **5**. $\frac{17}{20}$ Practice Set 26 : 1. -- 2. (i) 1024 (ii) 125 (iii) 2401 (iv) -216 (v) 729 (vi) 8 (vii) $\frac{64}{125}$ (viii) $\frac{1}{16}$ (iv) $\left(-\frac{3}{2}\right)^{8}$ (v) $\left(a\right)^{23}$ (vi) $\left(\frac{p}{5}\right)^{10}$ Practice Set 28 : **1.** (i) a^2 (ii) m^{-3} (iii) p^{-10} (iv) 1 **2.** (i) 1 (ii) 49 (iii) $\frac{4}{5}$ (iv) 16 Practice Set 29 : **1.** (i) $\left(\frac{15}{12}\right)^{12}$ (ii) 3^{-8} (iii) $\left(\frac{1}{7}\right)^{-12}$ (iv) $\left(\frac{2}{5}\right)^{6}$ (v) 6^{20} (vi) $\left(\frac{6}{7}\right)^{10}$ (vii) $\left(\frac{2}{3}\right)^{-20}$ (viii) $\left(\frac{5}{8}\right)^{-6}$ (ix) $\left(\frac{3}{4}\right)^{6}$ (x) $\left(\frac{2}{5}\right)^{-6}$ **2.** (i) $\left(\frac{7}{2}\right)^2$ (ii) $\left(\frac{3}{11}\right)^3$ (iii) $\left(\frac{6}{1}\right)^3$ or 6^3 (iv) $\frac{1}{v^4}$ Practice Set 30 : 1. (i) 25 (ii) 35 (iii) 17 (iv) 64 (v) 33 Practice Set 31 : ---Practice Set 32 : \odot Monomials = 7 x ; a ; 4 Binomials = 5y-7z; 5m-3Trinomials = $3 x^3 - 5x^2 - 11$; $3y^2 - 7y + 5$ $Polynomials = 1 - 8a - 7a^2 - 7a^3$

Practice Set 33 :
$$\odot$$
 (i) $22p + 18q$

Get More Learning Materials Here :



(ii) 18a + 24b + 21c (iii) $19x^2 - 20y^2$ (iv) $-11a^2b^2 + 44c$ (v) $3y^2 - 8y + 9$ (vi) $4y^2 + 10y - 8$

Practice Set 34 : O(i) xy + 7z(ii) 4x + 2y + 4z (iii) $-12x^2 + 16xy + 20y^2$ (iv) $-10x^2 + 24xy + 16y^2$ (v) -12x + 30z - 19y

Practice Set 35 : **1.** (i) $288x^2y^2$ (ii) $92xy^3z^2$ (iii) 48ac + 68bc (iv) $36x^2 + 73xy + 35y^2$ **2.** $(40x^2 + 49x + 15)$ sqcm

Practice Set 36 : 1. -2(7x + 12y)2. $-345x^5y^4z^3$ 3. (i) 1 (ii) $\frac{5}{2}$ (iii) 1 (iv) 3 (v) -5 (vi) $\frac{69}{5}$ 4. 16 years, 11 years 5. 130 6. 30 Notes 7. 132, 66

Miscellaneous Problems : Set 1 : 1. (i) 80

(ii) -6 (iii) -48 (iv) 25 (v) 8 (vi) -100**2.** (i) 15; 675 (ii) 38; 228 (iii) 17; 1683 (iv) 8; 96 **3.** (i) $\frac{14}{17}$ (ii) $\frac{13}{11}$ (iii) $\frac{3}{4}$ **4.** (i) 28 (ii) 15 (iii) 36 (iv) 45 (v) 16 **5.** -- **6.** (i) 77 (ii) 25 (iii) $\frac{49}{24}$ (iv) 1026 **7.** (i) $\frac{41}{48}$ (ii) $\frac{23}{20}$ (iii) -8 (iv) $\frac{63}{20}$ 8. -- 9. -- 10. -- 11. -- 12. --**13.** (i) 55° (ii) (90 - a)° (iii) 68° (iv) $(50 + x)^{\circ}$ **14.** (i) 69° (ii) 133° (iii) 0° (iv) $(90 + x)^{\circ}$ **15.** -- **16.** (i) 110° (ii) 55° (iii) 55° **17.** (i) 57 (ii) $\left(\frac{3}{2}\right)^3$ (iii) $\left(\frac{7}{2}\right)^2$ (iv) $\left(\frac{4}{5}\right)^3$ **18.** (i) 1 (ii) $\frac{1}{1000}$ (iii) 64 (iv) 16 **19.** (i) 8a + 10b - 13c(ii) $21x^2 - 10xy - 16y^2$ (iii) 18m - n

(iv) 2m - 19n + 11p **20.** (i) x = -10 (ii) y = 5

Multiple choice questions : 1. Incentre **2.** $\left(\frac{7}{3}\right)^{12}$ **3.** 3 **4.** $\frac{3}{2}$ **5.** $10 \times 3 + (5+2)$ Practice Set 37 : 1. ₹ 240 2. 32 bunches of feed **3.**18 Kg **4.**₹24000 **5.**₹104000 Practice Set 38 : 1. 10 days; 4 days **2.** 50 pages **3.** 2 hours; 3 hours **4.** 20 days Practice Set 39 : 1. ₹ 12800; ₹ 16000 2. ₹ 10000; ₹ 24000 3. ₹ 38000; ₹ 9120 **4.** ₹ 147; ₹ 343 **5.** ₹ 54000; ₹ 15120 Practice Set 40 : **1.** ₹ 1770 2.₹25000;₹375000 3.₹14875 4.₹3600 5.₹180000 Practice Set 41 : **1.** 10% **2.** ₹ 300 **3.** 5 years **4.** ₹ 41000 **5.** (i) ₹ 882, ₹ 5082 (ii) ₹ 5000, ₹ 6200 (iii) 2 years, ₹ 8800 (iv) ₹ 12000, 10 years (v) ₹ 19200, ₹ 21600 Practice Set 42 : 1. (i) 14 cm; 44 cm (ii) 14 cm; 88 cm (iii) 98 cm; 196 cm (iv) 11.55 cm; 23.1 cm **2.** 28 cm **3.**₹ 56320 **4.** 250 rotations Practice Set 43 : **1.** 240° 2. Names of minor arcs - arc PXQ, arc PR, arc RY, arc XP, arc XQ, arc QY Names of major arcs - arc PYQ, arc PQR, arc RQY, arc XQP, arc QRX Names of semicircular arcs - arc QPR, arc QYR 3. 250° Practice Set 44 : 1. 2 times 2. 3 times

3. 90 m **4.** 8 m



 Practice Set 45 : 1. 144 sqcm
 2. 75 sqcm

 3. 46 cm
 4. 9 times

Practice Set 46 : 1. 1170 sqcm 2. 8.64 sqcm
3. ₹ 2302750 4. 800 tiles; 3200 tiles

5. 156 m; 845 sqm

Practice Set 47 : **1.** (i) 54 sqcm (ii) 150 sqcm (iii) 311.04 sqm (iv) 277.44 sqm

(v) 181.5 sqm 2. (i) 460 sqcm (ii) 58.8 sqcm
(iii) 31.6 sqm (iv) 171 sqcm 3. 39.5 sqcm

4. 6.5 sqm, ₹ 1950

Practice Set 48 : **1.** (i) 25 units (ii) 40 units (iii) 15 units **2.** 26 cm **3.** 16 cm **4.** 12 m

Practice Set 49 : **1.** (i) Yes. (ii) No. (iii) No. (iv) No. (v) Yes. (vi) No.

2. (i) Yes. (ii) No. (iii) Yes. (iv) No. (v) No.

Practice Set 50 : **1.** (i) $25a^2 + 60ab + 36b^2$

(ii) $\frac{a^2}{4} + \frac{ab}{3} + \frac{b^2}{9}$ (iii) $4p^2 - 12pq + 9q^2$ (iv) $x^2 - 4 + \frac{4}{x^2}$ (v) $a^2x^2 + 2abxy + b^2y^2$ (vi) $49m^2 - 56m + 16$ (vii) $x^2 + x + \frac{1}{4}$ (viii) $a^2 - 2 + \frac{1}{a^2}$ **2.** $64 - \frac{16}{x} + \frac{1}{x^2}$ **3.** $(mn + 7pq)^2$ **4.** (i) 994009 (ii) 10404 (iii) 9409 (iv) 1010025

Practice Set 51 : **1.** (i) $x^2 - y^2$ (ii) $9x^2 - 25$ (iii) $a^2 - 36$ (iv) $\frac{x^2}{25} - 36$ **2.** (i) 249996

(ii) 9991 (iii) 2484 (iv) 9996

Practice Set 52 : Θ (i) $3 \times 67 \times a \times a \times a \times b \times b$ (ii) $13 \times 7 \times x \times y \times t \times t$ (iii) $2 \times 2 \times 2 \times 3 \times a \times a \times b \times b$

(iv) $t \times r \times r \times s \times s \times s$

104

Practice Set 53 :
$$\Theta(i) (p+q)(p-q)$$

(ii) (2x+5y)(2x-5y) (iii) (y+2)(y-2)(iv) $\left(p+\frac{1}{5}\right)\left(p-\frac{1}{5}\right)$ (v) $\left(3x+\frac{1}{4}y\right)\left(3x-\frac{1}{4}y\right)$ (vi) $\left(x+\frac{1}{x}\right)\left(x-\frac{1}{x}\right)$ (vii) ab(a-1)(viii) $2x^{2}(2xy-3x)$ (ix) $\frac{1}{2}(y+4z)(y-4z)$ (x) 2(x+2y)(x-2y)

Practice Set 54 : 1. 12.29 mm 2. ₹ 892

3. 626.6 mm **4.** 49.4 kg

Practice Set 55 : **1**.

Height	131	132	133	134	135	136	137	138	139	140	Total
Children	3	3	5	3	3	2	2	1	3	5	30

2.

People	1	2	3	4	5	Total
Families	1	13	16	13	7	50

3.

Score	1	2	3	4	5	6	Total
Frequency	2	8	13	8	5	4	40

4.

Chapatis	2	3	4	5	Total
Children	9	10	8	3	30

Miscellaneous Problems : Set 2 : 1. 4 years

2. 5 days **3.** ₹ 12000; ₹ 18000 **4.** 17.6 cm **5.** (i) $4a^2 - 12ab + 9b^2$ (ii) $100 + 20y + y^2$

(iii) $\frac{p^2}{9} + \frac{pq}{6} + \frac{q^2}{16}$ (iv) $y^2 - 6 + \frac{9}{y^2}$ **6.** (i) $x^2 - 25$ (ii) $4a^2 - 169$ (iii) $16z^2 - 25y^2$ (iv) $4t^2 - 25$ **7.** 3.3 km **8.** 25 m; 130 m; ₹ 94500 **9.** 29 Units; 70 Units **10.** 384 cm² **11.** $73y^2z^3(5y^2 - 2z)$

Multiple choice questions : 1. 36 2. 1120

3.₹1600, ₹1000.

Get More Learning Materials Here :

