Class VIII Session 2025-26 Subject - Mathematics Sample Question Paper - 4

Time Allowed: 3 hours Maximum Marks: 80

Section A

1. Find:
$$\frac{2}{5} \times \frac{-3}{7} - \frac{1}{14} - \frac{3}{7} \times \frac{3}{5}$$

[1]

b) $\frac{1}{2}$

d) $-\frac{1}{2}$

[1]

a) negative number

b) Positive number

c) rational number

d) irrational number

3. Solve:
$$15(y - 4) - 2(y - 9) + 5(y + 6) = 0$$

[1]

a) $\frac{2}{3}$

b) 2

c) 3

d) $\frac{3}{2}$

4. Given that -0.3k + 2.1 = 0.4k, the value of k =

[1]

a) 3

b) 21

c) -1

- d) 7
- 5. A side of square is $3\sqrt{2}$ cm, then the length of its diagonal is:

[1]

a) 18 cm

b) 3 cm

c) 6 cm

- d) $3\sqrt{2}$ cm
- 6. A quadrilateral has three acute angles each measuring 75°, the measure of fourth angle is

[1]

a) ₁₃₀º

b) ₁₂₅₀

c) 145°

- d) ₁₃₅°
- 7. What will be the number of zeroes in the square of the number 50?

[1]

a) 4

b) 2

c) 1

- d) 3
- 8. The smallest number by which 396 must be multiplied so that the product becomes a perfect square is:

[1]

a) 11

b) 5

c) 2

- d) 3
- 9. By which smallest natural number should 135 be divided so that the quotient is a perfect cube?

[1]

a) 9

b) 2




c) 3	d) 5	
If the volume of a cubical box is 35.937 m ³ , what is the length of its one side?		
a) 6.3 m	b) 6.6 m	
c) 3.6 m	d) 3.3 m	
A scooter was bought at Rs 42,000. Its value depreci	ated at the rate of 8% per annum. Find its value after one	[1]
year.		
a) Rs 37,640	b) Rs 35,640	
c) Rs 38,640	d) Rs 40,640	
Subtract: $3x (x - 4y + 5z)$ from $4x (2x - 3y + 10z)$		[1]
a) _{5x} ²	b) $5x^2 + 25$	
c) 35	d) $5x^2 + 25xz$	
The sum of radius of the base and height of a solid co	ylinder is 37 m. If the total surface area of the cylinder is	[1]
1628 m ² , then find its volume.		
a) 4528 m ³	b) 2568 m ³	
c) 4620 m ³	d) _{4020 m} ³	
If the radius of a cylinder is tripled but its curved sur	face area is unchanged, then its height will be	[1]
a) One sixth	b) Tripled	
c) Constant	d) One third	
If y be any non-zero integer, then y^0 is equal to		[1]
a) 0	b) not defined	
c) 1	d) -1	
If $\left(\frac{2}{5}\right)^{-4} imes\left(\frac{2}{5}\right)^{12}=\left(\frac{25}{4}\right)^{6-2x}$, then x = ?		[1]
a) $\frac{1}{5}$	b) -5	
	If the volume of a cubical box is $35.937 \mathrm{m}^3$, what is a) $6.3 \mathrm{m}$ c) $3.6 \mathrm{m}$ A scooter was bought at Rs $42,000$. Its value depreciple year. a) Rs $37,640$ c) Rs $38,640$ Subtract: $3x (x - 4y + 5z)$ from $4x (2x - 3y + 10z)$ a) $5x^2$ c) 35 The sum of radius of the base and height of a solid of $1628 \mathrm{m}^2$, then find its volume. a) $4528 \mathrm{m}^3$ c) $4620 \mathrm{m}^3$ If the radius of a cylinder is tripled but its curved surface a) One sixth c) Constant If y be any non-zero integer, then y^0 is equal to a) 0 c) 1 If $\left(\frac{2}{5}\right)^{-4} \times \left(\frac{2}{5}\right)^{12} = \left(\frac{25}{4}\right)^{6-2x}$, then $x = ?$	If the volume of a cubical box is $35.937 \mathrm{m}^3$, what is the length of its one side? a) $6.3 \mathrm{m}$ b) $6.6 \mathrm{m}$ c) $3.6 \mathrm{m}$ d) $3.3 \mathrm{m}$ A scooter was bought at Rs $42,000$. Its value depreciated at the rate of 8% per annum. Find its value after one year. a) Rs $37,640$ b) Rs $35,640$ c) Rs $38,640$ d) Rs $40,640$ Subtract: $3x (x - 4y + 5z)$ from $4x (2x - 3y + 10z)$ a) $5x^2$ b) $5x^2 + 25$ c) 35 d) $5x^2 + 25xz$ The sum of radius of the base and height of a solid cylinder is $37 \mathrm{m}$. If the total surface area of the cylinder is $1628 \mathrm{m}^2$, then find its volume. a) $4528 \mathrm{m}^3$ b) $2568 \mathrm{m}^3$ c) $4620 \mathrm{m}^3$ d) $4020 \mathrm{m}^3$ If the radius of a cylinder is tripled but its curved surface area is unchanged, then its height will be a) One sixth b) Tripled c) Constant b) Tripled ff y be any non-zero integer, then y^0 is equal to a) 0 b) not defined c) 1 d) -1 If $\left(\frac{2}{5}\right)^{-4} \times \left(\frac{2}{5}\right)^{12} = \left(\frac{25}{4}\right)^{6-2x}$, then $x = ?$

c) 5 d) $\frac{-1}{5}$ 17. A garrison of 500 men had provision for 27 days. After 3 days a reinforcement of 300 men arrived. For how many more days will the remaining food last now? [1]

a) $17\frac{1}{2}$ b) 16 c) 18 d) 15

18. The line graph shows the sale of dolls by Suhas from Monday to Saturday on a particular week. Given that cost **[1]** of one doll is ₹ 35, how much did Suhas receive from the sale of dolls on Saturday?





a) ₹ 200

b) ₹ 1400

c) ₹ 700

- d) ₹ 1050
- 19. **Assertion (A):** 1 has no multiplicative inverse.

[1]

Reason (R): When multiplied by the given number, gives 1 as the product.

- a) Both A and R are true and R is the correct explanation of A.
- b) Both A and R are true but R is not the correct explanation of A.

c) A is true but R is false.

- d) A is false but R is true.
- 20. **Assertion (A):** Two adjacent sides of a rectangle are equal. The name of the quadrilateral is square.

[1]

Reason (R): A square is a quadrilateral with four right angles.

- a) Both A and R are true and R is the correct explanation of A.
- b) Both A and R are true but R is not the correct explanation of A.

c) A is true but R is false.

d) A is false but R is true.

Section B

- The product of two rational numbers is $\frac{-14}{27}$. If one of the numbers be $\frac{7}{9}$, find the other. 21.
- [2]

[2]

22. Find if 15625 is a perfect cube?

- [2]
- Simplify: $\frac{(3^{-2})^2 \times (5^2)^{-3} \times (t^{-3})^2}{(3^{-2})^5 \times (5^3)^{-2} \times (t^{-4})^3}$ 23. Mass of Mars is 6.42×10^{29} kg and mass of the Sun is 1.99×10^{30} kg. What is the total mass?

24.

[2]

Divide: 15 (y + 3) (y^2 - 16) by 5 (y^2 - y - 12) 25.


[2]

Section C

Solve the linear equation $x + 7 - \frac{8x}{3} = \frac{17}{6} - \frac{5x}{2}$ 26.

[3]


27. At a birthday party, the children spin a wheel to get a gift. [3]



Find the probability of:

- a. getting a ball
- b. getting a toy car
- c. getting any toy except a chocolate





- 28. Find the least number which must be subtracted from 4000 so as to get a perfect square. Also find the square root of the perfect square so obtained.
- root of the perfect square so obtained.

 29. The marked price of a DVD is ₹4500. A shopkeeper allows two successive discounts of 10% and 5% by the [3]
- 30. Add: $10 \text{mn}, -\frac{3}{8} mn \text{ and } -\frac{1}{4} mn$ [3]
- 31. A rectangular sheet of dimensions $25 \text{ cm} \times 7 \text{ cm}$ is rotated about its longer side. Find the volume and the whole surface area of the solid thus generated.
- 32. How many small cubes with edge of 20cm each can be just accommodated in a cubical box of 2m edge? [3]
- 33. If a and b vary inversely to each other, then find the values of p, q, r; x, y, z and l, m, n.

force of a customer. Find the selling price of the customer after two discounts are given.

	·				
a	1	9	n	6	
b	5	m	25	10	


Section D

- 34. In the following figure, AB \parallel DC and AD = BC. Find the value of x.
 - 10 cm C
- 35. Raheem runs a readymade garment shop. He mark the garments at such a price that even after allowing a discount of 12.5%, gain a profit of 25%. Find the marked price of a jacket which costs him Rs. 2,100.
- 36. In a building there are 24 cylindrical pillars each having a radius of 28cm and height of 4m. Find the cost of painting the curved surface area of all the pillars at the rate of Rs.8 per m².
- 37. Factorize $2x^2 + 5x + 3$. [4]

Section E

Question No. 38 to 42 are based on the given text. Read the text carefully and answer the questions:

Read the following pie chart carefully:



Percentage of Employees in different departments of an organization = 3600

- 38. What is the number of employees of accounts department?
 - a) 512

b) 432

c) 362


- d) 482
- 39. The ration of the number of employees of Production department to HR Department is _____.
 - a) 3:8

b) 4:7

c) 7:12

- d) 3:4
- 40. If 400 new employees are hired in the marketing department, then find the ratio of number of employees of the marketing department to the number of employees in the IT department.





[3]

[3]

[4]

[4]

[5]

- \	10		10
ລາ	14	•	1 h
u,	19	•	TO

b) 289:225

d) 17:196

41. If 300 employees are shifted from HR department to production department, then new ratio of number of employees of HR department to the production department is ______.

b) 38:17

d) 91:37

42. If 200 new employees are hired in accounts department and 100 employees of IT department left the organization, then new ratio of number of employees of IT department to accounts department is ______.


b) 85:97

d) 81:100

Question No. 43 to 47 are based on the given text. Read the text carefully and answer the questions:

[5]

Read the graph:



43. In which year was the number of labourers maximum?

a) 2001

b) 2002

c) 2004

d) 2003

44. In Which year was the number of labourers minimum?

a) 2006

b) 2003

c) 2004

d) 2005

45. What was the difference of the number of labourers in the years 2002 and 2003?

a) 200

b) 300

c) 100

d) 400

46. Find the rise in the number of labourers from 2001 to 2004.

a) 400

b) 200

c) 300

d) 500

47. Find the sum of the number of labourers in the years 2004 and 2006.

a) 200

b) 600

c) 500

d) 700



Solution

Section A

1.

(d)
$$-\frac{1}{2}$$

Explanation:

$$\frac{2}{5} \times \frac{-3}{7} - \frac{1}{14} - \frac{3}{7} \times \frac{3}{5}$$

$$= \frac{3}{7} \left[\frac{-2}{5} - \frac{3}{5} \right] - \frac{1}{14}$$

$$= \frac{3}{7} \left[\frac{-2-3}{5} \right] - \frac{1}{14}$$

$$= \frac{3}{7} \left[\frac{-5}{5} \right] - \frac{1}{14}$$

$$= \frac{-3}{7} - \frac{1}{14}$$

$$= \frac{-3}{7} - \frac{1}{14}$$

$$= \frac{-6-1}{14}$$

$$= \frac{-7}{14}$$

$$= \frac{-7}{14}$$

$$= \frac{-1}{14}$$

2.

(c) rational number

Explanation:

The product of two rational numbers is always a <u>rational number</u> as, if we multiply any two rational numbers the product is a rational number (with the exception of 0)

(a) $\frac{2}{3}$ 3.

Explanation:

$$15(y-4)-2(y-9)+5(y+6)=0$$

$$15y - 60 - 2y + 18 + 5y + 30 = 0$$

$$18y - 12 = 0$$

$$18y = 12$$

$$y = \frac{12}{18}$$

$$y = \frac{12}{18}$$
$$y = \frac{2}{3}$$

4. **(a)** 3

Explanation:

$$-0.3k + 2.1 = 0.4 k$$

$$\Rightarrow$$
 2.1 = 0.4k + 0.3k

$$\Rightarrow$$
 2.1 = 0.7k

$$\Rightarrow$$
 k = $\frac{2.1}{0.7}$ = 3

5.

(c) 6 cm

Explanation:

A/q

Diagonal =
$$\sqrt{2} \times \text{side}$$

= $\sqrt{2} \times 3\sqrt{2}$

= 6 cm

6.

(d) 135°

Explanation:



Since,
$$\angle A + \angle B + \angle C + \angle D = 360^{\circ}$$

$$\therefore 75^{\circ} + 75^{\circ} + 75^{\circ} + \angle D$$

$$\Rightarrow$$
 225° + \angle D = 360°

$$\Rightarrow$$
 \angle D = 360° - 225° = 135°

7.

(b) 2

Explanation:

Number of zeroes at the end of the number 50 = 1

:. Number of zeroes at the end of the square of the number $50 = 2 \times 1 = 2$

8. **(a)** 11

Explanation:

$$396 = 2 \times 2 \times 3 \times 3 \times 11$$

So 396 should be multiplied by 11 to make the product a perfect square.

9.

(d) 5

Explanation:

$$135 = 5 \times 3 \times 3 \times 3$$

5 is left out and could not make a triplet, So, 5 is the smallest natural number by which 135 should be divided so that the quotient is a perfect cube.

10.

(d) 3.3 m

Explanation:

: Volume of a cube = $(side)^3$

$$(side)^3 = 35.937$$

$$\Rightarrow$$
 side = $\sqrt[3]{35.937}$

$$\Rightarrow$$
 side = $\sqrt[3]{3.3 \times 3.3 \times 3.3}$

$$\Rightarrow$$
 side = 3.3 m

11.

(c) Rs 38,640

Explanation:

$$A = P(1 - \frac{r}{100})^n$$

We applied compound Interest formula as scooter depreciated then we take minus in formula

$$= 42000(1 - \frac{8}{100})^{1}$$

$$= \frac{42000 \times 2}{25}$$

12.

(d)
$$5x^2 + 25xz$$

Explanation:

$$[4x (2x - 3y + 10z)] - [3x (x - 4y + 5z)]$$

opening big brackets we get,

$$(8x^2 - 12xy + 40xz) - (3x^2 - 12xy + 15xz)$$


open small brackets we get,

$$(8x^2 - 12xy + 40xz) - 3x^2 + 12xy - 15xz$$

$$8x^2 - 3x^2 - 12xy + 12xy + 40xz - 15xz$$







$$5x^2 - 0 + 25xz$$

= $5x^2 + 25xz$

13.

(c) 4620 m^3

Explanation:

Radius (r) + Height (h) = 37 m

Also, total surface area of cylinder = $2\pi r(r + h)$

$$\Rightarrow 1628 = 2 \times \frac{22}{7} \times r(37)$$
$$\Rightarrow r = \frac{1628 \times 7}{2 \times 22 \times 37} = 7 \text{ m}$$

$$\Rightarrow$$
 r = $\frac{1628 \times 7}{2 \times 22 \times 37}$ = 7 m

∴ Height =
$$37 - 7 = 30 \text{ m}$$

So, volume of cylinder = $\pi r^2 h$

$$= \frac{22}{7} \times (7)^2 \times 30 = 4620 \text{ m}^3$$

14.

(d) One third

Explanation:

Let h' be the new height.

The curved surface area of a cylinder with radius r and height $h = 2\pi rh$

Now, according to the question, the radius is tripled. Then,

Curved surface area = $2 \pi \times 3 r \times h' = 2\pi rh$

$$\Rightarrow 6\pi r \times h' = 2\pi rh$$

$$\Rightarrow$$
 h' = $\frac{2\pi rh}{6\pi r}$

$$\therefore$$
 h' = $\frac{1}{3}h$

Hence, the new hight will be $\frac{1}{3}$ of the original height.

15.

(c) 1

Explanation:

Using law of exponents,

a° = 1 [for every 'a' is non-zero integer]

Similarly,
$$y^{\circ} = 1$$

16.

(c) 5

Explanation:

$$\left(\frac{2}{5}\right)^{-4} \times \left(\frac{2}{5}\right)^{12} = \left(\frac{25}{4}\right)^{6-2x}$$

$$\Rightarrow \left(\frac{2}{5}\right)^{12-4} = \left(\frac{4}{25}\right)^{2x-6} \Rightarrow \left(\frac{2}{5}\right)^{8} = \left(\left(\frac{2}{5}\right)^{2}\right)^{2x-6}$$

$$\Rightarrow \left(\frac{2}{5}\right)^{8} = \left(\frac{2}{5}\right)^{4x-12}$$

On comparing, we get

$$4x - 12 = 8 \Rightarrow 4x = 20 \Rightarrow x = 5$$

17.

(d) 15


Explanation:

Let the remaining food will last for x days.

500 men had provisions for (27 - 3) = 24 days.

(500 + 300) men had provisions for x days. More men, less days





$$\Rightarrow 800 \times x = 500 \times 24$$

$$\Rightarrow x = \frac{500 \times 24}{800} = 15$$

18.

(b) ₹ 1400

Explanation:

Number of dolls sold on Saturday = 40

Cost of 1 doll = 35

Total cost of 35 dolls = $40 \times 35 = 1400$

19.

(d) A is false but R is true.

Explanation:

Zero has no multiplicative inverse. So, (A) is false. The multiplicative inverse of a number is a number that, when multiplied by the given number, gives 1 as the product. (R) is true.

20.

(b) Both A and R are true but R is not the correct explanation of A.

Explanation:

If two adjacent sides of a rectangle are equal then the quadrilateral is the square. So, (A) is true.

A square is a quadrilateral with four right angles is also true but it's not a correct explanation of (A).

Section B

21. It is given, one number =
$$\frac{7}{9}$$

Let other number be x.

According to the question,

One number \times Other numbers = Product of two numbers

$$\frac{7x}{9} = \frac{-14}{27}$$

$$x = \frac{-14}{27} \times \frac{9}{7}$$

$$x = \frac{-2}{3}$$

Hence, the other number is $\frac{-2}{3}$

By prime factorisation,

 $15625 = \underline{5} \times \underline{5} \times \underline{5} \times \underline{5} \times \underline{5} \times \underline{5} \times \underline{5}$ [grouping the factors in triplets]

=
$$5^3 \times 5^3$$
 [by laws of exponents]

$$= (5 \times 5)^3$$

 $= 25^3$ which is a perfect cube.

All the terms form triplets

Therefore, 15625 is a perfect cube.

23. We have,
$$\frac{(3^{-2})^2 \times (5^2)^{-3} \times (t^{-3})^2}{(3^{-2})^5 \times (5^3)^{-2} \times (t^{-4})^3} = \frac{(3)^{-4} \times (5)^{-6} \times (t)^{-6}}{(3)^{-10} \times (5)^{-6} \times (t)^{-12}} \left[\because (a^m)^n = (a)^{mn} \right]$$

$$= (3)^{-4} \times (3)^{10} \times (5)^{-6} \times (5)^6 \times (t)^{-6} \times (t)^{12}$$

$$= (3)^{-4+10} \times (5)^{-6+6} \times (t)^{-6+12} \left[\because a^{-m} = \frac{1}{a^m} \right]$$

$$= (3)^6 \times 5^0 \times (t)^6 = (3t)^6$$





24. Mass of Mars =
$$6.42 \times 10^{29}$$
 kg

Mass of the Sun =
$$1.99 \times 10^{30}$$
 kg

Total mass of Mars and Sun together = $6.42 \times 10^{29} + 1.99 \times 10^{30}$

=
$$6.42 \times 10^{29} + 19.9 \times 10^{29} = 26.32 \times 10^{29} \text{ kg}$$

25. At first Factorising 15 (y + 3) (y^2 - 16),

we get
$$5 \times 3 \times (y+3)(y-4)(y+4)$$

Now on factorising 5 (y^2 - y - 12), we get 5 (y^2 - 4y + 3y - 12)

$$=5[y(y-4)+3(y-4)]$$

$$= 5 \times (y-4)(y+3)$$

Therefore, on dividing the first expression by the second expression, we get $\frac{15(y+3)(y^2-16)}{5(y^2-y-12)}$

$$= \frac{5 \times 3 \times (y+3)(y-4)(y+4)}{5 \times (y-4)(y+3)}$$
$$= 3(y+4)$$

Section C

26.
$$x+7-\frac{8x}{3}=\frac{17}{6}-\frac{5x}{2}$$

It is a linear equation since it involves linear expressions only.
$$\therefore x - \frac{8x}{3} + \frac{5x}{2} = \frac{17}{6} - 7 \dots [\text{Transposing} - \frac{5x}{2} \text{ to L.H.S. and 7 to R.H.S}]$$
$$\therefore \frac{6x - 16x + 15x}{6} = \frac{17 - 42}{6}$$
$$\therefore \frac{5x}{6} = \frac{-25}{6}$$
$$\therefore x = \frac{-25}{6} \times \frac{6}{5} \dots [\text{Multiplying both sides by } \frac{6}{5}]$$

$$\therefore \frac{6x - 16x + 15x}{6} = \frac{17 - 42}{6}$$

$$\therefore \frac{5x}{6} = \frac{-25}{6}$$

$$\therefore x = \frac{-25}{6} imes \frac{6}{5}$$
 ... [Multiplying both sides by $\frac{6}{5}$]

 \therefore x = -5 this is the required solution.

27. a. The probability of getting a ball =
$$\frac{\text{Number of events of getting a ball}}{\text{Total number of events}} = \frac{2}{8} = \frac{2}{8}$$

b. The probability of getting a toy car =
$$\frac{\text{Number of events of getting a toy car}}{\text{Total number of events}} = \frac{3}{8}$$

27. a. The probability of getting a ball =
$$\frac{\text{Number of events of getting a ball}}{\text{Total number of events}} = \frac{2}{8} = \frac{1}{4}$$

b. The probability of getting a toy car = $\frac{\text{Number of events of getting a toy car}}{\text{Total number of events}} = \frac{3}{8}$

c. The probability of getting any gift except a chocolate = $\frac{\text{Number of events of getting any gift except a chocolate}}{\text{Total number of events}} = \frac{7}{8}$

This shows that 63^2 is less than 4000 by 31. This means, if we subtract the remainder from the number, we get a perfect square, So, the required least number is 31.

Therefore, the required perfect square is 4000 - 31 = 3969.

Hence, $\sqrt{3969} = 63$.

29. M.P. of DVD = ₹ 4500

First discount = 10% of ₹ 4500

$$=\frac{10}{100}$$
 × 4500 = ₹450

Price after first discount = ₹ 4500 - ₹ 450= ₹ 4050

Second discount = 5% of reduced price

$$=\frac{5}{100} \times Rs.4050 = \frac{20250}{100} = ₹202.50$$

Net selling price of the DVD = ₹ 4050 - ₹ 202.50 = ₹3847.50.

$$30.10mn + \left(-\frac{3}{8}mn\right) + \left(-\frac{1}{4}mn\right)$$
$$= 10mn - \frac{3}{8}mn - \frac{1}{4}mn$$

$$=10mn - \frac{3}{8}mn - \frac{1}{4}mn$$

$$= \left(10 - \frac{3}{8} - \frac{1}{4}\right) mn$$

$$= \frac{80 - 3 - 2}{8} mn$$


$$= \frac{75}{8} mn$$


$$=\frac{80-3-2}{9}mn$$

$$=\frac{75}{8}mn$$

31. A rectangular sheet of dimensions 25 cm \times 7 cm is rotated about its longer side which makes a cylinder with base 25 cm /and height 7 cm.








Surface area of a base = $2\pi r$

$$\begin{array}{ll} \therefore & 2\pi r = 25 \mathrm{cm} \\ \Rightarrow & r = \frac{25 \times 7}{2 \times 22} = \frac{175}{44} \mathrm{cm} \end{array}$$



Volume of a cylinder =
$$\pi r^2 h$$

$$= \frac{22}{7} \times \frac{175}{44} \times \frac{175}{44} \times 7$$

$$= \frac{175 \times 175}{2 \times 44} = \frac{30625}{88}$$

$$= 348.011 \text{ cm}^3$$

Surface area =
$$2\pi rh=2 imesrac{22}{7} imesrac{175}{44} imes 7$$

$$= \frac{44}{44} \times 175$$

$$= 175 \text{ cm}^2$$

32. The volume of cubical box of 2 m edge will be $= 2 \times 2 \times 2 = 8 m^3 = 8 \times 10^6 cm^3$

The volume of small cubes with 20 cm edge $= 20 \times 20 \times 20 = 8000~cm^3$

The number of small cubes that can be accommodated $= 8 \times 10^6/8000 = 1000$ boxes

33.	a	l	9	n	6
	b	5	m	25	10

If
$$a = 6$$
 and $b = 10$

Then;
$$a \times b = 6 \times 10 = 60$$

$$\Rightarrow$$
 k = 60

When
$$a = l$$
 and $b = 5$, then

$$ab = k$$

$$\Rightarrow$$
 1 × 5 = 60 [putting the value of k]

$$\Rightarrow$$
 l = 12

When
$$a = 9$$
 and $b = m$, then

$$ab = k$$

$$9 \times m = 60$$
 [putting the value of k]

$$\Rightarrow m = \frac{20}{3}$$

When
$$a = n$$
 and $b = 25$, then

$$ab = k$$

$$\Rightarrow$$
 n \times 25 = 60 [putting the value of k]

$$\Rightarrow n = rac{60}{25} \ \Rightarrow n = rac{12}{5}$$

$$\Rightarrow n = \frac{\frac{20}{12}}{5}$$

34. Given, an isosceles trapezium, where AB || DC and AD = BC and \angle A = 60°.

Then,
$$\angle B = 60^{\circ}$$
.

Draw a line parallel to BC through D which intersects the line AB at E.

Then, DEBC is a parallelogram, where


$$BE = CD = 20 \text{ cm}$$
 and $DE = BC = 10 \text{ cm}$

now
$$\angle DEB + \angle CBE = 180^{\circ}$$

[adjacent angles are supplementary in parallelogram]







$$\Rightarrow \angle DEB = 180^{\circ} - 60^{\circ} = 120^{\circ}$$


 \therefore in \triangle ADE, \angle ADE = 60° [exterior angle]

Also $\angle DEA = 60^{\circ}$ [: AD = DE = 10 cm and $\angle DAE = 60^{\circ}$]

Then \triangle ADE is an equilateral triangle.

$$\Rightarrow$$
 AB = AE + EB = 10 + 20 = 30 cm

Hence x = 30 cm



35. Let marked price of the garments = ₹ x

Discount = 12.5% of
$$\mathbf{x} = \frac{125}{10 \times 100} \times x = \frac{1}{8} \times x = \frac{x}{8}$$

$$S.P. = M.P. - Discount$$

$$=x-\frac{x}{8}=\frac{8x-x}{8}=\frac{7x}{8}$$

Gain% = 25%

$$S.\,P. = rac{100 + Profit\%}{100} imes C.\,P. \ = rac{100 + 25}{100} imes 2100 = rac{125}{100} imes 2,100 = ext{$rac{7}{100}$}.$$

Therefore,
$$\frac{7x}{9} = ₹ 2,625$$

Therefore,
$$\frac{7x}{8} = ₹ 2,625$$

 $x = \frac{2625 \times 8}{7} = 375 \times 8 = ₹3,000$

Hence, Marked Price of Garments = ₹3,000.

36. Since the units should be same so let's convert cm into metre as the cost is also in metres.

Radius =
$$28cm = 0.28m (1cm = 1/100m)$$

Curved surface area of pillar = $2\pi (radius)(height)$

$$=2 imesrac{22}{7} imes0.28 imes4$$

$$=44 \times \frac{16}{100}$$

$$= 7.04 \text{m}^2$$

Curved surface area of 24 pillars $= 7.04 \times 24$

= 168.96m²

Cost of curved surface area of one m^2 = Rs.8

Cost of curved surface area of 168.96m2 pillar = Rs.8 imes 168.96

= Rs. 1351.68

Therefore, the costs of painting 24 cylindrical pillars are Rs.1351.68.

37. The given expression is $2x^2 + 5x + 3$

Here, coefficient of $x^2 = 2$, coefficient of x = 5 and constant term = 3

We shall now split up the coefficient of the middle term i.e. 5 into two parts such that their sum is 5 and product equal to the product of coefficient of x^2 and constant term i.e. $2 \times 3 = 6$. Clearly 2 + 3 = 5 and $2 \times 3 = 6$. So, we replace the middle term 5x by 2x + 3x

Thus we have

$$2x^2 + 5x + 3 = 2x^2 + 2x + 3x + 3$$

$$=(2x^2+2x)+(3x+3)$$

$$= 2x(x + 1) + 3(x + 1)$$

$$=(x+1)(2x+3)$$

Section E

38. **(b)** 432

Explanation:

432





39. **(d)** 3:4

Explanation:

3:4

40. **(b)** 289 : 225

Explanation:

289:225

41. **(c)** 97:29

Explanation:

97:29

42. **(c)** 79:100

Explanation:

79:100

43. **(c)** 2004

Explanation:

 $2004 \rightarrow 500$

44. **(a)** 2006

Explanation:

 $2006 \rightarrow 100$

45. **(a)** 200

Explanation:

No. of the labourers 2002 = 300

Number of the labourers 2003 = 500

Difference of the number of labourers in year 2002 and 2003 = 500 - 300 = 200

46. **(a)** 400

Explanation:

Number of the labourers 2001 = 200

Number of labourers in 2004 = 600

Rise in the labourers from 2001 to 2004 = 600 - 200 = 400

47. **(d)** 700

Explanation:

Number of labourers in 2004 = 600

Number of labourers in 2006 = 100

Sum of the number of labourers in 2004 and 2006 600 + 100 = 700

