6. Sound Waves

- Periodic motion → Motion which repeats itself after regular intervals of time
- Oscillatory motion →A body in oscillatory motion moves to and fro about its mean position in a fixed time interval.
- Period (T): It is the interval of time after which a motion is repeated. Its unit is seconds (s).
- Time period → Time required for one complete oscillation


$$T = \frac{1}{\nu}$$

where, $v \rightarrow$ Frequency


- Frequency: Number of oscillations in one second. The unit is Hertz.
- Continuous disturbance that transfers energy without any net displacement of the medium particles is called wave.
- Different types of waves on the basis of their production are mechanical wave, electromagnetic wave and matter wave.
- Different types of mechanical waves on the basis of their propagation transverse wave and longitudinal waves.
- Mechanical waves need a medium for its propagation.
- Characteristics of sound waves
 - Amplitude Magnitude of maximum displacement from mean position
 - Wavelength (λ) Distance between two consecutive compressions or two consecutive rarefactions
 - Frequency (Unit Hertz, Hz) Number of oscillations per unit time
 - Time period Time taken by two consecutive compressions or rarefactions to cross a fixed point
 - Frequency = 1Time period
- Pitch Higher the frequency, higher the pitch







• Loudness – Determined by amplitude



- Tone Sound of a single frequency
- Quality or timbre

Differentiate between two sounds of same pitch and loudness

- If the notes produce an unpleasant sound in the ear, then it is a **dischord** or **dissonance**.
- **Harmony** Harmony is the pleasant effect produced due to concord, when two or more notes are sounded together.
- **Melody** Melody is the pleasant effect produced by two or more notes when they are sounded one after another.
- **Musical intervals** Musical interval is the ratio of frequencies of two notes in the musical scale.
- **Musical scale** Musical scale is the series of notes separated by a fixed musical interval. Keynote is the starting note of a musical scale.
- Diatonic scale
- When two notes are sounded simultaneously and produce pleasant sensation in the ear, then it is **concord** or **consonance**.
- It contains series of eight notes.
- Octave is the interval between the keynote and the last tone.







• Advantages of a diatonic scale

• This scale provides the same order and the duration of chords and intervals, which succeed each other, that are required for a musical effect.

• This scale can produce musical compositions with the lower and higher multiples of frequencies of the notes.

Speed of sound

• Speed of sound $v = v \times \lambda$

• Speed in solid > Speed in liquid > Speed in gas

• Speed depends on temperature, pressure, humidity and nature of the material of the medium.

• Speed increases with increasing temperature.

• In air, speed of sound is 344 m s⁻¹ at 22 °C

• Supersonic – The rate of distance travelled by the object is more than the speed of sound.

• Sonic boom - loud noise produced by supersonic object is sonic boom

• Speed of longitudinal wave in a solid bar is given by,

$$v = \sqrt{\frac{Y}{\rho}}$$

 $\rho \rightarrow$ Density of the material of the bar

 $Y \rightarrow$ Young's modulus of elasticity

• Velocity of longitudinal wave in a liquid is given by,

$$v = \sqrt{\frac{B}{\rho}}$$

 $B \rightarrow \text{Bulk modulus of elasticity}$

• Newton's Formula: The velocity of sound waves in air is given by,

$$v = \sqrt{\frac{P}{\rho}}$$

 $P \rightarrow \text{Pressure}, \rho \rightarrow \text{Density of air}$





• Laplace corrected the formula for velocity of sound waves in air or gas. According to Laplace's formula, the velocity of sound waves in air or gas is given by

$$v = \sqrt{\frac{\gamma P}{\rho}}$$

Where, γ is the ratio of two specific heats, C_p/C_v

Factors affecting velocity of sound:

- Velocity of sound in a gas is directly proportional to the square root of absolute temperature.
- Velocity of sound in moist air is greater than velocity of sound in dry air.
- It is inversely proportional to the square root of density of gas.
- It is independent of pressure, provided temperature is constant.

