# 12. Human Nutrition

#### **Nutrition in humans**

- Mouth includes teeth, salivary glands, and tongue. Teeth break down the food. They are of four types molars (6), premolars (4), canines (2), and incisors (4) in each jaw.
  - Molars and premolars are for chewing and grinding food.
  - Canines are for piercing and tearing food.
  - Incisors are for cutting and biting food.
- In total life span of humans, two sets of teeth grow milk teeth and permanent teeth.
- Saliva is secreted by salivary glands located under the tongue. It contains a digestive enzyme salivary amylase, which breaks down starch into sugar.
- Tongue helps in chewing and swallowing of food.
- The food from mouth passes down the oesophagus to the stomach, through the movement of walls of oesophagus (peristalsis)
- Stomach mixes the food received from oesophagus with digestive juices.
- Inner lining of stomach secretes:
  - Mucus protects the lining of stomach against the action of the acid.
  - Hydrochloric acid creates an acidic medium and helps in digestion of proteins.
  - Digestive juices break down protein into simple substance.
    - Pepsin breaks proteins into polypeptides
    - Rennin changes soluble milk proteins into curd which is insoluble.
- The food from stomach moves into the small intestine.

#### • Digestion in small intestine

- It is the longest part (about 7.5 m long) of the alimentary canal.
- It is the site where complete digestion of carbohydrates, proteins, and fats takes place.
- All the digested food is absorbed by the walls of intestine. This process is known as **absorption**.
- Inner lining of small intestine has tiny finger-like projections called villi.
- Villi increase the surface area for more efficient food absorption.
- The absorbed food is delivered to each and every cell of the body where they are used to produce complex substances such as proteins, etc. This process is known as **assimilation**.
- It receives intestinal juice from two glands liver and pancreas that help in further digestion of food
- **Liver** It is the largest gland of the body and secretes bile juice. Bile juice is stored in gall bladder and plays an important role in the digestion of fats.
- Pancreas Pancreas contains enzymes that help in complete digestion of all food components.
  - Amylase breaks starch into maltose
  - Lipase breaks complex fats into simple fats.
- The functions of enzymes secreted in small intestine are:
  - Maltase changes maltose to glucose
  - Sucrase changes sucrose to glucose
  - Lactase changes lactose to glucose
  - Peptidase changes polypeptides to amino acids

## • Digestion in large intestine

- The digested food from small intestine goes into blood stream and the undigested and unabsorbed material and water enters the large intestine.
- The function of large intestine is absorption of water and some salts from undigested food.
- From large intestine, the waste material is stored in rectum in the form of semi-solid faeces.





• The undigested, stored waste is excreted out from the body as faeces via anus. This process is known as egestion.

## Digestive glands

- Three pairs of salivary glands are the parotids, the sub maxillary or sub mandibular, and the sub lingual.
- Liver is the largest gland.
- Cystic duct (duct of gall bladder) and hepatic duct (duct of liver) form a common bile duct.
- Bile duct and pancreatic duct opens together into duodenum as hepato-pancreatic duct.
- **Sphincter of Oddi** is located at the surface of duodenum and controls the secretions from liver, pancreas, and gall bladder into the duodenum of small intestine.
- **Crypts of lieberkuhn** are intestinal glands found in epithelial lining of small intestine and colon. These glands secrete maltase, sucrase, etc.
- Pancreas act as both exocrine and endocrine gland.
  - i. Exocrine part secretes pancreatic juice.
  - ii. Endocrine part secretes hormones insulin and glucagon.
- Glands present in the mucosa of stomach are called gastric glands. Gastric glands have three major types of cells.
  - Mucus cells Secrete mucus
  - Peptic or chief cells Secrete pepsinogen
  - Parietal or oxyntic cells Secrete HCl

#### **Digestion of food**

- · Digestion of carbohydrate
- It takes place in **mouth** and in the **small intestine** region of alimentary canal.

#### In mouth:

• Carbohydrate digestion stops in stomach and is then resumed in small intestine. Mainly, protein digestion takes place in stomach.

#### In small intestine:

- Pancreatic juice contains pancreatic amylase.
- **Intestinal juice** contains enzymes such as maltase, lactase, sucrase, etc., which convert complex sugars into simple sugars.





- Digestion of protein
- It begins in **stomach** and gets completed in **small intestine**.
- Enzymes involved are called **proteases**.
- In stomach:
- Gastric juice contains HCl, pepsinogen, and rennin.
- HCl creates acidic medium that activates pepsinogen into pepsin.

Proteins + pepsin----- Proteoses + peptones

- Rennin plays a role in coagulation of milk.
- In small intestine:
- Pancreatic juice contains inactive enzymes such as trypsinogen, chymotrypsinogen, and carboxypeptidases.
- Enterokinase secreted by intestinal mucosa activates trypsinogen into trypsin.
- Intestinal juice contains dipeptidases, which digest dipeptides into amino acids.
- Digestion of fat
- It takes place in **small intestine**.
- Bile juice is secreted by liver and is stored in gall bladder.
- Bile juice contains bile salt that helps in breakdown of fat into smaller globules. It is known as emulsification of fat.

## Absorption of digested products:

- The absorption of food materials is carried out by passive (e.g. chloride ions), active (e.g. amino acids, glucose), or facilitated diffusion (e.g. fructose).
- Digested food is absorbed mainly through intestinal walls.
- The inner lining of small intestine has **villi. Villi** contain lymph vessels called lacteal to absorb the products of fat digestion.
- Large intestine absorbs water and minerals from undigested food.
- **Rectum** stores the undigested matter before they are excreted out from body via anus.





# Digestive system disorders

- Jaundice Yellowing of eyes due to deposition of bile pigments
- Vomiting Ejection of food through mouth
- Diarrhoea Frequent bowel movement and liquefied faecal discharge
- Constipation Irregular bowel movement
- Indigestion Improper digestion of food