DPP - Daily Practice Problems

Name :	Date :	
Start Time :	End Time :	
CHEMI	ISTRY 50	
SYLLAB	US: Ethers	
Max. Marks: 120	Time: 60 mir	
 if no bubble is filled. Keep a timer in front of you and stop in The sheet follows a particular syllabus. Do not atlempt the siller syllabus sheet in the starting of the book for the syllab 	heet before you have completed your preparation for that syllabus. ous of all the DPP sheets. Jution booklet and complete the Result Grid. Finally spend time to	
out of which ONLY ONE choice is correct. Q.1 Accroding to Lewis concept of acids and bases, ether is (a) acidic (b) basic (c) neutral (d) amphoteric Q.2 Epichlorohydrin is (a) 3-Chloropropane	 (b) sodium ethoxide with ethyl bromide (c) ethyl alcohol with sulphuric acid (d) ethyl iodide and dry silver oxide Q.4 The reagent used for the preparation of higher ether from halogenated ethers is (a) cone. H₂SO₄ (b) sodium alkoxide (c) dry silver oxide (d) Grignard reagent 	
(b) 3-Chloropropan-1-ol (c) 3-Chloro-1, 2-epoxypropane (d) None of these RESPONSE GRID 1. (a)(b)(c)(d) 2. (a)(b)(c)(d)	Q.5 The etheral linkage (-C - O - C -) is cleaved by (a) HBr (b) HNO ₃ (c) both (d) none 3. (a) (b) (c) (d) 4. (a) (b) (c) (d) 5. (a) (b) (c) (d)	

Space for Rough Work -








198 DPP/ C (50)

- Q.6 Number of metamers represented by molecular formula $C_4H_{10}O$ is
 - (a) 4
- (b) 3
- (c) 2

- (d) 1
- Q.7 Ether which is liquid at room temperature is
 - (a) C₂H₅OCH₃
- (b) CH₃OCH₃
- (c) $C_2H_5OC_2H_5$
- (d) None of these
- **Q.8** Diethyl ether can be decomposed by heating with which of the following?
 - (a) HI
- (b) NaOH
- (c) Water
- (d) KMnO₄
- Q.9 Dimethyl ether when heated with excess HI gives
 - (a) CH₃I and CH₃OH
 - (b) CH₃I and H₂O
 - (c) $C_2H_6 + CH_3I$ and CH_3OH
 - (d) CH₃I and HCHO
- Q.10 The ether that undergoes electrophilic substitution reactions is
 - (a) CH₃OC₂H₅
- (b) $C_6H_5OCH_3$
- (c) CH₃OCH₃
- (d) $C_2H_5OC_2H_5$
- Q.11 Acetyl chloride does not react with
 - (a) diethyl ether
- (b) aniline
- (c) phenol
- (d) ethanol
- Q.12 What is X in the following change?



- (a) CH₃OH,H₂SO₄
- (b) $CH_3OH, CH_3\overline{O}_{Na}^+$
- (c) H₂O/H₂SO₄ followed by CH₃OH
- (d) CH_3MgBr/H_3O^+

Q.13 Which of the following reaction is correctly represented?

(a)
$$CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3Br$$

$$\text{(b)} \xrightarrow{CH_3} \xrightarrow{OCH_3} + \text{HBr} \xrightarrow{CH_3} \xrightarrow{CH_3} \text{Br} + \text{CH}_3\text{OH}$$

(c)
$$CH_3 \longrightarrow DCH_3 \longrightarrow Br \longrightarrow DCH_3 + CH_4$$

(d)
$$CH_3$$
 OCH_3 $+ CH_3Br$

Q.14 The product 'A' in the following reaction is

$$\begin{array}{c} H_2C - CH_2 \\ \sqrt{} & \xrightarrow{RMg1} A \end{array}$$

- (a) RCHOHR
- (b) RCHOH·CH₃
- (c) $R-CH_2-CH_2-OH$
- (d) $\frac{R}{R}$ >CHCH₂OH
- Q.15 Conc. H₂SO₄ heated with excess of C₂H₅OH at 140°C to form
 - (a) $CH_3CH_2-O-CH_3$
 - (b) $CH_3CH_2 O CH_2CH_3$
 - (c) CH₃-O-CH₂-CH₂-CH₃
 - (d) $CH_2 = CH_2$
- Q.16 In the following reaction

$$C_2H_5OC_2H_5 + 4[H] \xrightarrow{\text{RedP+HII}} 2X + H_2O, Xis$$

- (a) Ethane
- (b) Ethylene
- (c) Butane
- (d) Propane
- Q.17 Etherates are
 - (a) Ethers
 - (b) Solution in other
 - (c) Complexes of ethers with Lewis acid
 - (d) Complexes of ethers with Lewis base

RESPONSE GRID

- 6. (a)(b)(c)(d)
- 7. (a)(b)(c)(d)
 - d 8. abcd
- 9. (a)(b)(c)(d)
- 10. (a) (b) (c) (d)

11. abcd

16.(a)(b)(c)(d)

12. (a) (b) (c) (d)

17.(a)(b)(c)(d)

- 13.abcd
- 14.(a)(b)(c)(d)
- 15. abcd

Space for Rough Work .

- Q.18 An other is more volatile than an alcohol having the same molecular formula. This is due to
 - (a) Dipolar character of ethers
 - (b) Alcohols having resonance structures
 - (c) Inter-molecular hydrogen bonding in ethers
 - (d) Inter-molecular hydrogen bonding in alcohols
- Q.19 Diethyl ether finds use in medicine as
 - (a) A pain killer
- (b) A hypnotic
- (c) An antiseptic
- (d) An anaesthetic
- Q.20 The compound formed when ethyl bromide is heated with dry silver oxide is
 - (a) Dimethyl ether
- (b) Diethyl ether
- (c) Methyl alcohol
- (d) Ethyl alcohol
- Q.21 Methylphenyl ether can be obtained by reacting
 - (a) Phenolate ion and methyl iodide
 - (b) Methoxide ion and bromobenzene
 - (c) Methanol and phenol
 - (d) Bromobenzene and methyl bromide
- Q.22 When ether is reacted with O₂, it undergoes explosion due to formation of
 - (a) Peroxide
- (b) Acid
- (c) Ketone
- (d) TNT
- Q.23 Oxiran is
 - (a) Ethylene oxide
- (b) Diethyl ether
- (c) Ethyl glycolate
- (d) Glycolic ester
- Q.24 Which of the following ion is formed in the following reaction?

(a)
$$OH$$

(b) OH

(c) OH

(d) All the three

DIRECTIONS (Q.25-Q.27): In the following questions, more than one of the answers given are correct. Select the correct answers and mark it according to the following codes:


Codes:

- (a) 1, 2 and 3 are correct
- (b) 1 and 2 are correct
- (c) 2 and 4 are correct
- (d) 1 and 3 are correct

Q.25 The ether
$$O - CH_2$$
 when treated with

conc. HI produces

(1)
$$\sim$$
 CH₂-1 (2) \sim





- Q.26 Which one of the following reactions yield an alkyl halide?
 - (1) Diethyl ether + HI
 - (2) Diethyl ether and PCl₅
 - (3) Diethyl ether $\xrightarrow{\text{reduction}} X \xrightarrow{\text{SO}_2\text{Cl}_2}$
 - (4) Diethyl ether + Cl₂
- Q.27 Which of the following combination can't be used for preparing an ether?
 - (1) $C_6H_5OH + (CH_3)_2 SO_4$
 - (2) $C_6H_5Br + CH_3CH_2OH$
 - (3) p-NO₂C₆H₄Br + CH₃CH₂OH
 - (4) $C_6H_5OH + (CH_3)_3CBr$

RESPONSE GRID 18.abcd

19. abcd

20.(a)(b)(c)(d)

21. (a) b) (c) d)

22. (a)(b)(c)(d)

23.abcd

24. (a) (b) (c) (d)

25.abcd

26.abcd

27. (a)(b)(c)(d)

- Space for Rough Work -



200 DPP/ C (50)

DIRECTIONS (Q.28-Q.30): Each of these questions contains two statements: Statement-1 (Assertion) and Statement-2 (Reason). Each of these questions has four alternative choices, only one of which is the correct answer. You have to select the correct choice.

- (a) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
- (b) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.
- (c) Statement -1 is False, Statement-2 is True.
- (d) Statement -1 is True, Statement-2 is False.

- **Q.28 Statement-1:** Etherates are coordination complexes of ethers with Lewis acids.
 - **Statement -2**: Ethers are easily cleaved by mineral acids such as HCl and H_2SO_4 at 373 K.
- Q.29 Statement-1: $(CH_3)_3 C \bullet Na$ and CH_3CH_2Br react to form $(CH_3)_3C O CH_2CH_3$
 - **Statement -2:** Good yields of others are obtained when *ter*-alkyl halides are treated with alkoxides.
- **Q.30 Statement-1**: *ter*-Butyl methyl other is not prepared by the reaction of *ter*-butyl bromide with sodium methoxide.
 - **Statement -2:** Sodium methoxide is a strong nucleophile.

RESPONSE GRID 28.@ 6 29.@ 5 0 30.@ 6 0

DAILY PRACTICE PROBLEM SHEET 50 - CHEMISTRY			
Total Questions	30	Total Marks	120
Attempted		Correct	
Incorrect		Net Score	
Cut-off Score	40	Qualifying Score	60
Success Gap = Net Score — Qualifying Score			
Net Score = (Correct × 4) – (Incorrect × 1)			

Space for Rough Work -



3,

DAILY PRACTICE PROBLEMS

(b) Williamson's synthesis -

CHEMISTRY SOLUTIONS

(50)

- 1. (b) Ether is basic because lone pairs of electrons are present on oxygen atom, $R = \overset{\bullet}{O} R$.
- 2. (c) CH₂—CHCH₂Cl (3-chloro-1,2-epoxypropane)
- CH_3 CH_2 ONa + Br CH_2 CH_3 \rightarrow CH_3 CH_2 O CH_2 CH_3
- 4. (d) $CH_3OCH_3 \xrightarrow{Cl_2/hv} CH_3OCH_2Cl$ Methexymethane (lower ether) α -Chlere imethyl ether

-MgBr(Cl) CH₃OCH₂CH₃
Methoxyethane
(Higher ether)

- 5. (a) Cleavage of ethers by acid is a nucleophilic substitution reaction which is possible only in case of Ill and HBr, but not in HNO₃ and H₂SO₄. The reason being the fact that I⁻ and Br⁻ are less sterically hindered in attacking the substrate in comparison to NO₃ and SO₄².
- 6. (b) CH₃CH₂OCH₂CH₃(I), CH₃OCH₂CH₂CH₃(II) and CH₃OCH(CH₃)₂ (III).
- 7. (c) CH_3OCH_3 and $C_2H_5OCH_3$ are gases, while $C_2H_5OC_2H_5$ (b.p. 308K) is a low boiling liquid
- 8. (a) $C_2H_5OC_2H_5 + HI \rightarrow C_2H_5OH + C_2H_5I$
- 9. **(b)** $CH_3 O CH_3 + 2HI \rightarrow 2CH_3I + H_2 \bullet$
- **10. (b)** Only alkyl aryl ethers e.g., C₆H₅OCH₃ can undergo electrophilic substitution reactions.
- 11. (a) $CH_3COCl + C_2H_5 C_2H_5 \rightarrow No$ reaction
- 12. (a) $CH_2 \xrightarrow{O} C_- CH_3 \xrightarrow{CH_3OH} H_2SO_4 H_2C_- C_- CH_3 CH_3$
- 13. (a) The ether molecule gets protonated by the hydrogen of the acid to form protonated ether or oxonium salt.

The protonated ether undergoes nucleophilic attack by bromide ion Br^- and forms m-cresol and methyl bromide.

14. (c) $CH_2-CH_2+RMgI \rightarrow CH_2-CH_2-R \xrightarrow{H \bullet H}$ OMgI

MgI(OH)+ R - CH2 - CH2 - OH

- 15. **(b)** $CH_3CH_2 OH + HO CH_2 CH_3 \xrightarrow{Cone. H_2SO_4} \frac{Cone. H_2SO_4}{140^{\circ}C} \rightarrow CH_3CH_2 O CH_2 CH_3 + H_2O$
- 16. (a) $C_2H_5OC_2H_5 + 4[H] \xrightarrow{\text{Red P/HI}} 2C_2H_5l$ $\xrightarrow{\text{Red P/HI}} 2C_2H_6 + H_2O$ Ethanc
- 17. (c) $R O R \xrightarrow{BF_3} \underset{R}{\overset{R}{\circ}} : \rightarrow BF_3$
- 18. (d) Due to intermolecular hydrogen bonding in alcohols, boiling point of an alcohol is much higher than that of the corresponding ether.
- 19. (d) An anaesthetic
- 20. **(b)** $2C_2H_5Br + Ag_2O \rightarrow C_2H_5 O C_2H_5 + 2AgBr$

If we take moist Ag₂O then alcohol is formed

$$Ag_2O + H_2O \rightarrow 2AgOH$$

$$C_2H_5Br + AgOH \rightarrow C_2H_5OH + AgBr$$

- 21. (a) $C_6H_5O^- + CH_3I \rightarrow C_6H_5 O CH_3 + I^-$
- 22. (a) $CH_3CH_2 O C_2H_5 + O_2 \frac{h_0}{25 \cdot C}$

- 23. (a) Oxiran isethyleneoxide, $CH_2 CH_2$
- 24. (b) $\bigcap_{H} \bigoplus_{H^+} \bigcap_{H^+} \bigcap_{H^+$

25. (d) Intermediate in above reaction is benzyl carbocation, which acquires stability through resonance and then I* attacks on carbocation through S_NI mechanism.

96

$$O - CH_{2} \longrightarrow O -$$

Thus (1), (2) and (3) are correct choices.

27. (c) The combination C₆H₅Br + CH₃CH₂OH has non-reactive C₆H₅Br, while in the combination C₆H₅OH+ Mc₃CBr, Me₃CBr being *tert*-halide will undergo elimination reaction rather substitution. Hence, only combinations (1) and (3) can be used for preparing ether.

$$\begin{array}{c} C_6H_5OH + (CH_3)_2SO_4 \stackrel{s_N}{\longrightarrow} C_6H_5OCH_3 \; ; \\ \\ p\text{-NO}_2C_6H_4Br + CH_3CH_2OH \stackrel{ArS_N}{\longrightarrow} \\ \\ p\text{-NO}_2C_6H_4OCH_2CH_3 \end{array}$$

- 28. (d) Ethers being Lewis bases form etherates with Lewis acids. Ethers are not easily cleaved by H₂SO₄.
- 29. (d) (CH₃)₃CONa and CH₃CH₂Br react to form (CH₃)₃C- O-CH₂CH₃. Good yields of other are obtained when primary alkyl halides are treated with alkoxides derived from any alcohol, 1°, 2° or 3°.
- 30. (b)

