# **DPP - Daily Practice Problems**

# Chapter-wise Sheets

Date : Start Time : End Time : BIOLOGY CB37 SYLLABUS : Biodiversity and its conservation Max. Marks: 180 Marking Scheme : + 4 for correct & (-1) for incorrect Time : 60 min. INSTRUCTIONS : This Daily Practice Problem Sheet contains 45 MCQ's. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page. 5. Which of the following is considered a hot-spot of 1. Which one of the following is not included under in-situ biodiversity in India? conservation ? (a) Indo-Gangetic Plain (b) Eastern Ghats (a) Botanical garden (d) Western Ghats (c) Aravalli Hills (b) Biosphere reserve 6. Which group of vertebrates comprises the highest number (c) National park of endangered species ? (d) Sanctuary (a) Birds (b) Mammals 2. Biodiversity Act of India was passed by the parliament in (c) Fishes (d) Reptiles the year 7. One of endangered species of Indian medicinal plants is (a) 1992 (b) 1996 that of (c) 2000 (d) 2002 3. Biodiversity of a geographical region represents (a) Ocimum (b) Garlic (a) endangered species found in the region. (c) Nepenthes (d) Podophyllum (b) the diversity in the organisms living in the region. 8. Which one of the following is the correct matched pair of an genetic diversity present in the dominant species of (c) endangered animal and National Park? the region. Rhinoceros - Kaziranga National Park (a) (d) species endemic to the region. (b) Wild Ass - Dudhwa National Park 4. Which animal has become extinct from India? (c)Great Indian - Keoladeo National Park Bustard (a) Snow Leopard (b) Hippopotamus (d) Lion - Corbett National Park (c) Wolf (d) Cheetah (a)(c)(d) 4. (a)b)©(d) 1. (a)(b)(c)(d) 2. (a)(b)(c)(d) 3. 5. (a)(b)(c)(d) Response 6. (a)b)©(d) 7. (a)b)©(d) 8. (a)(b)(c)(d) GRID Space for Rough Work

Get More Learning Materials Here : 📕





#### в-146

### DPP/CB37

- **9.** The area where wild populations, traditional life styles and genetic resources are protected is :
  - (a) Core Zone
  - (b) Buffer Zone
  - (c) Biosphere reserve
  - (d) Manipulation Zone
- **10.** Which one of the following species of plant is considered as the world's most problematic aquatic weed?
  - (a) Lantana
  - (b) Eichhornia
  - (c) Parthenium (carrot grass)
  - (d) Brown algae
- **11.** Which one of the following is not observed in biodiversity hotspots ?
  - (a) Endemism
  - (b) Accelerated species loss
  - (c) Lesser inter-specific competition
  - (d) Species richness
- **12.** Which one of the following shows maximum genetic diversity in India ?
  - (a) Groundnut (b) Rice
  - (c) Maize (d) Mango
- **13.** Study the four statements (i–iv) given below and select the two correct ones out of them:
  - (i) A lion eating a deer and a sparrow feeding on grain are ecologically similar in being consumers
  - (ii) Predator star fish *Pisaster* helps in maintaining species diversity of some invertebrates
  - (iii) Predators ultimately lead to the extinction of prey species
  - (iv) Production of chemicals such as nicotine, strychnine by the plants are metabolic disorders

The two correct statements are:


- (a) (ii) and (iii) (b) (iii) and (iv)
- (c) (i) and (iv) (d) (i) and (ii)
- 14. Reason of diversity in living beings is due to
  - (a) mutation
  - (b) long term evolutionary change

- (c) gradual change
- (d) short term evolutionary change
- **15.** Which of the following is a reason for the greater biological diversity of tropical regions?
  - (a) Tropical latitudes have remained almost undisturbed for millions of years.
  - (b) Tropical environments are less seasonal, relatively more constant and predictable.
  - (c) More solar energy is available in the tropics resulting inhigh productivity.
  - (d) All of these.
- **16.** An exotic species that is introduced to a new area, spreads rapidly and eliminates native species is called
  - (a) immigrant species
  - (b) invasive species
  - (c) Eicchornia crasspies
  - (d) all of these
- **17.** Characters of stable community are
  - (a) it should not show too much variations in year-to-year productivity.
  - (b) it must be resistant to occasional natural or man-made disturbances.
  - (d) it should be resistant to invasions by alien species.
  - (d) All of these
- **18.** What is the decreasing order of numbr of animals species as far as India is concerned?
  - (a) Mammals, Aves, Reptiles, Amphibians
  - (b) Aves, Reptiles, Mammals, Amphibians
  - (c) Mammals, Reptiles, Amphibians, Aves
  - (d) Reptiles, Amphibians, Mammals, Aves
- 19. Organization responsible for maintainng Red Data Book is
  - (a) IUCN (b) WWF (c) CITES (d) IBWL

| (-)                  | ,                             |                    |                      |                      |                      |  |
|----------------------|-------------------------------|--------------------|----------------------|----------------------|----------------------|--|
| Response<br>Grid     | 9. abcd<br>14.abcd<br>19.abcd | 10.@b©d<br>15.@b©d | 11. abcd<br>16. abcd | 12. @b©d<br>17. @b©d | 13. abcd<br>18. abcd |  |
| Space for Rough Work |                               |                    |                      |                      |                      |  |

### **DPP/CB37** -

**20.** Which option correctly describes are equations for curves A and B, in the given graph of species - area relationhip?



- (c)  $\operatorname{Log} C = \operatorname{Log} S + Z$   $S = CA^{z}$ (d)  $S = CA^{z}$   $\operatorname{Log} C = V$
- (d)  $S = CA^z$  Log C = Log S + Z Log A
- **21.** Genetic variations affect the production of the drug reserpine in the medicinal plant *Rauwolfia vomitoria* growing in different Himalayan ranges. What kind of diversity does it indicate?
  - (a) Species diversity
  - (b) Genetic diversity
  - (c) Ecological diversity
  - (d) None of these
- 22. Keystone species deserve protection because these
  - (a) are capable of surviving in hash environmental conditions
  - (b) indicate the presence of certain minerals in the soil
  - (c) have become rare due to overexploitation
  - (d) play an important role in supporting other species.
- 23. In a National Park, protection is provided to(a) flora and fauna(b) entire ecosystem
  - (c) fauna only (d) flora only
  - $V_{\rm high}$  is a fit as a maximum of the second s
- 24. Which of the organisms are protected by people of 'Bishnoi' community of Rajasthan?
  - (a) Prosopis cineraria (b) Black buck

(c) Bhojpatra (d) Both (a) and (b).

- **25.** Which o the following statements regarding biodiversity hot spots are incorrect?
  - (i) High endemism
  - (ii) High levels of species richness.
  - (iii) Total number is 34 in the world.
  - (iv) Five of these occur in India.
  - (v) High alien species invasions.
  - (vi) Cover less than 2% of the earth's land area; but if properly conserved, they can reduce extinctions by about 30%.
  - (a) (i), (ii), (iii) (b) (i), (ii), (iii), (iv)
  - (c) (iv), (v), (vi) (d) (i), (ii), (iv)
- 26. Ex situ conservation is used for the conservation of
  - (a) all plants
  - (b) all animals
  - (c) threatened animals and plants
  - (d) both (a) and (b).
- 27. \_\_\_\_\_National Park was the first National Park of India.
  - (a) Jim Corbett (b) Nanda Devi
  - (c) Kaziranga (d) Jaldapara
- **28.** First 'Earth Summit' for 'Convention on Biological Diversity' (CBD) was held at
  - (a) Johannesberg (2002), S. Africa
  - (b) Rio de Janeiro (1992' Brazil
  - (c) Dehradun (1992), India
  - (d) New York (2000), U.S.A.
- 29. Antilopa carvicapra/Black Buck is -
  - (a) Vulnerable (b) Endangered
  - (c) Critically endangered (d) Extinct in the wild
  - Alpha diversity is present –
  - (a) Within community (b) Between community
  - (c) Ranges of communities (d) All of the above
- **31.** Biodiversity is determined by
  - (a) Number of individuals in an area
  - (b) Species richness
  - (c) Evenness
  - (d) Both (b) and (c) (c)

 RESPONSE
 20. @ b C d
 21. @ b C d
 22. @ b C d
 23. @ b C d
 24. @ b C d

 GRID
 25. @ b C d
 26. @ b C d
 27. @ b C d
 28. @ b C d
 29. @ b C d

 30. @ b C d
 31. @ b C d
 31. @ b C d
 27. @ b C d
 28. @ b C d
 29. @ b C d

30.

Space for Rough Work

CLICK HERE

| I | в-1 | 48 | ŀ |
|---|-----|----|---|
|   |     |    |   |

| 32. | Which of the following spe  | ecies  | is endangered ?  |   | (c) Habitat destruction  |  |  |
|-----|---|--------|--|---|--|--|--|
|     | (a) Panthera leo perrica  | (b)    | Pythan molurus   |   | (d) Overexploitation   |  |  |
|     | (c) Chelonia mydas  | (d)    | Pallas siberian crane  | 40.   | Diversity in the type of breaks of finches adapted to different                                      |  |  |
| 33. | <b>33.</b> Decrease in species diversity in tropical countries is mainly due to –   |        | 100  | feeding habits on the Galapagos Islands, as observed by<br>Darwin, provides evidence for                        |  |  |  |
|     | (a) Urbanisation  | (b)    | Pollution  |   | (a) intraspecific variations.  |  |  |
|     | (c) Deforestation   | (d)    | Soil erosion   |   | (b) intraspecific competition.   |  |  |
| 34. | Which of the following anim India ?   | nal ha | as become almost extinct in  |   | <ul><li>(c) interspecific competition.</li><li>(d) origin of species by natural selection.</li></ul> |  |  |
|     | (a) Wolf  | (b)    | Rhinoceros   | 41.   | Which of the following is not a step in understanding  |  |  |
|     | (c) Hippopotamus  | (d)    | Cheetah  |   | biodiversity ?   |  |  |
| 35. | <b>35.</b> Those species whose populations have been seriously depleted and whose ultimate security is not assured are        |        |  |   | (a) Naming the species   |  |  |
|     | known as –  |        |  |   | (b) Looking at other related species   |  |  |
|     | (a) Threatened species  | (b)    | Endangered species   |   | (c) Assessing the species geographic range   |  |  |
|     | (c) Vulnerable species  | (d)    | Rare species   |   | (d) Quantifying the species genome   |  |  |
| 36. |   |        | 42.  | Diversity of habitat over the total landscape is called<br>(a) $\beta$ diversity (b) $\gamma$ diversity (gamma) |  |  |  |
|     | (a) Nile perch  | (b)    | Elephants  |   | (c) landscape diversity (d) ecosystem diversity  |  |  |
|     | (c) Key deer  | (d)    | Galapagos tortoises  | 43.   | The term hot spot for high diversity ecological regions was coined by –                              |  |  |
| 37. | Humans have altered   | _ of E | Earth's land surface.  |   | (a) IUCN (b) Myers   |  |  |
|     | (a) very little   | (b)    | about 25%  |   | (c) Odum (d) Kormandy  |  |  |
|     | (c) about 50%   | (d)    | about 80%  | 11  |  |  |  |
| 38. | <b>44.</b> Which endangered animal is the source of world's finest, lightest, warmest and most expensive wool-the shahtoosh ? |        | Following arrangement is correct from the point of view of decreasing biodiversity in angiosperms (N), fungi (F), pteridophytes (P) and algae(A) |   |  |  |  |
|     | (a) Nilgai  | (b)    | Cheetal  |   | (a) $N > F > P > A$ (b) $N > F > A > P$  |  |  |
|     | (c) Kashmiri Goat   | (d)    | Chiru  |   | (c) $F > N > P > A$ (d) $F > N > A > P$  |  |  |
| 39. | Which of the following biodiversity?  | is th  | e most serious threat to   | 45.   | The number of plant species recorded from India, is  |  |  |
|     | (a) Competition from exo  | tic sp | ecies  |   | (a) 30,000 (b) 45,000  |  |  |
|     | (b) Commercial harvestin  |        |  |   | (c) 70,000 (d) 90,000  |  |  |
|     | (-)   | 0      |  |   |  |  |  |
|     | 32.@(   |        | <u>a</u> 33.@@@@@  | 24.0  | <u> </u>   |  |  |

| <b>R</b> esponse | 32. ⓐ ⓑ ⓒ ⓓ | 33. ⓐ ⓑ ⓒ ⓓ | 34. ⓐ ⓑ ⓒ ⓓ | 35.@b©d | 36. ⓐⓑⓒⓓ |
|------------------|-------------|-------------|-------------|---------|----------|
| Grid             | 37. ⓐ ⓑ ⓒ ⓓ | 38. ⓐ ⓑ ⓒ ⓓ | 39. ⓐ ⓑ ⓒ ⓓ | 40.@b©d | 41. ⓐⓑⓒⓓ |
| GMD              | 42.@bCd     | 43.@b©d     | 44.@b©d     | 45.@b©d |          |

Space for Rough Work

| DAILY PRACTICE PROBLEM DPP CHAPTERWISE 37 - BIOLOGY |         |                  |     |  |  |
|---|---------|------------------|-----|--|--|
| Total Questions                                     | 45      | Total Marks      | 180 |  |  |
| Attempted   | Correct |                  |     |  |  |
| Incorrect   |         | Net Score        |     |  |  |
| Cut-off Score                                       | 50      | Qualifying Score | 60  |  |  |
| Success Gap = Net Score – Qualifying Score          |         |                  |     |  |  |
| Net Score = (Correct × 4) – (Incorrect × 1)         |         |                  |     |  |  |

Get More Learning Materials Here : 📕



## HINTS & SOLUTIONS

#### DPP/CB37

- (a) In situ means keeping endangered species of animals or plants into natural environment and not in the environment that looks like natural but is man made, like zoological & botanical gardens. *In situ* includes, national parks, sanctuaries and biosphere reserve.
- **2.** (d) Biodiversity Act of India was passed by the parliament in the year 2002.
- **3.** (b) Biodiversity is the number of variety of organism found within a specified geographic region.
- 4. (d) The 'Cheetah' has become extinct from India. The endangered subspecies *Acinonyx jubatus venaticus* lives in Asia (Iran). In 1990, there were reports in the Times of India of a cheetah sighting in eastern India. There is a chance some cheetahs remain in India, though it is doubtful. There have also been reports of Asiatic cheetahs in the Balochistan Province of Pakistan, though these continue to be unverified. The cheetah prefers to live in an open biotope, such as semi-desert, prairie, and thick bushes.
- 5. (d) Hot spots are those areas which were rich in biodiversity but now are under threat due to direct or indirect interference of human activites. These regions are on the edge to get some of their species extinct due to humans. Western Ghats in India are under threat due to continuous developmental activities and Doon valley is under threat due to continuous mining activities.
- 6. (b)
- (d) *Podophyllum* is one of the endangered species of Indian medicinal plants. It is used to remove benign (not cancer) growths, such as certain kinds of warts. It works by destroying the tissue
- **8.** (a) Kaziranga National Park in Assam is famous as a protection environmental park for rhinoceros.
- 9. (c) 10. (b)
- **11.** (c) Lesser inter-specific competition is not observed in biodiversity hotspots.
- 12. (b) In India maximum genetic diversity is seen in rice. Total of 23 variety of irrigated ecology and 8 varieties of rainfed ecology has been invented in India.
- 13. (d) The statements (i) and (ii) are correct. The statement (iii) is incorrect because predators cannot lead to the extinction of prey species. Predator and prey evolve together. The statement (iv) is incorrect because chemical such as nicotine and strychnine produced by the plants are not metabolic disorders but are metabolic wastes.
- 14. (b) Diversity is due to the long term evolutionary changes. Adaptability to continuous changes in environmental conditions is important for natural selection of variants and variations generation after generation leading to emergence of diverse descendants.
- 15. (d) Higher diversity in tropical areas is because (i) Speciation is a function of time. Temperate areas have undergone frequent glaciation in the past. It killed most of the species. No such disturbances occured in tropics where species continued to flourish and evolve undisturbed for millions of years (ii) There are no unfavouable seasons in tropics. Continued favourable environment has helped tropical organisms to gain more niche specialisation and increased diversity. (iii) More solar energy is available in tropics. This promotes higher productivity and increased biodivesity. (iv) Resoruce availability is higher in tropics (v) There is reduced competition in tropics due to favourable environment. (vi) Rate of extinction is low in tropics.
- 16. (b) Lantana, Eichhornia and Arican catfish are exotic species. Non-native or exotic species are often introduced inadvertently for their economic and other uses. They often become invasive and drive away the local species. These species are considered to be second major cause of extinction of species. Exotic species have proved harmful to both aquatic

environment. It does not show much of changes and is usually resilient to natural or man made disturbances, it is also resistant to evasion by alien species.

- **18.** (b) The number of species of aves, reptiles, amphibians and mammals are 1232, 456, 209 and 300 respectively.
- 19. (a) IUCN is International Union of Conservation of Nature and Natural Resoruces, which is now called World Conservation Union (WCU). It has its headquarters at Morges, Switzerland. It maintains a red data book or red list which is a catalogue of taxa facing risk of extinction.
- **20.** (a) The relationship between species richness and area is rectangular hyperbola for a wide variety of taxa whether they are birds, bats, fresh water fishes or flowering plants and the equation can be given as  $S = CA^z$ . On a logarithimic scale, it is straight line described by the equation log  $S = \log C + z \log A$ . Where S is species richness, Z is slope of line or regression coefficient, C is Y-intercept while A is area.
- 21. (b) Genetic diversity is the diverty in the numbers and types of genes as well as chromosomes present in different species and the variations in the genes and their allels in the same species. Genetic variation in *Rauwolfia vomitoria* indicates genetic diversity. Another example is the presence of more than 50,000 genetically different strains of rice, and 1000 varieties of mango in India.
- 22. (d) Keystone species are those species which have significant and disproportinonaely large influence on the community structure and characteristics. It often has considerably low abundance and biomass as compared to dominant species. Removal of such species causes serious disruption in structure and function of community.
- 23. (b) National park is a reserved area used for conservation purposes. It is maintained by the government. Cultivation grazing, forestry and habitat manipulation are not allowed. Protection is provided to the entire ecosystem.
- **24.** (d) Bishnois of Rajasthan protect *Prosopis cineraria* and Black buck religiously.
- 25. (b) Exotic species tend to cause a the reat to biodivesity. They are not found in hot spots which are regions of high biodiversity. In India, 3 hotspots ae found, i.e., Western Ghats and Sri Lanka, Indo-Burma (NE India) and Himalays.
- **26.** (c) Ex situ (off site) conservation is conservation of selected rare plans/animals in places outside their natural homes. Ex situ conservation includes offsite collections, gene banks in vitro fertilization, cryopreservation techniques and tissue culture.
- **27.** (a) Jim Corbett National Park (district Nainita Uttrakhand) is the first national park of Inida, established in 1936.
- (b) Earth Summiti at Rio de Janeiro (1992), Brazil, promoted Convention on Biological Diversity (CBD) which was signed by 152 nations, Its recommendations came into effect on 29th Dec, 1993. India became a party to this Convention on Biological Diversity in May, 1994.
- **29.** (a)
- 30. (a) Alpha diversity is present within community.
- 31. (d) 32. (b) 33. (c) 34. (d)
- **35.** (b) Those species whose populations have been seriously depleted and whose ultimate security is not assured are known as Endangered species.
- 36. (b) 37. (c)
- 38. (d) Chiru is Himalayan Ibex, also called Tibetan Antelope. Shahtoosh is obtained from its neck hair. It is banned under the law.
- **39.** (c)

**CLICK HERE** 

40. (d) Nature selects those set of characters that are best adapted to the environment. This has resulted in the great diversity seen in the population of finches.

🕀 www.studentbro.in

41. (d) 42. (b) 43. (b) 44. (d) 45. (b)

