### DAY TWELVE

# **Unit Test 3**

## (Cell Structure and Function)

- 1 Of the following organelles associated with the endomembrane system, which group is primarily involved in synthesising molecules needed by the cell?
  - (a) Lysosome, vacuole and ribosome
  - (b) Ribosome, rough endoplasmic reticulum and smooth endoplasmic reticulum
  - (c) Vacuole, rough endoplasmic reticulum and smooth endoplasmic reticulum
  - (d) Smooth endoplasmic reticulum, ribosome and vacuole
- 2 The enzyme ribonuclease acts as a poison in
  (a) prophase (b) metaphase(c) anaphase (d) telophase
- **3** The stage characterised by the appearance of recombination nodule is
  - (a) zygotene (b) pachytene (c) leptotene (d) diplotene
- 4 Fill in the blanks.

ADP+ Pi  $\rightarrow$  ATP is an .......A...reaction. ATP  $\rightarrow$  ADP+ Pi is an ...B... reaction and the conversion of ADP + Pi to ATP ...C...energy.

Here A, B and C refers to

- (a) A endergonic; B exergonic; C requires
- (b) A exergonic; B endergonic; C requires
- (c) A exergonic; B endergonic; C does not require
- (d) A exergonic; B endergonic; C releases
- 5 Amitosis occurs in
  - (a) meristematic cells
  - (b) spore mother cells
  - (c) prokaryotic cells
  - (d) Both (b) and (c)
- 6 The complex carbohydrate that is used in microbial culture medium is
  - (a) agar-agar
- (b) glucose
- (c) micronutrients
- (d) coconut milk

- 7 A researcher made an interesting observation about a protein made by the rough endoplasmic reticulum and eventually used to build a cell's plasma membrane. The protein in the plasma membrane was actually slightly different from the protein made in the ER. The protein was probably altered in the
  - (a) Golgi apparatus
  - (b) mitochondria
  - (c) plasma membrane
  - (d) transport vesicles
- 8 Enzymes are basically made up of
  - (a) nucleic acids
- (b) proteins
- (c) fats
- (d) vitamins
- 9 During diplotene, bivalents
  - (a) form synaptonemal complex
  - (b) shows bouquet arrangement
  - (c) repel each other
  - (d) attract each other
- 10 Enzyme inhibition caused by a product of enzyme catalysed reaction is
  - (a) feedback inhibition
  - (b) competitive inhibition
  - (c) metabolic antagonism
  - (d) non-competitive inhibition
- 11 How many mitotic divisions are required for a single cell to produce 128 cells?
  - (a) 32


(b) 28

(c) 14

- (d) 7
- **12** Basal bodies are most closely associated with which one of the following cell components?
  - (a) Nucleus
- (b) Mitochondria
- (c) Cilia
- (d) Central vacuole







- 13 The ash analysis of living tissues is performed to
  - (a) ascertain the molecular formula of organic compounds
  - (b) analyse the chemical composition of elements and compounds
  - (c) study the structure of retentate acid insoluble fraction
  - (d) to calculate the total number of biomolecules in a cell
- 14 Cupric ions of Benedict's solution can be reduced by ribose sugar due to the presence of
  - (a) free aldehydic group
- (b) free acidic group
- (c) free phosphate ion
- (d) free ester group
- 15 Which process is most likely to be affected by colchicine?
  - (a) DNA replication
- (b) formation of cell plate
- (c) spindle formation
- (d) All of these
- 16 The observation that chloroplasts and mitochondria contain their own DNA and synthesise some of the proteins that function in these organelles suggests that chloroplasts and mitochondria
  - (a) are produced by the nucleus of the cell
  - (b) must divide each time the cell containing them divides
  - (c) are part of the endomembrane system
  - (d) are involved in energy metabolism of the cell
- 17 The 'amphoteric' nature of amino acid is because
  - (a) α- carbon atom bears an amino group and an acidic
  - (b) chemical activity of amino acids is unproductive
  - (c) The 'H' group present on the C-atom, inhibits the reactivity
  - (d) The 'H' group present on the C-atom, accelerates the reactivity
- 18 Predict the number of cells undergoing meiotic division, if the total number of spermatids produced are 32.
  - (a) 4

(b) 8

- (c) 16
- (d) 32
- 19 Which type of cell is most likely to have the most mitochondria?
  - (a) Muscle cells in the legs of a Marathon runner
  - (b) Photosynthetic cells in the leaves of a tree
  - (c) Bacterial cells that are growing on sugars
  - (d) Inactive yeast cells that are stored for future use
- 20 Which of the following is not a true statement about chloroplasts and mitochondria?
  - (a) Each contains a small amount of DNA
  - (b) Both are components of the endomembrane system
  - (c) Both are composed of two separate membranes
  - (d) Each organelle synthesises some of its own proteins
- 21 Chiasmata are first seen during
  - (a) zygotene
- (b) pachytene
- (c) leptotene
- (d) diplotene

- 22 Microsomes as discrete entities
  - (a) are found in all living cells
  - (b) are found only in the nucleolus and revealed by electron microscope
  - (c) are found always attached to the outer surface of rough ER
  - (d) are not found in the intact cell but formed due to fragmentation of most of the cytoplasmic membranous components
- 23 The fibrous protein present in the spider's web is
  - (a) collagen (b) keratin
- (c) silk
- (d) myosin
- 24 Number of chromonemata in each chromosome during synapsis is
  - (a) 2
- (b) 4
- (c) 8
- (d) 12
- 25 The wall-free protoplasts can be obtained by the
  - (a) cellulase and proteinase (b) cellulase and pectinase

(c) cellulase and lipase

- (d) cellulase and amylase
- 26 An unknown liquid collected from a food sample was added to a test tube containing water. The mixture was vigorously shaken to mix them well. After standing for a while, two distinct layers were formed in the test tube. To which class does the unknown liquid most likely belong?
  - (a) Proteins
- (b) Monosaccharides
- (c) Esters
- (d) Lipids
- 27 The type of protein present in microtubule is
  - (a) collagen (b) myosin
- (c) tubulin
- (d) actin
- 28 Which one of the following organelles is unlikely to show enhanced abundance in the pancreatic cells that secrete large amount of digestive enzymes?
  - (a) Rough endoplasmic reticulum
  - (b) Free cytoplasmic ribosomes
  - (c) Golgi apparatus
  - (d) Transport vesicles
- 29 During cell division, condensation of chromatin results in
  - (a) increased heterochromatin content
  - (b) decreased differentiation of heterochromatin and euchromatin
  - (c) increased euchromatin content
  - (d) increased differentiation of heterochromatin and euchromatin
- **30** Consider a protein that is made in the rough endoplasmic reticulum. You observe that when the synthesis of the protein is completed, the protein is located in the ER membrane. Where else in the cell might this protein be found?
  - (a) In the aqueous interior of a lysosome functioning as a digestive enzyme
  - (b) In the cytoplasm, functioning as an enzyme in carbohydrate synthesis







- (c) Embedded in the plasma membrane functioning in the transport of molecules into the cell
- (d) In the internal space of the Golgi apparatus, being modified before the protein is excreted
- 31 Which cell division occurs during cleavage?
  - (a) Amitosis
- (b) Mitosis
- (c) Closed mitosis
- (d) Meiosis
- **32** Which of the following sequences represents the order, in which a protein made in the rough endoplasmic reticulum might move through the endomembrane system?
  - (a) Golgi apparatus Residual body
  - (b) Golgi apparatus Vacuole
  - (c) Plasma membrane Nuclear envelope
  - (d) Nuclear envelope Lysosome
- 33 The 'R' group in the amino acid alanine consists of
  - (a) hydrogen
- (b) methyl group
- (c) hydroxyl group
- (d) carboxyl group
- 34 A homopolymer has only one type of building block called monomer repeated 'n' number of times. A heteropolymer has more than one type of monomer. Proteins are heteropolymers made of amino acids while a nucleic acid like DNA or RNA is made of only 4 types of nucleotide monomers. Proteins are made of
  - (a) 20 types of monomer
- (b) 40 types of monomer
- (c) 3 types of monomer
- (d) only one type of monomer
- 35 Glycerol upon esterification with fatty acids forms
  - (a) monoglyceride
- (b) dialyceride
- (c) triglyceride
- (d) All of these
- **36** Proteins perform many physiological functions. For example, some function as enzymes. One of the following represents an additional function that some proteins discharge.
  - (a) Antibiotics
  - (b) Pigment conferring colour to skin
  - (c) Pigments making colours of flowers
  - (d) Hormones
- **37** Palmitic acid, a saturated fatty acid shows which of the following properties?
  - (a) Solid at room temperature and have double bonds in their carbon chains
  - (b) Solid at room temperature and do not have double bond in their carbon chain
  - (c) Occurs in most plant fats
  - (d) Have very low melting point
- 38 Chloroplasts and mitochondria are thought to be of prokaryotic origin. One piece of evidence that supports this hypothesis is that these organelles contain prokaryotic like ribosomes. These ribosomes are probably most similar to ribosomes found


- (a) free in the cytoplasm of eukaryotes
- (b) on the rough ER
- (c) Both (a) and (b)
- (d) in bacterial cells
- 39 A plant was grown in a test tube containing radioactive nucleotides, the molecules from which DNA is built. Later examination of dividing cells in the plant showed the majority of the radioactivity to be concentrated in the
  - (a) lysosome
  - (b) smooth endoplasmic reticulum
  - (c) central vacuole
  - (d) nucleus
- 40 Enzymes are biocatalysts. They catalyse biochemical reactions. In general, they reduce activation energy of reactions. Many physico-chemical processes are enzyme-mediated. Some examples of enzyme- mediated reactions are given below. Choose the incorrect entry.
  - (a) Dissolving CO<sub>2</sub> in water
  - (b) Untwining the two strands of DNA
  - (c) Hydrolysis of sucrose
  - (d) Formation of peptide bond
- 41 Which amongst the following biomacromolecules is a heteropolymer?
  - (a) Starch
- (b) Insulin
- (c) Protein
- (d) Cellulose
- 42 Essential amino acids are those
  - (a) that can be synthesised in our body
  - (b) essential for health
  - (c) has to be supplemented in our diet
  - (d) Both (b) and (c)
- 43 The enzymes and proteins required for the DNA replication are synthesised during
  - (a)  $G_0$ -phase (b)  $G_1$ -phase (c)  $G_2$ -phase (d) S-phase
- **44** You would expect a cell with an extensive Golgi apparatus to
  - (a) make a lot of ATP
- (b) secrete a lot of protein
- (c) move rapidly
- (d) perform photosynthesis
- 45 The site of duplication of centriole in the animal cell is
  - (a) nucleus
- (b) cytoplasm
- (c) nucleolus
- (d) mitochondria
- **46** The transient stage for the product formation in a reaction catalysed by an enzyme is
  - (a) enzyme substrate complex
  - (b) enzyme product complex
  - (c) enzyme inhibitor complex
  - (d) drastic increase in pH levels
- **47** Which of the following is not a characteristic of mitochondria?
  - (a) Mitochondria are involved in energy metabolism
  - (b) Mitochondria contain DNA and ribosomes
  - (c) Mitochondria are independent of the endomembrane system
  - (d) None of the above







48	Carcinogenic cells divide continuously as they lack (a) leptotene phase (b) quiescent phase (c) interphase (d) diakinesis  59 Which of the following cellular procedure characteristics is not related to the characteristics is not related to the characteristics is not related to the characteristics.				d to the cytoskeleton? somes during cell division			
49	On hydrolysis, nucleoside (a) phosphoric acid (c) purine	does not yield (b) pentose sugar (d) pyrimidine		<ul><li>(b) Movement of cilia or flagella</li><li>(c) Contraction of muscle cells</li><li>(d) None of the above</li></ul>				
50	Where would you expect to find proteins involved with movement of structures within a cell?  (a) Muscles (b) Cytoskeleton (c) Cell wall (d) Plasma membrane			<ul> <li>60 Chromosome carrying centromeres at one end is</li> <li>(a) metacentric</li> <li>(b) submetacentric</li> <li>(c) acrocentric</li> <li>(d) telocentric</li> </ul>				
	form a very essential part o  (a) act as apoenzyme  (c) act as holoenzyme	(b) act as coenzyme (d) act as prosthetic group	61	Enzyme amylase belongs to category (a) oxidoreductase (b) transferases (c) hydrolases (d) isomerases				
52		e of solid, rigid cell wall on the by cell plate method in which  (b) cell membrane (d) nucleolus	62	. ,	(b) chromomeres (d) centromere			
53	Identify the incorrect option (a) Made of two subunits (b) Form polysome (c) May attach to mRNA	for ribosome?		alignment and recombinati (a) King (c) Griffith	(b) Moses (d) Balbiani			
54	(d) Have no role in protein synthesis $\alpha$ -helix and $\beta$ -pleated structures represent			The cell that does not rema (a) nerve	(b) heart			
0.	(a) primary structure of proteins (b) secondary structure of proteins (c) tertiary structure of proteins (d) quarternary structure of proteins			<ul><li>(c) fibroblast cell</li><li>(d) skin cell</li><li>65 Which of the following is (are) most likely to be involved in the process of producing proteins for a chloroplast o mitochondrion, neither of which is part of the</li></ul>				
55	Phase of cell cycle when D (a) $G_1$ (c) S	NA polymerase is active (b) $G_2$ (d) $M$		endomembrane system? (a) Transport vesicles (b) Free cytoplasmic ribosor (c) Golgi apparatus	mes			
56	Hyaluronic acid, which is a polysaccharide, plays a very significant role in living organism as  (a) it acts as a structural compound in cell wall  (b) it helps in coagulation  (c) it helps in lubrication of joints between bones  (d) it is used in tissue culture			<ul> <li>(d) Rough endoplasmic reticulum</li> <li>66 Glycogen is a homopolymer made up of <ul> <li>(a) glucose units</li> <li>(b) galactose units</li> <li>(c) ribose units</li> <li>(d) amino acids</li> </ul> </li> </ul>				
	chromosomes?  (a) Basic Fuchsin (c) Methylene blue  Crossing over process, dur	chsin (b) Safranin (a) Breakdown of complex foods						
	genetic material takes plac (a) sister chromatids of two (b) non-sister chromatids of (c) recombinant homologou (d) sister chromatids of non-	nomologous chromosomes two homologous chromosomes is chromosomes	68		nelles is involved in mitosis of  (b) Nucleolus (d) Cytoplasm			



69	Mitosis results in increasing the number of cells within a	n
	organism. This process is called	

(a) hyperplasia

(b) polyembryony

(c) polyploidy

(d) heterozygous

- 70 Which of the following are possible sites of protein synthesis in a typical eukaryotic cell?
  - (a) Cytoplasm
  - (b) Rough endoplasmic reticulum
  - (c) Mitochondria
  - (d) All of the above
- 71 Enzyme complex involved in alcoholic fermentation is

(a) urease

(b) zvmase

(c) diastase

(d) dehydrogenase

- 72 In nucleic acids, purines and pyrimidines are
  - (a) always in equal proportion in DNA
  - (b) always in equal proportion in RNA
  - (c) their proportions may vary depending upon the stage of cell cycle
  - (d) their proportions may vary in prokaryotes only
- 73 Dye injected into a plant cell might be able to enter an adjacent cell through a
  - (a) tight junction
  - (b) microtubule
  - (c) cell wall
  - (d) plamodesmata
- 74 Select the correctly matched option.
  - (a) Meiosis Strasburger
  - (b) Mitosis Fleming
  - (c) Nucleolus P Outlet
  - (d) Chromosome Farmer and Moore
- 75 Glycocalyx (mucilage sheath) of a bacterial cell may occur in the form of a loose sheath called ... A... or it may be thick and tough called ...B....

Choose the correct pair from the given options.

(a) A - capsule

B - slime layer

(b) A - slime layer

B - capsule

(c) A – mesosome


B - capsule

(d) A - mesosome

B - slime layer

- **76** CdC<sub>2</sub> and CdK<sub>2</sub> are
  - (a) cofactors that are frequently conjugated with enzymes
  - (b) protein factories involved in synthesis of proteins and polypeptides
  - (c) enzymes that are involved in regulation of cell cycle
  - (d) proteins that function to block the cell cycle
- 77 The bond formed by dehydration at the bond formation site is
  - (a) peptide bond
  - (b) glycosidic bond
  - (c) phosphodiester bond
  - (d) ester bond

78 Identify the components labelled A to E in the given diagram of cell membrane from the list 1 to 7 given along with it.



#### Components

1. Sugar

2. Protein

3. Lipid bilayer

4. Integral protein

5. Cytoplasm

6. Cell wall

7. External protein

The correct components are

В CDE 2 3 4 5 (a) 1

Ε 2 3 5

(c) 1 2 3 6

4

(b) (d) 1

79 Chemically enzymes are

(a) hydrocarbons

(b) amino acids

(c) fats

(d) proteins

80 'Apoptosis', which occurs in case of irreparable damage to the cell, is caused by,

(a) P 27 protein

(b) P 53 protein

(c) cyclins

(d) GLUT-4 proteins

81 The concept of cell lineage (cells arise from pre-existing cell only) was propounded by

(a) Purkinje

(b) Virchow


(c) Swammerdam

(d) Robert Hooke

- 82 Which one of the following four membranes is most likely to have a lipid composition that is distinct from the other
  - (a) Endoplasmic reticulum
  - (b) Mitochondrial outer membrane
  - (c) Lysosome membrane
  - (d) Golgi apparatus
- 83 The spindle fibres appear during early prophase and disappear in telophase because
  - (a) they are absorbed in the cytoplasm
  - (b) they are disintegrated and used up during the process of mitosis
  - (c) they are phagocyted by the cell to provide energy for the process
  - (d) absorbed by the condensed chromosomes







- **84** A protein that ultimately functions in the plasma membrane of a cell is most likely to have been synthesised
  - (a) on ribosomes of the nuclear envelope
  - (b) on free cytoplasmic ribosomes
  - (c) in the rough endoplasmic reticulum
  - (d) in the mitochondria
- 85 'Mesokaryon' is the term given to the nucleus of the,
  - (a) stage between interphase and karyokinesis
  - (b) stage between prophase-I and prophase-II
  - (c) stage between karyokinesis and cytokinesis
  - (d) dinoflagellates that possess condensed chromosomes in interphase
- 86 What is a tonoplast?
  - (a) Outer membrane of mitochondria
  - (b) Inner membrane of chloroplast
  - (c) Membrane boundary of the vacuole of plant cells
  - (d) Cell membrane of a plant cell
- **87** The condition when cell division is arrested at the metaphase of mitosis occurs when,
  - (a) nuclear envelope does not disintegrate
  - (b) spindle formation does not take place
  - (c) centrioles fail to migrate to the opposite poles
  - (d) Both (a) and (c)

- **88** Analyse the following pairs and identify the correct option given below.
  - I. Chromoplasts Contain pigments other than chlorophyll.
  - II. Leucoplasts Devoid of any pigments
  - III. Amyloplasts Store proteins
  - IV. Aleuroplasts Store oils and fats
  - V. Elaioplasts Store carbohydrates
  - (a) II and III
  - (b) III and IV
  - (c) IV and V
  - (d) I and II
- **89** A cell which divides every minute can fill a 1 L beaker in 2 hours. How much time will it take to fill 500 mL beaker?
  - (a) 60 minutes
  - (b) 59 minutes
  - (c) 100 minutes
  - (d) 119 minutes
- 90 Optical isomerism is not shown by
  - (a) glycine
  - (b) alanine
  - (c) leucine
  - (d) histidine

#### **ANSWERS**

<b>1</b> (b)	<b>2</b> (a)	<b>3</b> (b)	<b>4</b> (a)	<b>5</b> (c)	<b>6</b> (a)	<b>7</b> (a)	<b>8</b> (b)	<b>9</b> (c)	<b>10</b> (a)
<b>11</b> (d)	<b>12</b> (c)	<b>13</b> (b)	<b>14</b> (a)	<b>15</b> (c)	<b>16</b> (b)	<b>17</b> (a)	<b>18</b> (b)	<b>19</b> (a)	<b>20</b> (b)
<b>21</b> (d)	<b>22</b> (d)	<b>23</b> (c)	<b>24</b> (a)	<b>25</b> (b)	<b>26</b> (d)	<b>27</b> (c)	<b>28</b> (c)	<b>29</b> (b)	<b>30</b> (c)
<b>31</b> (c)	<b>32</b> (b)	<b>33</b> (b)	<b>34</b> (a)	<b>35</b> (d)	<b>36</b> (d)	<b>37</b> (b)	<b>38</b> (d)	<b>39</b> (d)	<b>40</b> (a)
<b>41</b> (c)	<b>42</b> (d)	<b>43</b> (b)	<b>44</b> (b)	<b>45</b> (b)	<b>46</b> (a)	<b>47</b> (d)	<b>48</b> (b)	<b>49</b> (b)	<b>50</b> (b)
<b>51</b> (b)	<b>52</b> (c)	<b>53</b> (d)	<b>54</b> (b)	<b>55</b> (c)	<b>56</b> (c)	<b>57</b> (d)	<b>58</b> (b)	<b>59</b> (d)	<b>60</b> (d)
<b>61</b> (b)	<b>62</b> (b)	<b>63</b> (b)	<b>64</b> (d)	<b>65</b> (b)	<b>66</b> (a)	<b>67</b> (c)	<b>68</b> (c)	<b>69</b> (a)	<b>70</b> (d)
<b>71</b> (b)	<b>72</b> (a)	<b>73</b> (d)	<b>74</b> (b)	<b>75</b> (b)	<b>76</b> (c)	<b>77</b> (b)	<b>78</b> (a)	<b>79</b> (d)	<b>80</b> (b)
<b>81</b> (b)	<b>82</b> (b)	<b>83</b> (a)	<b>84</b> (c)	<b>85</b> (d)	<b>86</b> (c)	<b>87</b> (b)	<b>88</b> (d)	<b>89</b> (d)	<b>90</b> (a)





